

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
001	ar2	rsa-001-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CA	
001	ar2	rsa-001-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
001	ar2	rsa-001-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34181543	
001	ar2	rsa-001-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC0946357V	
001	ar2	rsa-001-ar2-01	Power Cord-Italian	1	CAB-ACI		
001	ar2	rsa-001-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
001	ar2	rsa-001-ar2-01	Device manager for routers	1	ROUTER-SDM		
001	ar2	rsa-001-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
001	ar2	rsa-001-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
001	ar2	rsa-001-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
002	am1	rsa-002-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1FF	
002	am1	rsa-002-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
002	am1	rsa-002-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	16302	
002	am1	rsa-002-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	16149	
002	am1	rsa-002-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1VM	
002	am1	rsa-002-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946F0G7	
002	am1	rsa-002-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B1FS	
002	am1	rsa-002-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2D5	
002	ar2	rsa-002-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AT	
002	ar2	rsa-002-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
002	ar2	rsa-002-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358Y	
002	ar2	rsa-002-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181816	
002	ar2	rsa-002-ar2-01	Power Cord-Italian	1	CAB-ACI		
002	ar2	rsa-002-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
002	ar2	rsa-002-ar2-01	Device manager for routers	1	ROUTER-SDM		
002	ar2	rsa-002-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
002	ar2	rsa-002-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
002	ar2	rsa-002-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
003	am1	rsa-003-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4MB	
003	am1	rsa-003-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
003	am1	rsa-003-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	015637	
003	am1	rsa-003-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	014758	
003	am1	rsa-003-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H10U	
003	am1	rsa-003-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1X0	
003	am1	rsa-003-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1V6	
003	am1	rsa-003-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H20U	
003	ar2	rsa-003-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714Q	
003	ar2	rsa-003-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
003	ar2	rsa-003-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HLP	
003	ar2	rsa-003-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34202386	
003	ar2	rsa-003-ar2-01	Power Cord-Italian	1	CAB-ACI		
003	ar2	rsa-003-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
003	ar2	rsa-003-ar2-01	Device manager for routers	1	ROUTER-SDM		
003	ar2	rsa-003-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
003	ar2	rsa-003-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
003	ar2	rsa-003-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
004	am1	rsa-004-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1CX	
004	am1	rsa-004-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
004	am1	rsa-004-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
004	am1	rsa-004-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
004	am1	rsa-004-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CS	
004	am1	rsa-004-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11E	
004	am1	rsa-004-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1V2	
004	am1	rsa-004-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1VF	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
004	ar2	rsa-004-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CF	
004	ar2	rsa-004-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
004	ar2	rsa-004-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635C6	
004	ar2	rsa-004-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182022	
004	ar2	rsa-004-ar2-01	Power Cord-Italian	1	CAB-ACI		
004	ar2	rsa-004-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
004	ar2	rsa-004-ar2-01	Device manager for routers	1	ROUTER-SDM		
004	ar2	rsa-004-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
004	ar2	rsa-004-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
004	ar2	rsa-004-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
005	am1	rsa-005-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N16F	
005	am1	rsa-005-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
005	am1	rsa-005-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016319	
005	am1	rsa-005-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016413	
005	am1	rsa-005-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946G0SA	
005	am1	rsa-005-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B2AZ	
005	am1	rsa-005-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B0SC	
005	am1	rsa-005-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H2DD	
005	ar2	rsa-005-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716H	
005	ar2	rsa-005-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
005	ar2	rsa-005-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HFS	
005	ar2	rsa-005-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157208	
005	ar2	rsa-005-ar2-01	Power Cord-Italian	1	CAB-ACI		
005	ar2	rsa-005-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
005	ar2	rsa-005-ar2-01	Device manager for routers	1	ROUTER-SDM		
005	ar2	rsa-005-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
005	ar2	rsa-005-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
005	ar2	rsa-005-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
006	am1	rsa-006-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4M2	
006	am1	rsa-006-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
006	am1	rsa-006-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016252	
006	am1	rsa-006-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016364	
006	am1	rsa-006-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H110	
006	am1	rsa-006-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H118	
006	am1	rsa-006-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20R	
006	am1	rsa-006-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20G	
006	ar2	rsa-006-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C2	
006	ar2	rsa-006-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
006	ar2	rsa-006-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635UH	
006	ar2	rsa-006-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156885	
006	ar2	rsa-006-ar2-01	Power Cord-Italian	1	CAB-ACI		
006	ar2	rsa-006-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
006	ar2	rsa-006-ar2-01	Device manager for routers	1	ROUTER-SDM		
006	ar2	rsa-006-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
006	ar2	rsa-006-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
006	ar2	rsa-006-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
007	am1	rsa-007-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT1015N2MY	
007	am1	rsa-007-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
007	am1	rsa-007-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016772	
007	am1	rsa-007-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016771	
007	am1	rsa-007-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M216	
007	am1	rsa-007-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11P	
007	am1	rsa-007-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11B	
007	am1	rsa-007-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11A	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
007	ar2	rsa-007-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CB	
007	ar2	rsa-007-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
007	ar2	rsa-007-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635C2	
007	ar2	rsa-007-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182818	
007	ar2	rsa-007-ar2-01	Power Cord-Italian	1	CAB-ACI		
007	ar2	rsa-007-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
007	ar2	rsa-007-ar2-01	Device manager for routers	1	ROUTER-SDM		
007	ar2	rsa-007-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
007	ar2	rsa-007-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
007	ar2	rsa-007-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
008	ar2	rsa-008-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BJ	
008	ar2	rsa-008-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
008	ar2	rsa-008-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463423	
008	ar2	rsa-008-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157451	
008	ar2	rsa-008-ar2-01	Power Cord-Italian	1	CAB-ACI		
008	ar2	rsa-008-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
008	ar2	rsa-008-ar2-01	Device manager for routers	1	ROUTER-SDM		
008	ar2	rsa-008-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
008	ar2	rsa-008-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
008	ar2	rsa-008-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
009	am1	rsa-009-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4N3	
009	am1	rsa-009-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVCLIC		
009	am1	rsa-009-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016222	
009	am1	rsa-009-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016398	
009	am1	rsa-009-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1W7	
009	am1	rsa-009-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2D6	
009	am1	rsa-009-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H1M4	
009	am1	rsa-009-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2DB	
009	ar2	rsa-009-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CM	
009	ar2	rsa-009-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
009	ar2	rsa-009-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635XZ	
009	ar2	rsa-009-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182448	
009	ar2	rsa-009-ar2-01	Power Cord-Italian	1	CAB-ACI		
009	ar2	rsa-009-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
009	ar2	rsa-009-ar2-01	Device manager for routers	1	ROUTER-SDM		
009	ar2	rsa-009-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
009	ar2	rsa-009-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
009	ar2	rsa-009-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
010	am1	rsa-010-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4MJ	
010	am1	rsa-010-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVCLIC		
010	am1	rsa-010-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016790	
010	am1	rsa-010-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016396	
010	am1	rsa-010-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CP	
010	am1	rsa-010-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2D2	
010	am1	rsa-010-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1W9	
010	am1	rsa-010-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20D	
010	ar2	rsa-010-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BV	
010	ar2	rsa-010-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
010	ar2	rsa-010-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946352P	
010	ar2	rsa-010-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182445	
010	ar2	rsa-010-ar2-01	Power Cord-Italian	1	CAB-ACI		
010	ar2	rsa-010-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
010	ar2	rsa-010-ar2-01	Device manager for routers	1	ROUTER-SDM		
010	ar2	rsa-010-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
010	ar2	rsa-010-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
010	ar2	rsa-010-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
011	am1	rsa-011-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4LU	
011	am1	rsa-011-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSV-LIC		
011	am1	rsa-011-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016686	
011	am1	rsa-011-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016688	
011	am1	rsa-011-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B1ER	
011	am1	rsa-011-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CW	
011	am1	rsa-011-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B1EY	
011	am1	rsa-011-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2D7	
011	ar2	rsa-011-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CP	
011	ar2	rsa-011-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
011	ar2	rsa-011-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635VS	
011	ar2	rsa-011-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182524	
011	ar2	rsa-011-ar2-01	Power Cord-Italian	1	CAB-ACI		
011	ar2	rsa-011-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
011	ar2	rsa-011-ar2-01	Device manager for routers	1	ROUTER-SDM		
011	ar2	rsa-011-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
011	ar2	rsa-011-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
011	ar2	rsa-011-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
012	ar2	rsa-012-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BA	
012	ar2	rsa-012-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
012	ar2	rsa-012-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358C	
012	ar2	rsa-012-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157687	
012	ar2	rsa-012-ar2-01	Power Cord-Italian	1	CAB-ACI		
012	ar2	rsa-012-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT	FNS0926D19K	
012	ar2	rsa-012-ar2-01	Device manager for routers	1	ROUTER-SDM	FNS0825A5R0	
012	ar2	rsa-012-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
012	ar2	rsa-012-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
012	ar2	rsa-012-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
012	mc11	rsa-012-mc11-01	Internet Router with dual AC Power Supply-Rev A	1	CISCO10720-AC-A	CAT0828T05C	
012	mc11	rsa-012-mc11-01	Power Cord-Italian	2	CAB-ACI		
012	mc11	rsa-012-mc11-01	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	1	10720-GE-FE-TX-B	CAT08300099	
012	mc11	rsa-012-mc11-01	GE SFP - Short Reach 550M	2	10720-GE-SFP-SX		
012	mc11	rsa-012-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946M20C	
012	mc11	rsa-012-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946H111	
012	mc11	rsa-012-mc11-01	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	1	10720-RPR-SFP	CAT0924101U	
012	mc11	rsa-012-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0912Z00A	
012	mc11	rsa-012-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0933004A	
012	mc11	rsa-012-mc11-01	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	1	S107K5Z-12.0.31S		
012	mc12	rsa-012-mc12-01	Catalyst 3750 12 SFP Standard Multilayer Image	1	WS-C3750G-12S-S	CAT0949Z3D9	
012	mc12	rsa-012-mc12-01	Power Cord-Italian	1	CAB-ACI		
012	mc12	rsa-012-mc12-01	Cisco StackWise 50CM Stacking Cable	1	CAB-STACK-50CM		
012	mc12	rsa-012-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SB	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E33Z	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E38H	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E342	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0D2	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C0FD	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VH	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CN	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946H1P1	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CC	
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C0F7	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
012	mc12	rsa-012-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M022	
012	mc12	rsa-012-mc12-01	675W Redundant Power Supply with 1 connector cable	1	PWR675-AC-RPS-N1=	DTH09470894	
012	mc12	rsa-012-mc12-01	Power Cord-Italian	1	CAB-ACI		
013	am1	rsa-013-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4JE	
013	am1	rsa-013-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
013	am1	rsa-013-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016264	
013	am1	rsa-013-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016253	
013	am1	rsa-013-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20K	
013	am1	rsa-013-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CX	
013	am1	rsa-013-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CQ	
013	am1	rsa-013-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20X	
013	ar2	rsa-013-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BW	
013	ar2	rsa-013-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
013	ar2	rsa-013-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635F8	
013	ar2	rsa-013-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158558	
013	ar2	rsa-013-ar2-01	Power Cord-Italian	1	CAB-ACI		
013	ar2	rsa-013-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
013	ar2	rsa-013-ar2-01	Device manager for routers	1	ROUTER-SDM		
013	ar2	rsa-013-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
013	ar2	rsa-013-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
013	ar2	rsa-013-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
014	am1	rsa-014-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4N7	
014	am1	rsa-014-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
014	am1	rsa-014-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016216	
014	am1	rsa-014-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016403	
014	am1	rsa-014-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946BOPN	
014	am1	rsa-014-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNSO946G059	
014	am1	rsa-014-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNSO94G08L	
014	am1	rsa-014-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNO946D0DH	
014	ar2	rsa-014-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BZ	
014	ar2	rsa-014-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
014	ar2	rsa-014-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358Z	
014	ar2	rsa-014-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158559	
014	ar2	rsa-014-ar2-01	Power Cord-Italian	1	CAB-ACI		
014	ar2	rsa-014-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
014	ar2	rsa-014-ar2-01	Device manager for routers	1	ROUTER-SDM		
014	ar2	rsa-014-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
014	ar2	rsa-014-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
014	ar2	rsa-014-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
015	ar2	rsa-015-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AH	
015	ar2	rsa-015-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
015	ar2	rsa-015-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463542	
015	ar2	rsa-015-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181985	
015	ar2	rsa-015-ar2-01	Power Cord-Italian	1	CAB-ACI		
015	ar2	rsa-015-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
015	ar2	rsa-015-ar2-01	Device manager for routers	1	ROUTER-SDM		
015	ar2	rsa-015-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
015	ar2	rsa-015-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
015	ar2	rsa-015-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
015	mc11	rsa-015-mc11-01	Internet Router with dual AC Power Supply-Rev A	1	CISCO10720-AC-A	CAT0823T02D	
015	mc11	rsa-015-mc11-01	Power Cord-Italian	2	CAB-ACI		
015	mc11	rsa-015-mc11-01	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	1	10720-GE-FE-TX-B	CAT0830007Y	
015	mc11	rsa-015-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0926D1C0	
015	mc11	rsa-015-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0825A5R3	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
015	mc11	rsa-015-mc11-01	GE SFP - Intermediate Reach 10KM	2	10720-GE-SFP-LH		
015	mc11	rsa-015-mc11-01	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	1	10720-RPR-SFP	CAT09251C56	
015	mc11	rsa-015-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0933004U	
015	mc11	rsa-015-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL09330048	
015	mc11	rsa-015-mc11-01	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	1	S107K5Z-12.0.31S		
015	mc12	rsa-015-mc12-01	Catalyst 3750 12 SFP Standard Multilayer Image	1	WS-C3750G-12S-S	CAT0949Z3D7	
015	mc12	rsa-015-mc12-01	Power Cord-Italian	1	CAB-ACI		
015	mc12	rsa-015-mc12-01	Cisco StackWise 50CM Stacking Cable	1	CAB-STACK-50CM		
015	mc12	rsa-015-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0941C5BP	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0941C5BN	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E39A	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SS	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VE	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VK	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VP	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1V5	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1V4	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946H1NE	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VJ	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VL	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M20Z	
015	mc12	rsa-015-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VD	
015	mc12	rsa-015-mc12-01	675W Redundant Power Supply with 1 connector cable	1	PWR675-AC-RPS-N1=	DTH09470884	
015	mc12	rsa-015-mc12-01	Power Cord-Italian	1	CAB-ACI		
016	am1	rsa-016-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT1041NG74	
016	am1	rsa-016-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
016	am1	rsa-016-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
016	am1	rsa-016-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
016	am1	rsa-016-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B0ZW	
016	am1	rsa-016-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS10390R7B	
016	am1	rsa-016-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS10400SCL	
016	am1	rsa-016-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0947J3EQ	
016	ar2	rsa-016-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AZ	
016	ar2	rsa-016-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
016	ar2	rsa-016-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34182658	
016	ar2	rsa-016-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC10413X50	
016	ar2	rsa-016-ar2-01	Power Cord-Italian	1	CAB-ACI		
016	ar2	rsa-016-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
016	ar2	rsa-016-ar2-01	Device manager for routers	1	ROUTER-SDM		
016	ar2	rsa-016-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
016	ar2	rsa-016-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
016	ar2	rsa-016-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
017	am1	rsa-017-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1CQ	
017	am1	rsa-017-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
017	am1	rsa-017-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
017	am1	rsa-017-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
017	am1	rsa-017-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946BIF2	
017	am1	rsa-017-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946G0RM	
017	am1	rsa-017-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1WD	
017	am1	rsa-017-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H114	
017	ar2	rsa-017-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9		
017	ar2	rsa-017-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
017	ar2	rsa-017-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635YG	
017	ar2	rsa-017-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34183690	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
017	ar2	rsa-017-ar2-01	Power Cord-Italian	1	CAB-ACI		
017	ar2	rsa-017-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
017	ar2	rsa-017-ar2-01	Device manager for routers	1	ROUTER-SDM		
017	ar2	rsa-017-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
017	ar2	rsa-017-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
017	ar2	rsa-017-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
018	am1	rsa-018-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4KU	
018	am1	rsa-018-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSV-LIC		
018	am1	rsa-018-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016258	
018	am1	rsa-018-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016363	
018	am1	rsa-018-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1WB	
018	am1	rsa-018-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B14G	
018	am1	rsa-018-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0K2	
018	am1	rsa-018-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0949B0SV	
018	ar2	rsa-018-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CX	
018	ar2	rsa-018-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
018	ar2	rsa-018-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09336X09	
018	ar2	rsa-018-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181617	
018	ar2	rsa-018-ar2-01	Power Cord-Italian	1	CAB-ACI		
018	ar2	rsa-018-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
018	ar2	rsa-018-ar2-01	Device manager for routers	1	ROUTER-SDM		
018	ar2	rsa-018-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
018	ar2	rsa-018-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
018	ar2	rsa-018-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
019	am1	rsa-019-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1H5	
019	am1	rsa-019-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSV-LIC		
019	am1	rsa-019-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016432	
019	am1	rsa-019-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016033	
019	am1	rsa-019-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11G	
019	am1	rsa-019-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1VG	
019	am1	rsa-019-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11Q	
019	am1	rsa-019-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20N	
019	ar2	rsa-019-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BY	
019	ar2	rsa-019-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
019	ar2	rsa-019-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946342D	
019	ar2	rsa-019-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181840	
019	ar2	rsa-019-ar2-01	Power Cord-Italian	1	CAB-ACI		
019	ar2	rsa-019-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
019	ar2	rsa-019-ar2-01	Device manager for routers	1	ROUTER-SDM		
019	ar2	rsa-019-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
019	ar2	rsa-019-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
019	ar2	rsa-019-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
020	am1	rsa-020-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1BP	
020	am1	rsa-020-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSV-LIC		
020	am1	rsa-020-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016278	
020	am1	rsa-020-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016157	
020	am1	rsa-020-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1WE	
020	am1	rsa-020-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CM	
020	am1	rsa-020-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2D8	
020	am1	rsa-020-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1WD	
020	ar2	rsa-020-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BM	
020	ar2	rsa-020-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
020	ar2	rsa-020-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463538	
020	ar2	rsa-020-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182364	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
020	ar2	rsa-020-ar2-01	Power Cord-Italian	1	CAB-ACI		
020	ar2	rsa-020-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
020	ar2	rsa-020-ar2-01	Device manager for routers	1	ROUTER-SDM		
020	ar2	rsa-020-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
020	ar2	rsa-020-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
020	ar2	rsa-020-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
022	am1	rsa-022-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4L5	
022	am1	rsa-022-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVCLIC		
022	am1	rsa-022-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016689	
022	am1	rsa-022-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016412	
022	am1	rsa-022-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20F	
022	am1	rsa-022-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20V	
022	am1	rsa-022-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H10X	
022	am1	rsa-022-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20Y	
022	ar2	rsa-022-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CW	
022	ar2	rsa-022-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
022	ar2	rsa-022-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34182372	
022	ar2	rsa-022-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC09433FQB	
022	ar2	rsa-022-ar2-01	Power Cord-Italian	1	CAB-ACI		
022	ar2	rsa-022-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
022	ar2	rsa-022-ar2-01	Device manager for routers	1	ROUTER-SDM		
022	ar2	rsa-022-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
022	ar2	rsa-022-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
022	ar2	rsa-022-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
023	am1	rsa-023-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N2LY	
023	am1	rsa-023-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVCLIC		
023	am1	rsa-023-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	015657	
023	am1	rsa-023-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016069	
023	am1	rsa-023-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11K	
023	am1	rsa-023-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1V8	
023	am1	rsa-023-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20P	
023	am1	rsa-023-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M210	
023	ar2	rsa-023-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C1	
023	ar2	rsa-023-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
023	ar2	rsa-023-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946341N	
023	ar2	rsa-023-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182076	
023	ar2	rsa-023-ar2-01	Power Cord-Italian	1	CAB-ACI		
023	ar2	rsa-023-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
023	ar2	rsa-023-ar2-01	Device manager for routers	1	ROUTER-SDM		
023	ar2	rsa-023-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
023	ar2	rsa-023-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
023	ar2	rsa-023-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
024	ar2	rsa-024-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BN	
024	ar2	rsa-024-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
024	ar2	rsa-024-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634WG	
024	ar2	rsa-024-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182674	
024	ar2	rsa-024-ar2-01	Power Cord-Italian	1	CAB-ACI		
024	ar2	rsa-024-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
024	ar2	rsa-024-ar2-01	Device manager for routers	1	ROUTER-SDM		
024	ar2	rsa-024-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
024	ar2	rsa-024-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
024	ar2	rsa-024-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
025	ar2	rsa-025-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CH	
025	ar2	rsa-025-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
025	ar2	rsa-025-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634VB	
025	ar2	rsa-025-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182113	
025	ar2	rsa-025-ar2-01	Power Cord-Italian	1	CAB-ACI		
025	ar2	rsa-025-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
025	ar2	rsa-025-ar2-01	Device manager for routers	1	ROUTER-SDM		
025	ar2	rsa-025-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
025	ar2	rsa-025-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
025	ar2	rsa-025-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
026	ar2	rsa-026-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953719X	
026	ar2	rsa-026-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
026	ar2	rsa-026-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946360Y	
026	ar2	rsa-026-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181865	
026	ar2	rsa-026-ar2-01	Power Cord-Italian	1	CAB-ACI		
026	ar2	rsa-026-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
026	ar2	rsa-026-ar2-01	Device manager for routers	1	ROUTER-SDM		
026	ar2	rsa-026-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
026	ar2	rsa-026-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
026	ar2	rsa-026-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
027	ar2	rsa-027-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095370TX	
027	ar2	rsa-027-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
027	ar2	rsa-027-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GWP	
027	ar2	rsa-027-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182079	
027	ar2	rsa-027-ar2-01	Power Cord-Italian	1	CAB-ACI		
027	ar2	rsa-027-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
027	ar2	rsa-027-ar2-01	Device manager for routers	1	ROUTER-SDM		
027	ar2	rsa-027-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
027	ar2	rsa-027-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
027	ar2	rsa-027-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
028	ar2	rsa-028-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CT	
028	ar2	rsa-028-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
028	ar2	rsa-028-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635BY	
028	ar2	rsa-028-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182746	
028	ar2	rsa-028-ar2-01	Power Cord-Italian	1	CAB-ACI		
028	ar2	rsa-028-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
028	ar2	rsa-028-ar2-01	Device manager for routers	1	ROUTER-SDM		
028	ar2	rsa-028-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
028	ar2	rsa-028-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
028	ar2	rsa-028-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
029	ar2	rsa-029-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AL	
029	ar2	rsa-029-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
029	ar2	rsa-029-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358E	
029	ar2	rsa-029-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181999	
029	ar2	rsa-029-ar2-01	Power Cord-Italian	1	CAB-ACI		
029	ar2	rsa-029-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
029	ar2	rsa-029-ar2-01	Device manager for routers	1	ROUTER-SDM		
029	ar2	rsa-029-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
029	ar2	rsa-029-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
029	ar2	rsa-029-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
030	ar2	rsa-030-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AB	
030	ar2	rsa-030-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
030	ar2	rsa-030-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635FB	
030	ar2	rsa-030-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182314	
030	ar2	rsa-030-ar2-01	Power Cord-Italian	1	CAB-ACI		
030	ar2	rsa-030-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
030	ar2	rsa-030-ar2-01	Device manager for routers	1	ROUTER-SDM		
030	ar2	rsa-030-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
030	ar2	rsa-030-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
030	ar2	rsa-030-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
031	ar2	rsa-031-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C3	
031	ar2	rsa-031-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
031	ar2	rsa-031-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463420	
031	ar2	rsa-031-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157691	
031	ar2	rsa-031-ar2-01	Power Cord-Italian	1	CAB-ACI		
031	ar2	rsa-031-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
031	ar2	rsa-031-ar2-01	Device manager for routers	1	ROUTER-SDM		
031	ar2	rsa-031-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
031	ar2	rsa-031-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
031	ar2	rsa-031-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
032	ar2	rsa-032-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716R	
032	ar2	rsa-032-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
032	ar2	rsa-032-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433JP0	
032	ar2	rsa-032-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182008	
032	ar2	rsa-032-ar2-01	Power Cord-Italian	1	CAB-ACI		
032	ar2	rsa-032-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
032	ar2	rsa-032-ar2-01	Device manager for routers	1	ROUTER-SDM		
032	ar2	rsa-032-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
032	ar2	rsa-032-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
032	ar2	rsa-032-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
033	ar2	rsa-033-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725S	
033	ar2	rsa-033-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
033	ar2	rsa-033-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZFH	
033	ar2	rsa-033-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476443	
033	ar2	rsa-033-ar2-01	Power Cord-Italian	1	CAB-ACI		
033	ar2	rsa-033-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
033	ar2	rsa-033-ar2-01	Device manager for routers	1	ROUTER-SDM		
033	ar2	rsa-033-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
033	ar2	rsa-033-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
033	ar2	rsa-033-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
034	am3	rsa-034-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z50H	
034	am3	rsa-034-am3-01	Power Cord-Italian	1	CAB-ACI		
034	am3	rsa-034-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1JX	
034	am3	rsa-034-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946C01X	
034	ar2	rsa-034-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725W	
034	ar2	rsa-034-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
034	ar2	rsa-034-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515X2C	
034	ar2	rsa-034-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479629	
034	ar2	rsa-034-ar2-01	Power Cord-Italian	1	CAB-ACI		
034	ar2	rsa-034-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
034	ar2	rsa-034-ar2-01	Device manager for routers	1	ROUTER-SDM		
034	ar2	rsa-034-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
034	ar2	rsa-034-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
034	ar2	rsa-034-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
035	ar2	rsa-035-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725U	
035	ar2	rsa-035-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
035	ar2	rsa-035-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515X3E	
035	ar2	rsa-035-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35477672	
035	ar2	rsa-035-ar2-01	Power Cord-Italian	1	CAB-ACI		
035	ar2	rsa-035-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
035	ar2	rsa-035-ar2-01	Device manager for routers	1	ROUTER-SDM		
035	ar2	rsa-035-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
035	ar2	rsa-035-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
035	ar2	rsa-035-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
036	ar2	rsa-036-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077251	
036	ar2	rsa-036-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
036	ar2	rsa-036-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Z57	
036	ar2	rsa-036-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479625	
036	ar2	rsa-036-ar2-01	Power Cord-Italian	1	CAB-ACI		
036	ar2	rsa-036-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
036	ar2	rsa-036-ar2-01	Device manager for routers	1	ROUTER-SDM		
036	ar2	rsa-036-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
036	ar2	rsa-036-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
036	ar2	rsa-036-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
038	ar2	rsa-038-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725A	
038	ar2	rsa-038-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
038	ar2	rsa-038-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XWZ	
038	ar2	rsa-038-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492580	
038	ar2	rsa-038-ar2-01	Power Cord-Italian	1	CAB-ACI		
038	ar2	rsa-038-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
038	ar2	rsa-038-ar2-01	Device manager for routers	1	ROUTER-SDM		
038	ar2	rsa-038-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
038	ar2	rsa-038-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
038	ar2	rsa-038-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
039	ar2	rsa-039-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725T	
039	ar2	rsa-039-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
039	ar2	rsa-039-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10501SZL	
039	ar2	rsa-039-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479635	
039	ar2	rsa-039-ar2-01	Power Cord-Italian	1	CAB-ACI		
039	ar2	rsa-039-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
039	ar2	rsa-039-ar2-01	Device manager for routers	1	ROUTER-SDM		
039	ar2	rsa-039-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
039	ar2	rsa-039-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
039	ar2	rsa-039-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
041	ar2	rsa-041-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713N	
041	ar2	rsa-041-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
041	ar2	rsa-041-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HFN	
041	ar2	rsa-041-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156665	
041	ar2	rsa-041-ar2-01	Power Cord-Italian	1	CAB-ACI		
041	ar2	rsa-041-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
041	ar2	rsa-041-ar2-01	Device manager for routers	1	ROUTER-SDM		
041	ar2	rsa-041-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
041	ar2	rsa-041-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
041	ar2	rsa-041-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
043	ar2	rsa-043-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527150	
043	ar2	rsa-043-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
043	ar2	rsa-043-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HLS	
043	ar2	rsa-043-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201776	
043	ar2	rsa-043-ar2-01	Power Cord-Italian	1	CAB-ACI		
043	ar2	rsa-043-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
043	ar2	rsa-043-ar2-01	Device manager for routers	1	ROUTER-SDM		
043	ar2	rsa-043-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
043	ar2	rsa-043-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
043	ar2	rsa-043-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
044	ar2	rsa-044-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A0	
044	ar2	rsa-044-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
044	ar2	rsa-044-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413VHM	
044	ar2	rsa-044-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182373	
044	ar2	rsa-044-ar2-01	Power Cord-Italian	1	CAB-ACI		
044	ar2	rsa-044-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
044	ar2	rsa-044-ar2-01	Device manager for routers	1	ROUTER-SDM		
044	ar2	rsa-044-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
044	ar2	rsa-044-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
044	ar2	rsa-044-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
046	ar2	rsa-046-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BP	
046	ar2	rsa-046-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
046	ar2	rsa-046-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946362S	
046	ar2	rsa-046-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181984	
046	ar2	rsa-046-ar2-01	Power Cord-Italian	1	CAB-ACI		
046	ar2	rsa-046-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
046	ar2	rsa-046-ar2-01	Device manager for routers	1	ROUTER-SDM		
046	ar2	rsa-046-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
046	ar2	rsa-046-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
046	ar2	rsa-046-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
049	ar2	rsa-049-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BX	
049	ar2	rsa-049-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
049	ar2	rsa-049-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463429	
049	ar2	rsa-049-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182612	
049	ar2	rsa-049-ar2-01	Power Cord-Italian	1	CAB-ACI		
049	ar2	rsa-049-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
049	ar2	rsa-049-ar2-01	Device manager for routers	1	ROUTER-SDM		
049	ar2	rsa-049-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
049	ar2	rsa-049-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
049	ar2	rsa-049-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
050	ar2	rsa-050-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B5	
050	ar2	rsa-050-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
050	ar2	rsa-050-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634WU	
050	ar2	rsa-050-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157388	
050	ar2	rsa-050-ar2-01	Power Cord-Italian	1	CAB-ACI		
050	ar2	rsa-050-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
050	ar2	rsa-050-ar2-01	Device manager for routers	1	ROUTER-SDM		
050	ar2	rsa-050-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
050	ar2	rsa-050-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
050	ar2	rsa-050-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
051	ar2	rsa-051-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0926745Z	
051	ar2	rsa-051-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
051	ar2	rsa-051-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC104864UF	
051	ar2	rsa-051-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35386058	
051	ar2	rsa-051-ar2-01	Power Cord-Italian	1	CAB-ACI		
051	ar2	rsa-051-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
051	ar2	rsa-051-ar2-01	Device manager for routers	1	ROUTER-SDM		
051	ar2	rsa-051-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
051	ar2	rsa-051-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
051	ar2	rsa-051-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
052	ar2	rsa-052-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953719Z	
052	ar2	rsa-052-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
052	ar2	rsa-052-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463616	
052	ar2	rsa-052-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181829	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
052	ar2	rsa-052-ar2-01	Power Cord-Italian	1	CAB-ACI		
052	ar2	rsa-052-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
052	ar2	rsa-052-ar2-01	Device manager for routers	1	ROUTER-SDM		
052	ar2	rsa-052-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
052	ar2	rsa-052-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
052	ar2	rsa-052-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
053	ar2	rsa-053-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713P	
053	ar2	rsa-053-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
053	ar2	rsa-053-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GYA	
053	ar2	rsa-053-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157453	
053	ar2	rsa-053-ar2-01	Power Cord-Italian	1	CAB-ACI		
053	ar2	rsa-053-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
053	ar2	rsa-053-ar2-01	Device manager for routers	1	ROUTER-SDM		
053	ar2	rsa-053-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
053	ar2	rsa-053-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
053	ar2	rsa-053-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
055	ar2	rsa-055-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527154	
055	ar2	rsa-055-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
055	ar2	rsa-055-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463355N	
055	ar2	rsa-055-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201774	
055	ar2	rsa-055-ar2-01	Power Cord-Italian	1	CAB-ACI		
055	ar2	rsa-055-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
055	ar2	rsa-055-ar2-01	Device manager for routers	1	ROUTER-SDM		
055	ar2	rsa-055-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
055	ar2	rsa-055-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
055	ar2	rsa-055-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
056	ar2	rsa-056-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714U	
056	ar2	rsa-056-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
056	ar2	rsa-056-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094633J7C	
056	ar2	rsa-056-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203452	
056	ar2	rsa-056-ar2-01	Power Cord-Italian	1	CAB-ACI		
056	ar2	rsa-056-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
056	ar2	rsa-056-ar2-01	Device manager for routers	1	ROUTER-SDM		
056	ar2	rsa-056-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
056	ar2	rsa-056-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
056	ar2	rsa-056-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
057	ar2	rsa-057-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B3	
057	ar2	rsa-057-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
057	ar2	rsa-057-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635FJ	
057	ar2	rsa-057-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182352	
057	ar2	rsa-057-ar2-01	Power Cord-Italian	1	CAB-ACI		
057	ar2	rsa-057-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
057	ar2	rsa-057-ar2-01	Device manager for routers	1	ROUTER-SDM		
057	ar2	rsa-057-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
057	ar2	rsa-057-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
057	ar2	rsa-057-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
058	ar2	rsa-058-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CK	
058	ar2	rsa-058-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
058	ar2	rsa-058-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635YE	
058	ar2	rsa-058-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182879	
058	ar2	rsa-058-ar2-01	Power Cord-Italian	1	CAB-ACI		
058	ar2	rsa-058-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
058	ar2	rsa-058-ar2-01	Device manager for routers	1	ROUTER-SDM		
058	ar2	rsa-058-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
058	ar2	rsa-058-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
058	ar2	rsa-058-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
059	ar2	rsa-059-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AF	
059	ar2	rsa-059-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
059	ar2	rsa-059-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946360Z	
059	ar2	rsa-059-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182014	
059	ar2	rsa-059-ar2-01	Power Cord-Italian	1	CAB-ACI		
059	ar2	rsa-059-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
059	ar2	rsa-059-ar2-01	Device manager for routers	1	ROUTER-SDM		
059	ar2	rsa-059-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
059	ar2	rsa-059-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
059	ar2	rsa-059-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
060	ar2	rsa-060-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713Z	
060	ar2	rsa-060-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
060	ar2	rsa-060-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HZU	
060	ar2	rsa-060-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156620	
060	ar2	rsa-060-ar2-01	Power Cord-Italian	1	CAB-ACI		
060	ar2	rsa-060-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
060	ar2	rsa-060-ar2-01	Device manager for routers	1	ROUTER-SDM		
060	ar2	rsa-060-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
060	ar2	rsa-060-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
060	ar2	rsa-060-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
061	ar2	rsa-061-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537164	
061	ar2	rsa-061-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
061	ar2	rsa-061-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433J5Z	
061	ar2	rsa-061-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157157	
061	ar2	rsa-061-ar2-01	Power Cord-Italian	1	CAB-ACI		
061	ar2	rsa-061-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
061	ar2	rsa-061-ar2-01	Device manager for routers	1	ROUTER-SDM		
061	ar2	rsa-061-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
061	ar2	rsa-061-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
061	ar2	rsa-061-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
062	ar2	rsa-062-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953718H	
062	ar2	rsa-062-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
062	ar2	rsa-062-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34156664	
062	ar2	rsa-062-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC09433HZG	
062	ar2	rsa-062-ar2-01	Power Cord-Italian	1	CAB-ACI		
062	ar2	rsa-062-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
062	ar2	rsa-062-ar2-01	Device manager for routers	1	ROUTER-SDM		
062	ar2	rsa-062-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
062	ar2	rsa-062-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
062	ar2	rsa-062-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
063	ar2	rsa-063-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537144	
063	ar2	rsa-063-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
063	ar2	rsa-063-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GKH	
063	ar2	rsa-063-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156585	
063	ar2	rsa-063-ar2-01	Power Cord-Italian	1	CAB-ACI		
063	ar2	rsa-063-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
063	ar2	rsa-063-ar2-01	Device manager for routers	1	ROUTER-SDM		
063	ar2	rsa-063-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
063	ar2	rsa-063-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
063	ar2	rsa-063-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
064	ar2	rsa-064-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716Q	
064	ar2	rsa-064-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
064	ar2	rsa-064-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433JL4	
064	ar2	rsa-064-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182074	
064	ar2	rsa-064-ar2-01	Power Cord-Italian	1	CAB-ACI		
064	ar2	rsa-064-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
064	ar2	rsa-064-ar2-01	Device manager for routers	1	ROUTER-SDM		
064	ar2	rsa-064-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
064	ar2	rsa-064-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
064	ar2	rsa-064-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
065	ar2	rsa-065-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A7	
065	ar2	rsa-065-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
065	ar2	rsa-065-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635TA	
065	ar2	rsa-065-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182077	
065	ar2	rsa-065-ar2-01	Power Cord-Italian	1	CAB-ACI		
065	ar2	rsa-065-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
065	ar2	rsa-065-ar2-01	Device manager for routers	1	ROUTER-SDM		
065	ar2	rsa-065-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
065	ar2	rsa-065-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
065	ar2	rsa-065-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
066	ar2	rsa-066-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716M	
066	ar2	rsa-066-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
066	ar2	rsa-066-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433JL3	
066	ar2	rsa-066-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181539	
066	ar2	rsa-066-ar2-01	Power Cord-Italian	1	CAB-ACI		
066	ar2	rsa-066-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
066	ar2	rsa-066-ar2-01	Device manager for routers	1	ROUTER-SDM		
066	ar2	rsa-066-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
066	ar2	rsa-066-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
066	ar2	rsa-066-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
068	ar2	rsa-068-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714S	
068	ar2	rsa-068-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
068	ar2	rsa-068-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433J70	
068	ar2	rsa-068-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203450	
068	ar2	rsa-068-ar2-01	Power Cord-Italian	1	CAB-ACI		
068	ar2	rsa-068-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
068	ar2	rsa-068-ar2-01	Device manager for routers	1	ROUTER-SDM		
068	ar2	rsa-068-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
068	ar2	rsa-068-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
068	ar2	rsa-068-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
070	ar2	rsa-070-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537169	
070	ar2	rsa-070-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
070	ar2	rsa-070-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094633GLA	
070	ar2	rsa-070-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156832	
070	ar2	rsa-070-ar2-01	Power Cord-Italian	1	CAB-ACI		
070	ar2	rsa-070-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
070	ar2	rsa-070-ar2-01	Device manager for routers	1	ROUTER-SDM		
070	ar2	rsa-070-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
070	ar2	rsa-070-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
070	ar2	rsa-070-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
071	ar2	rsa-071-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C7	
071	ar2	rsa-071-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
071	ar2	rsa-071-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358P	
071	ar2	rsa-071-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181647	
071	ar2	rsa-071-ar2-01	Power Cord-Italian	1	CAB-ACI		
071	ar2	rsa-071-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
071	ar2	rsa-071-ar2-01	Device manager for routers	1	ROUTER-SDM		
071	ar2	rsa-071-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
071	ar2	rsa-071-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
071	ar2	rsa-071-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
072	ar2	rsa-072-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714V	
072	ar2	rsa-072-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
072	ar2	rsa-072-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FWV	
072	ar2	rsa-072-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203453	
072	ar2	rsa-072-ar2-01	Power Cord-Italian	1	CAB-ACI		
072	ar2	rsa-072-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
072	ar2	rsa-072-ar2-01	Device manager for routers	1	ROUTER-SDM		
072	ar2	rsa-072-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
072	ar2	rsa-072-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
072	ar2	rsa-072-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
074	ar2	rsa-074-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713K	
074	ar2	rsa-074-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
074	ar2	rsa-074-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094633GY9	
074	ar2	rsa-074-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157204	
074	ar2	rsa-074-ar2-01	Power Cord-Italian	1	CAB-ACI		
074	ar2	rsa-074-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
074	ar2	rsa-074-ar2-01	Device manager for routers	1	ROUTER-SDM		
074	ar2	rsa-074-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
074	ar2	rsa-074-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
074	ar2	rsa-074-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
075	ar2	rsa-075-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716K	
075	ar2	rsa-075-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
075	ar2	rsa-075-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094633GL1	
075	ar2	rsa-075-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156490	
075	ar2	rsa-075-ar2-01	Power Cord-Italian	1	CAB-ACI		
075	ar2	rsa-075-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
075	ar2	rsa-075-ar2-01	Device manager for routers	1	ROUTER-SDM		
075	ar2	rsa-075-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
075	ar2	rsa-075-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
075	ar2	rsa-075-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
076	ar2	rsa-076-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537165	
076	ar2	rsa-076-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
076	ar2	rsa-076-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094633GWQ	
076	ar2	rsa-076-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157683	
076	ar2	rsa-076-ar2-01	Power Cord-Italian	1	CAB-ACI		
076	ar2	rsa-076-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
076	ar2	rsa-076-ar2-01	Device manager for routers	1	ROUTER-SDM		
076	ar2	rsa-076-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
076	ar2	rsa-076-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
076	ar2	rsa-076-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
077	ar2	rsa-077-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716E	
077	ar2	rsa-077-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
077	ar2	rsa-077-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433J6Y	
077	ar2	rsa-077-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156628	
077	ar2	rsa-077-ar2-01	Power Cord-Italian	1	CAB-ACI		
077	ar2	rsa-077-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
077	ar2	rsa-077-ar2-01	Device manager for routers	1	ROUTER-SDM		
077	ar2	rsa-077-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
077	ar2	rsa-077-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
077	ar2	rsa-077-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
078	ar2	rsa-078-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B0	
078	ar2	rsa-078-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
078	ar2	rsa-078-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946352R	
078	ar2	rsa-078-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182226	
078	ar2	rsa-078-ar2-01	Power Cord-Italian	1	CAB-ACI		
078	ar2	rsa-078-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
078	ar2	rsa-078-ar2-01	Device manager for routers	1	ROUTER-SDM		
078	ar2	rsa-078-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
078	ar2	rsa-078-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
078	ar2	rsa-078-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
079	ar2	rsa-079-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527159	
079	ar2	rsa-079-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
079	ar2	rsa-079-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FRW	
079	ar2	rsa-079-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203447	
079	ar2	rsa-079-ar2-01	Power Cord-Italian	1	CAB-ACI		
079	ar2	rsa-079-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
079	ar2	rsa-079-ar2-01	Device manager for routers	1	ROUTER-SDM		
079	ar2	rsa-079-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
079	ar2	rsa-079-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
079	ar2	rsa-079-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
080	ar2	rsa-080-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716B	
080	ar2	rsa-080-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
080	ar2	rsa-080-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GZL	
080	ar2	rsa-080-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157601	
080	ar2	rsa-080-ar2-01	Power Cord-Italian	1	CAB-ACI		
080	ar2	rsa-080-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
080	ar2	rsa-080-ar2-01	Device manager for routers	1	ROUTER-SDM		
080	ar2	rsa-080-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
080	ar2	rsa-080-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
080	ar2	rsa-080-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
083	ar2	rsa-083-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CN	
083	ar2	rsa-083-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
083	ar2	rsa-083-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946340Z	
083	ar2	rsa-083-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181823	
083	ar2	rsa-083-ar2-01	Power Cord-Italian	1	CAB-ACI		
083	ar2	rsa-083-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
083	ar2	rsa-083-ar2-01	Device manager for routers	1	ROUTER-SDM		
083	ar2	rsa-083-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
083	ar2	rsa-083-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
083	ar2	rsa-083-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
084	ar2	rsa-084-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C8	
084	ar2	rsa-084-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
084	ar2	rsa-084-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946341Q	
084	ar2	rsa-084-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182477	
084	ar2	rsa-084-ar2-01	Power Cord-Italian	1	CAB-ACI		
084	ar2	rsa-084-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
084	ar2	rsa-084-ar2-01	Device manager for routers	1	ROUTER-SDM		
084	ar2	rsa-084-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
084	ar2	rsa-084-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
084	ar2	rsa-084-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
085	ar2	rsa-085-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713Q	
085	ar2	rsa-085-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
085	ar2	rsa-085-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GL9	
085	ar2	rsa-085-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156906	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
085	ar2	rsa-085-ar2-01	Power Cord-Italian	1	CAB-ACI		
085	ar2	rsa-085-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
085	ar2	rsa-085-ar2-01	Device manager for routers	1	ROUTER-SDM		
085	ar2	rsa-085-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
085	ar2	rsa-085-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
085	ar2	rsa-085-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
086	ar2	rsa-086-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AW	
086	ar2	rsa-086-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
086	ar2	rsa-086-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635JY	
086	ar2	rsa-086-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157666	
086	ar2	rsa-086-ar2-01	Power Cord-Italian	1	CAB-ACI		
086	ar2	rsa-086-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
086	ar2	rsa-086-ar2-01	Device manager for routers	1	ROUTER-SDM		
086	ar2	rsa-086-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
086	ar2	rsa-086-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
086	ar2	rsa-086-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
088	am2	rsa-088-am2-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4L0	
088	am2	rsa-088-am2-01	Advanced IP Feature License for Catalyst 3750 Metro	1	ME3750-ADVIP-LIC		
088	am2	rsa-088-am2-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
088	am2	rsa-088-am2-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
088	am2	rsa-088-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946J0K6	
088	am2	rsa-088-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M021	
088	am2	rsa-088-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0945G2GB	
088	am2	rsa-088-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H1N6	
088	ar2	rsa-088-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AG	
088	ar2	rsa-088-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
088	ar2	rsa-088-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946360B	
088	ar2	rsa-088-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182078	
088	ar2	rsa-088-ar2-01	Power Cord-Italian	1	CAB-ACI		
088	ar2	rsa-088-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
088	ar2	rsa-088-ar2-01	Device manager for routers	1	ROUTER-SDM		
088	ar2	rsa-088-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
088	ar2	rsa-088-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
088	ar2	rsa-088-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
089	ar2	rsa-089-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713J	
089	ar2	rsa-089-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
089	ar2	rsa-089-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FVX	
089	ar2	rsa-089-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157407	
089	ar2	rsa-089-ar2-01	Power Cord-Italian	1	CAB-ACI		
089	ar2	rsa-089-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
089	ar2	rsa-089-ar2-01	Device manager for routers	1	ROUTER-SDM		
089	ar2	rsa-089-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
089	ar2	rsa-089-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
089	ar2	rsa-089-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
090	ar2	rsa-090-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CE	
090	ar2	rsa-090-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
090	ar2	rsa-090-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463413	
090	ar2	rsa-090-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182561	
090	ar2	rsa-090-ar2-01	Power Cord-Italian	1	CAB-ACI		
090	ar2	rsa-090-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
090	ar2	rsa-090-ar2-01	Device manager for routers	1	ROUTER-SDM		
090	ar2	rsa-090-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
090	ar2	rsa-090-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
090	ar2	rsa-090-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
091	am3	rsa-091-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0948Z4YJ	
091	am3	rsa-091-am3-01	Power Cord-Italian	1	CAB-ACI		
091	am3	rsa-091-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1QF	
091	am3	rsa-091-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1QN	
091	ar2	rsa-091-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726D	
091	ar2	rsa-091-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
091	ar2	rsa-091-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Z2G	
091	ar2	rsa-091-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493682	
091	ar2	rsa-091-ar2-01	Power Cord-Italian	1	CAB-ACI		
091	ar2	rsa-091-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
091	ar2	rsa-091-ar2-01	Device manager for routers	1	ROUTER-SDM		
091	ar2	rsa-091-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
091	ar2	rsa-091-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
091	ar2	rsa-091-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
092	ar2	rsa-092-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CG	
092	ar2	rsa-092-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
092	ar2	rsa-092-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463580	
092	ar2	rsa-092-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181779	
092	ar2	rsa-092-ar2-01	Power Cord-Italian	1	CAB-ACI		
092	ar2	rsa-092-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
092	ar2	rsa-092-ar2-01	Device manager for routers	1	ROUTER-SDM		
092	ar2	rsa-092-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
092	ar2	rsa-092-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
092	ar2	rsa-092-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
094	am3	rsa-094-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0948Z4ZL	
094	am3	rsa-094-am3-01	Power Cord-Italian	1	CAB-ACI		
094	am3	rsa-094-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0L0	
094	am3	rsa-094-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1JE	
094	ar2	rsa-094-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A9	
094	ar2	rsa-094-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
094	ar2	rsa-094-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634QU	
094	ar2	rsa-094-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182627	
094	ar2	rsa-094-ar2-01	Power Cord-Italian	1	CAB-ACI		
094	ar2	rsa-094-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
094	ar2	rsa-094-ar2-01	Device manager for routers	1	ROUTER-SDM		
094	ar2	rsa-094-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
094	ar2	rsa-094-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
094	ar2	rsa-094-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
095	am3	rsa-095-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4ZP	
095	am3	rsa-095-am3-01	Power Cord-Italian	1	CAB-ACI		
095	am3	rsa-095-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0K4	
095	am3	rsa-095-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1J3	
095	ar2	rsa-095-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A6	
095	ar2	rsa-095-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
095	ar2	rsa-095-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946356C	
095	ar2	rsa-095-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181836	
095	ar2	rsa-095-ar2-01	Power Cord-Italian	1	CAB-ACI		
095	ar2	rsa-095-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
095	ar2	rsa-095-ar2-01	Device manager for routers	1	ROUTER-SDM		
095	ar2	rsa-095-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
095	ar2	rsa-095-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
095	ar2	rsa-095-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
096	am3	rsa-096-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z50Q	
096	am3	rsa-096-am3-01	Power Cord-Italian	1	CAB-ACI		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
096	am3	rsa-096-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0KW	
096	am3	rsa-096-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1QE	
096	ar2	rsa-096-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CC	
096	ar2	rsa-096-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
096	ar2	rsa-096-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413VL4	
096	ar2	rsa-096-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182865	
096	ar2	rsa-096-ar2-01	Power Cord-Italian	1	CAB-ACI		
096	ar2	rsa-096-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
096	ar2	rsa-096-ar2-01	Device manager for routers	1	ROUTER-SDM		
096	ar2	rsa-096-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
096	ar2	rsa-096-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
096	ar2	rsa-096-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
097	am3	rsa-097-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E		
097	am3	rsa-097-am3-01	Power Cord-Italian	1	CAB-ACI		
097	am3	rsa-097-am3-01	GE SFP,LC connector LX/LH transceiver	2	GLC-LH-SM=		
097	ar2	rsa-097-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9		
097	ar2	rsa-097-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
097	ar2	rsa-097-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3		
097	ar2	rsa-097-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T		
097	ar2	rsa-097-ar2-01	Power Cord-Italian	1	CAB-ACI		
097	ar2	rsa-097-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
097	ar2	rsa-097-ar2-01	Device manager for routers	1	ROUTER-SDM		
097	ar2	rsa-097-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
097	ar2	rsa-097-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
097	ar2	rsa-097-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
098	am3	rsa-098-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4YH	
098	am3	rsa-098-am3-01	Power Cord-Italian	1	CAB-ACI		
098	am3	rsa-098-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1QQ	
098	am3	rsa-098-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B0ZY	
098	ar2	rsa-098-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B6	
098	ar2	rsa-098-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
098	ar2	rsa-098-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463575	
098	ar2	rsa-098-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34243006	
098	ar2	rsa-098-ar2-01	Power Cord-Italian	1	CAB-ACI		
098	ar2	rsa-098-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
098	ar2	rsa-098-ar2-01	Device manager for routers	1	ROUTER-SDM		
098	ar2	rsa-098-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
098	ar2	rsa-098-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
098	ar2	rsa-098-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
099	am3	rsa-099-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4ZE	
099	am3	rsa-099-am3-01	Power Cord-Italian	1	CAB-ACI		
099	am3	rsa-099-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1HX	
099	am3	rsa-099-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0K6	
099	ar2	rsa-099-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B4	
099	ar2	rsa-099-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
099	ar2	rsa-099-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634T3	
099	ar2	rsa-099-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181854	
099	ar2	rsa-099-ar2-01	Power Cord-Italian	1	CAB-ACI		
099	ar2	rsa-099-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
099	ar2	rsa-099-ar2-01	Device manager for routers	1	ROUTER-SDM		
099	ar2	rsa-099-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
099	ar2	rsa-099-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
099	ar2	rsa-099-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
100	ar2	rsa-100-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077252	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
100	ar2	rsa-100-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
100	ar2	rsa-100-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515X2B	
100	ar2	rsa-100-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35480104	
100	ar2	rsa-100-ar2-01	Power Cord-Italian	1	CAB-ACI		
100	ar2	rsa-100-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
100	ar2	rsa-100-ar2-01	Device manager for routers	1	ROUTER-SDM		
100	ar2	rsa-100-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
100	ar2	rsa-100-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
100	ar2	rsa-100-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
101	ar11	rsa-101-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270NQ	
101	ar11	rsa-101-ar11-01	Power Cord-Italian	1	CAB-ACI		
101	ar11	rsa-101-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
101	ar11	rsa-101-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B10	
101	ar11	rsa-101-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413VFN	
101	ar11	rsa-101-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MRH	
101	ar11	rsa-101-ar11-01	Device manager for routers	1	ROUTER-SDM		
101	ar11	rsa-101-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
101	ar11	rsa-101-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
101	ar11	rsa-101-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209862	
101	ar11	rsa-101-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34196570	
101	ar11	rsa-101-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
101	ar11	rsa-101-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
101	ar12	rsa-101-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470840	
101	ar12	rsa-101-ar11-01	CAB-ACI	1	Power Cord-Italian		
102	ar11	rsa-102-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270L5	
102	ar11	rsa-102-ar11-01	Power Cord-Italian	1	CAB-ACI		
102	ar11	rsa-102-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
102	ar11	rsa-102-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AYK	
102	ar11	rsa-102-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635MQ	
102	ar11	rsa-102-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MG7	
102	ar11	rsa-102-ar11-01	Device manager for routers	1	ROUTER-SDM		
102	ar11	rsa-102-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
102	ar11	rsa-102-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
102	ar11	rsa-102-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34196740	
102	ar11	rsa-102-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34196577	
102	ar11	rsa-102-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
102	ar11	rsa-102-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
102	ar12	rsa-102-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470892	
102	ar12	rsa-102-ar11-01	CAB-ACI	1	Power Cord-Italian		
103	ar11	rsa-103-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270D9	
103	ar11	rsa-103-ar11-01	Power Cord-Italian	1	CAB-ACI		
103	ar11	rsa-103-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
103	ar11	rsa-103-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B6M	
103	ar11	rsa-103-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635XK	
103	ar11	rsa-103-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480ML0	
103	ar11	rsa-103-ar11-01	Device manager for routers	1	ROUTER-SDM		
103	ar11	rsa-103-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
103	ar11	rsa-103-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
103	ar11	rsa-103-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209921	
103	ar11	rsa-103-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209496	
103	ar11	rsa-103-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
103	ar11	rsa-103-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
103	ar12	rsa-103-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09480153	
103	ar12	rsa-103-ar11-01	CAB-ACI	1	Power Cord-Italian		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
104	ar11	rsa-104-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DG	
104	ar11	rsa-104-ar11-01	Power Cord-Italian	1	CAB-ACI		
104	ar11	rsa-104-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
104	ar11	rsa-104-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC0946358X	
104	ar11	rsa-104-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09480MBN	
104	ar11	rsa-104-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09454BKA	
104	ar11	rsa-104-ar11-01	Device manager for routers	1	ROUTER-SDM		
104	ar11	rsa-104-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
104	ar11	rsa-104-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
104	ar11	rsa-104-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34064644	
104	ar11	rsa-104-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34064354	
104	ar11	rsa-104-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
104	ar11	rsa-104-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
104	ar12	rsa-104-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470886	
104	ar12	rsa-104-ar11-01	CAB-ACI	1	Power Cord-Italian		
105	ar2	rsa-105-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077255	
105	ar2	rsa-105-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
105	ar2	rsa-105-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZBW	
105	ar2	rsa-105-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479495	
105	ar2	rsa-105-ar2-01	Power Cord-Italian	1	CAB-ACI		
105	ar2	rsa-105-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
105	ar2	rsa-105-ar2-01	Device manager for routers	1	ROUTER-SDM		
105	ar2	rsa-105-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
105	ar2	rsa-105-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
105	ar2	rsa-105-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
106	ar2	rsa-106-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725L	
106	ar2	rsa-106-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
106	ar2	rsa-106-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XS7	
106	ar2	rsa-106-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479494	
106	ar2	rsa-106-ar2-01	Power Cord-Italian	1	CAB-ACI		
106	ar2	rsa-106-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
106	ar2	rsa-106-ar2-01	Device manager for routers	1	ROUTER-SDM		
106	ar2	rsa-106-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
106	ar2	rsa-106-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
106	ar2	rsa-106-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
107	am1	rsa-107-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1DM	
107	am1	rsa-107-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVCLIC		
107	am1	rsa-107-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
107	am1	rsa-107-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
107	am1	rsa-107-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946K1WL	
107	am1	rsa-107-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2DD	
107	am1	rsa-107-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2DA	
107	am1	rsa-107-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M211	
107	ar2	rsa-107-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CS	
107	ar2	rsa-107-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
107	ar2	rsa-107-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634UZ	
107	ar2	rsa-107-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181831	
107	ar2	rsa-107-ar2-01	Power Cord-Italian	1	CAB-ACI		
107	ar2	rsa-107-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
107	ar2	rsa-107-ar2-01	Device manager for routers	1	ROUTER-SDM		
107	ar2	rsa-107-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
107	ar2	rsa-107-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
107	ar2	rsa-107-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
108	ar11	rsa-108-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270L2	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
108	ar11	rsa-108-ar11-01	Power Cord-Italian	1	CAB-ACI		
108	ar11	rsa-108-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
108	ar11	rsa-108-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B0H	
108	ar11	rsa-108-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014Q4B	
108	ar11	rsa-108-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MQU	
108	ar11	rsa-108-ar11-01	Device manager for routers	1	ROUTER-SDM		
108	ar11	rsa-108-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
108	ar11	rsa-108-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
108	ar11	rsa-108-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34196758	
108	ar11	rsa-108-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34195430	
108	ar11	rsa-108-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
108	ar11	rsa-108-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
108	ar12	rsa-108-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470850	
108	ar12	rsa-108-ar11-01	CAB-ACI	1	Power Cord-Italian		
109	ar11	rsa-109-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DF	
109	ar11	rsa-109-ar11-01	Power Cord-Italian	1	CAB-ACI		
109	ar11	rsa-109-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
109	ar11	rsa-109-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454BK9	
109	ar11	rsa-109-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014Q49	
109	ar11	rsa-109-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MS3	
109	ar11	rsa-109-ar11-01	Device manager for routers	1	ROUTER-SDM		
109	ar11	rsa-109-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
109	ar11	rsa-109-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
109	ar11	rsa-109-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34064839	
109	ar11	rsa-109-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34068450	
109	ar11	rsa-109-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
109	ar11	rsa-109-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
109	ar12	rsa-109-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470895	
109	ar12	rsa-109-ar11-01	CAB-ACI	1	Power Cord-Italian		
110	ar2	rsa-110-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716G	
110	ar2	rsa-110-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
110	ar2	rsa-110-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GXX	
110	ar2	rsa-110-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156714	
110	ar2	rsa-110-ar2-01	Power Cord-Italian	1	CAB-ACI		
110	ar2	rsa-110-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
110	ar2	rsa-110-ar2-01	Device manager for routers	1	ROUTER-SDM		
110	ar2	rsa-110-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
110	ar2	rsa-110-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
110	ar2	rsa-110-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
111	ar2	rsa-111-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527151	
111	ar2	rsa-111-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
111	ar2	rsa-111-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FS0	
111	ar2	rsa-111-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34202338	
111	ar2	rsa-111-ar2-01	Power Cord-Italian	1	CAB-ACI		
111	ar2	rsa-111-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
111	ar2	rsa-111-ar2-01	Device manager for routers	1	ROUTER-SDM		
111	ar2	rsa-111-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
111	ar2	rsa-111-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
111	ar2	rsa-111-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
112	ar2	rsa-112-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714W	
112	ar2	rsa-112-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
112	ar2	rsa-112-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FRD	
112	ar2	rsa-112-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201690	
112	ar2	rsa-112-ar2-01	Power Cord-Italian	1	CAB-ACI		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
112	ar2	rsa-112-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
112	ar2	rsa-112-ar2-01	Device manager for routers	1	ROUTER-SDM		
112	ar2	rsa-112-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
112	ar2	rsa-112-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
112	ar2	rsa-112-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
113	ar2	rsa-113-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AX	
113	ar2	rsa-113-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
113	ar2	rsa-113-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463617	
113	ar2	rsa-113-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181615	
113	ar2	rsa-113-ar2-01	Power Cord-Italian	1	CAB-ACI		
113	ar2	rsa-113-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
113	ar2	rsa-113-ar2-01	Device manager for routers	1	ROUTER-SDM		
113	ar2	rsa-113-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
113	ar2	rsa-113-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
113	ar2	rsa-113-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
114	ar2	rsa-114-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BT	
114	ar2	rsa-114-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
114	ar2	rsa-114-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946342A	
114	ar2	rsa-114-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182012	
114	ar2	rsa-114-ar2-01	Power Cord-Italian	1	CAB-ACI		
114	ar2	rsa-114-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
114	ar2	rsa-114-ar2-01	Device manager for routers	1	ROUTER-SDM		
114	ar2	rsa-114-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
114	ar2	rsa-114-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
114	ar2	rsa-114-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
115	ar11	rsa-115-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270D7	
115	ar11	rsa-115-ar11-01	Power Cord-Italian	1	CAB-ACI		
115	ar11	rsa-115-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
115	ar11	rsa-115-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AYA	
115	ar11	rsa-115-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014Q84	
115	ar11	rsa-115-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MDE	
115	ar11	rsa-115-ar11-01	Device manager for routers	1	ROUTER-SDM		
115	ar11	rsa-115-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
115	ar11	rsa-115-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
115	ar11	rsa-115-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209721	
115	ar11	rsa-115-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209542	
115	ar11	rsa-115-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
115	ar11	rsa-115-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
115	ar12	rsa-115-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470885	
115	ar12	rsa-115-ar11-01	CAB-ACI	1	Power Cord-Italian		
116	ar11	rsa-116-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DC	
116	ar11	rsa-116-ar11-01	Power Cord-Italian	1	CAB-ACI		
116	ar11	rsa-116-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
116	ar11	rsa-116-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AZS	
116	ar11	rsa-116-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014QZB	
116	ar11	rsa-116-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MD7	
116	ar11	rsa-116-ar11-01	Device manager for routers	1	ROUTER-SDM		
116	ar11	rsa-116-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
116	ar11	rsa-116-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
116	ar11	rsa-116-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34064586	
116	ar11	rsa-116-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34064634	
116	ar11	rsa-116-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
116	ar11	rsa-116-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
116	ar12	rsa-116-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470887	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
116	ar12	rsa-116-ar11-01	CAB-ACI	1	Power Cord-Italian		
117	ar2	rsa-117-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BU	
117	ar2	rsa-117-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
117	ar2	rsa-117-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463525	
117	ar2	rsa-117-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34243037	
117	ar2	rsa-117-ar2-01	Power Cord-Italian	1	CAB-ACI		
117	ar2	rsa-117-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
117	ar2	rsa-117-ar2-01	Device manager for routers	1	ROUTER-SDM		
117	ar2	rsa-117-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
117	ar2	rsa-117-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
117	ar2	rsa-117-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
118	ar2	rsa-118-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CR	
118	ar2	rsa-118-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
118	ar2	rsa-118-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635LT	
118	ar2	rsa-118-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182880	
118	ar2	rsa-118-ar2-01	Power Cord-Italian	1	CAB-ACI		
118	ar2	rsa-118-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
118	ar2	rsa-118-ar2-01	Device manager for routers	1	ROUTER-SDM		
118	ar2	rsa-118-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
118	ar2	rsa-118-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
118	ar2	rsa-118-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
119	ar2	rsa-119-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B1	
119	ar2	rsa-119-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
119	ar2	rsa-119-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635KS	
119	ar2	rsa-119-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34178485	
119	ar2	rsa-119-ar2-01	Power Cord-Italian	1	CAB-ACI		
119	ar2	rsa-119-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
119	ar2	rsa-119-ar2-01	Device manager for routers	1	ROUTER-SDM		
119	ar2	rsa-119-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
119	ar2	rsa-119-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
119	ar2	rsa-119-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
120	ar11	rsa-120-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270L4	
120	ar11	rsa-120-ar11-01	Power Cord-Italian	1	CAB-ACI		
120	ar11	rsa-120-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
120	ar11	rsa-120-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AY2	
120	ar11	rsa-120-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC1018219B	
120	ar11	rsa-120-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MHX	
120	ar11	rsa-120-ar11-01	Device manager for routers	1	ROUTER-SDM		
120	ar11	rsa-120-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
120	ar11	rsa-120-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
120	ar11	rsa-120-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34196743	
120	ar11	rsa-120-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34196609	
120	ar11	rsa-120-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
120	ar11	rsa-120-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
120	ar12	rsa-120-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470851	
120	ar12	rsa-120-ar11-01	CAB-ACI	1	Power Cord-Italian		
121	ar11	rsa-121-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DD	
121	ar11	rsa-121-ar11-01	Power Cord-Italian	1	CAB-ACI		
121	ar11	rsa-121-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
121	ar11	rsa-121-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AX8	
121	ar11	rsa-121-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014PVA	
121	ar11	rsa-121-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09442AVE	
121	ar11	rsa-121-ar11-01	Device manager for routers	1	ROUTER-SDM		
121	ar11	rsa-121-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
121	ar11	rsa-121-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
121	ar11	rsa-121-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209492	
121	ar11	rsa-121-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209925	
121	ar11	rsa-121-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
121	ar11	rsa-121-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
121	ar12	rsa-121-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470893	
121	ar12	rsa-121-ar11-01	CAB-ACI	1	Power Cord-Italian		
122	ar11	rsa-122-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270NN	
122	ar11	rsa-122-ar11-01	Power Cord-Italian	1	CAB-ACI		
122	ar11	rsa-122-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
122	ar11	rsa-122-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454BP0	
122	ar11	rsa-122-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09292MRW	
122	ar11	rsa-122-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MMM	
122	ar11	rsa-122-ar11-01	Device manager for routers	1	ROUTER-SDM		
122	ar11	rsa-122-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
122	ar11	rsa-122-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
122	ar11	rsa-122-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209411	
122	ar11	rsa-122-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34196744	
122	ar11	rsa-122-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
122	ar11	rsa-122-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
122	ar12	rsa-122-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470845	
122	ar12	rsa-122-ar11-01	CAB-ACI	1	Power Cord-Italian		
123	ar2	rsa-123-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AJ	
123	ar2	rsa-123-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
123	ar2	rsa-123-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946352G	
123	ar2	rsa-123-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182357	
123	ar2	rsa-123-ar2-01	Power Cord-Italian	1	CAB-ACI		
123	ar2	rsa-123-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
123	ar2	rsa-123-ar2-01	Device manager for routers	1	ROUTER-SDM		
123	ar2	rsa-123-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
123	ar2	rsa-123-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
123	ar2	rsa-123-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
124	ar2	rsa-124-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BQ	
124	ar2	rsa-124-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
124	ar2	rsa-124-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358D	
124	ar2	rsa-124-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182354	
124	ar2	rsa-124-ar2-01	Power Cord-Italian	1	CAB-ACI		
124	ar2	rsa-124-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
124	ar2	rsa-124-ar2-01	Device manager for routers	1	ROUTER-SDM		
124	ar2	rsa-124-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
124	ar2	rsa-124-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
124	ar2	rsa-124-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
125	ar11	rsa-125-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270D4	
125	ar11	rsa-125-ar11-01	Power Cord-Italian	1	CAB-ACI		
125	ar11	rsa-125-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
125	ar11	rsa-125-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454BJV	
125	ar11	rsa-125-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10181YGP	
125	ar11	rsa-125-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09442AUE	
125	ar11	rsa-125-ar11-01	Device manager for routers	1	ROUTER-SDM		
125	ar11	rsa-125-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
125	ar11	rsa-125-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
125	ar11	rsa-125-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34084936	
125	ar11	rsa-125-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34084989	
125	ar11	rsa-125-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
125	ar11	rsa-125-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
125	ar12	rsa-125-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470897	
125	ar12	rsa-125-ar11-01	CAB-ACI	1	Power Cord-Italian		
126	ar11	rsa-126-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270L3	
126	ar11	rsa-126-ar11-01	Power Cord-Italian	1	CAB-ACI		
126	ar11	rsa-126-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
126	ar11	rsa-126-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B1L	
126	ar11	rsa-126-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413XUD	
126	ar11	rsa-126-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MF0	
126	ar11	rsa-126-ar11-01	Device manager for routers	1	ROUTER-SDM		
126	ar11	rsa-126-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
126	ar11	rsa-126-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
126	ar11	rsa-126-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34196716	
126	ar11	rsa-126-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209858	
126	ar11	rsa-126-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
126	ar11	rsa-126-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
126	ar12	rsa-126-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470846	
126	ar12	rsa-126-ar11-01	CAB-ACI	1	Power Cord-Italian		
127	am3	rsa-127-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0948Z4ZU	
127	am3	rsa-127-am3-01	Power Cord-Italian	1	CAB-ACI		
127	am3	rsa-127-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0CD	
127	am3	rsa-127-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M027	
127	ar2	rsa-127-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BL	
127	ar2	rsa-127-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
127	ar2	rsa-127-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635AW	
127	ar2	rsa-127-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181844	
127	ar2	rsa-127-ar2-01	Power Cord-Italian	1	CAB-ACI		
127	ar2	rsa-127-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
127	ar2	rsa-127-ar2-01	Device manager for routers	1	ROUTER-SDM		
127	ar2	rsa-127-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
127	ar2	rsa-127-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
127	ar2	rsa-127-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
128	ar11	rsa-128-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DA	
128	ar11	rsa-128-ar11-01	Power Cord-Italian	1	CAB-ACI		
128	ar11	rsa-128-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
128	ar11	rsa-128-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AXQ	
128	ar11	rsa-128-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC101820Z8	
128	ar11	rsa-128-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09462YZ1	
128	ar11	rsa-128-ar11-01	Device manager for routers	1	ROUTER-SDM		
128	ar11	rsa-128-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
128	ar11	rsa-128-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
128	ar11	rsa-128-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34064649	
128	ar11	rsa-128-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209412	
128	ar11	rsa-128-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
128	ar11	rsa-128-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
128	ar12	rsa-128-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470898	
128	ar12	rsa-128-ar11-01	CAB-ACI	1	Power Cord-Italian		
129	ar11	rsa-129-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DB	
129	ar11	rsa-129-ar11-01	Power Cord-Italian	1	CAB-ACI		
129	ar11	rsa-129-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
129	ar11	rsa-129-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC1031293H	
129	ar11	rsa-129-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413X4X	
129	ar11	rsa-129-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC110356UF	
129	ar11	rsa-129-ar11-01	Device manager for routers	1	ROUTER-SDM		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
129	ar11	rsa-129-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
129	ar11	rsa-129-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
129	ar11	rsa-129-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	35184016	
129	ar11	rsa-129-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	35183989	
129	ar11	rsa-129-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
129	ar11	rsa-129-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
129	ar12	rsa-129-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470841	
129	ar12	rsa-129-ar11-01	CAB-ACI	1	Power Cord-Italian		
130	ar11	rsa-130-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DH	
130	ar11	rsa-130-ar11-01	Power Cord-Italian	1	CAB-ACI		
130	ar11	rsa-130-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
130	ar11	rsa-130-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B11	
130	ar11	rsa-130-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413X5E	
130	ar11	rsa-130-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480ML2	
130	ar11	rsa-130-ar11-01	Device manager for routers	1	ROUTER-SDM		
130	ar11	rsa-130-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
130	ar11	rsa-130-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
130	ar11	rsa-130-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34068597	
130	ar11	rsa-130-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209401	
130	ar11	rsa-130-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
130	ar11	rsa-130-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
130	ar12	rsa-130-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470876	
130	ar12	rsa-130-ar11-01	CAB-ACI	1	Power Cord-Italian		
133	ar11	rsa-133-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ0952722B	
133	ar11	rsa-133-ar11-01	Power Cord-Italian	1	CAB-ACI		
133	ar11	rsa-133-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
133	ar11	rsa-133-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AYQ	
133	ar11	rsa-133-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413W7C	
133	ar11	rsa-133-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MSZ	
133	ar11	rsa-133-ar11-01	Device manager for routers	1	ROUTER-SDM		
133	ar11	rsa-133-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
133	ar11	rsa-133-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
133	ar11	rsa-133-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34196519	
133	ar11	rsa-133-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34195495	
133	ar11	rsa-133-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
133	ar11	rsa-133-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
133	ar12	rsa-133-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09480144	
133	ar12	rsa-133-ar11-01	CAB-ACI	1	Power Cord-Italian		
134	ar11	rsa-134-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270DE	
134	ar11	rsa-134-ar11-01	Power Cord-Italian	1	CAB-ACI		
134	ar11	rsa-134-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
134	ar11	rsa-134-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B18	
134	ar11	rsa-134-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10181YGN	
134	ar11	rsa-134-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MRT	
134	ar11	rsa-134-ar11-01	Device manager for routers	1	ROUTER-SDM		
134	ar11	rsa-134-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
134	ar11	rsa-134-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
134	ar11	rsa-134-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209859	
134	ar11	rsa-134-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209503	
134	ar11	rsa-134-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
134	ar11	rsa-134-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
134	ar12	rsa-134-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470879	
134	ar12	rsa-134-ar11-01	CAB-ACI	1	Power Cord-Italian		
135	ar11	rsa-135-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270L7	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
135	ar11	rsa-135-ar11-01	Power Cord-Italian	1	CAB-ACI		
135	ar11	rsa-135-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
135	ar11	rsa-135-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B5B	
135	ar11	rsa-135-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413W73	
135	ar11	rsa-135-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MSV	
135	ar11	rsa-135-ar11-01	Device manager for routers	1	ROUTER-SDM		
135	ar11	rsa-135-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
135	ar11	rsa-135-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
135	ar11	rsa-135-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34077519	
135	ar11	rsa-135-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34196705	
135	ar11	rsa-135-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
135	ar11	rsa-135-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
135	ar12	rsa-135-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470880	
135	ar12	rsa-135-ar11-01	CAB-ACI	1	Power Cord-Italian		
136	ar2	rsa-136-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714Y	
136	ar2	rsa-136-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
136	ar2	rsa-136-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FV2	
136	ar2	rsa-136-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34202295	
136	ar2	rsa-136-ar2-01	Power Cord-Italian	1	CAB-ACI		
136	ar2	rsa-136-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
136	ar2	rsa-136-ar2-01	Device manager for routers	1	ROUTER-SDM		
136	ar2	rsa-136-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
136	ar2	rsa-136-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
136	ar2	rsa-136-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
137	am3	rsa-137-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4YF	
137	am3	rsa-137-am3-01	Power Cord-Italian	1	CAB-ACI		
137	am3	rsa-137-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B150	
137	am3	rsa-137-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1J8	
137	ar2	rsa-137-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A5	
137	ar2	rsa-137-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
137	ar2	rsa-137-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946362V	
137	ar2	rsa-137-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182324	
137	ar2	rsa-137-ar2-01	Power Cord-Italian	1	CAB-ACI		
137	ar2	rsa-137-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
137	ar2	rsa-137-ar2-01	Device manager for routers	1	ROUTER-SDM		
137	ar2	rsa-137-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
137	ar2	rsa-137-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
137	ar2	rsa-137-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
138	ar11	rsa-138-ar11-01	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270NL	
138	ar11	rsa-138-ar11-01	Power Cord-Italian	1	CAB-ACI		
138	ar11	rsa-138-ar11-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
138	ar11	rsa-138-ar11-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454BPA	
138	ar11	rsa-138-ar11-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413X5B	
138	ar11	rsa-138-ar11-01	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MQT	
138	ar11	rsa-138-ar11-01	Device manager for routers	1	ROUTER-SDM		
138	ar11	rsa-138-ar11-01	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
138	ar11	rsa-138-ar11-01	High Performance ATM Advanced Integration Module	1	AIM-ATM		
138	ar11	rsa-138-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209495	
138	ar11	rsa-138-ar11-01	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209879	
138	ar11	rsa-138-ar11-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
138	ar11	rsa-138-ar11-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
138	ar12	rsa-138-ar11-01	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470842	
138	ar12	rsa-138-ar11-01	CAB-ACI	1	Power Cord-Italian		
139	am3	rsa-139-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4YQ	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
139	am3	rsa-139-am3-01	Power Cord-Italian	1	CAB-ACI		
139	am3	rsa-139-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B104	
139	am3	rsa-139-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1JH	
139	ar2	rsa-139-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AY	
139	ar2	rsa-139-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
139	ar2	rsa-139-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946352N	
139	ar2	rsa-139-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158016	
139	ar2	rsa-139-ar2-01	Power Cord-Italian	1	CAB-ACI		
139	ar2	rsa-139-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
139	ar2	rsa-139-ar2-01	Device manager for routers	1	ROUTER-SDM		
139	ar2	rsa-139-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
139	ar2	rsa-139-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
139	ar2	rsa-139-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
141	am3	rsa-141-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0948Z501	
141	am3	rsa-141-am3-01	Power Cord-Italian	1	CAB-ACI		
141	am3	rsa-141-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11U	
141	am3	rsa-141-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1UZ	
141	ar2	rsa-141-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BH	
141	ar2	rsa-141-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
141	ar2	rsa-141-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413VZS	
141	ar2	rsa-141-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157689	
141	ar2	rsa-141-ar2-01	Power Cord-Italian	1	CAB-ACI		
141	ar2	rsa-141-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
141	ar2	rsa-141-ar2-01	Device manager for routers	1	ROUTER-SDM		
141	ar2	rsa-141-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
141	ar2	rsa-141-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
141	ar2	rsa-141-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
142	am3	rsa-142-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0948Z538	
142	am3	rsa-142-am3-01	Power Cord-Italian	1	CAB-ACI		
142	am3	rsa-142-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H10V	
142	am3	rsa-142-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1UY	
142	ar2	rsa-142-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B2	
142	ar2	rsa-142-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
142	ar2	rsa-142-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	F0C094635KB	
142	ar2	rsa-142-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182625	
142	ar2	rsa-142-ar2-01	Power Cord-Italian	1	CAB-ACI		
142	ar2	rsa-142-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
142	ar2	rsa-142-ar2-01	Device manager for routers	1	ROUTER-SDM		
142	ar2	rsa-142-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
142	ar2	rsa-142-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
142	ar2	rsa-142-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
145	am1	rsa-145-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1GZ	
145	am1	rsa-145-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
145	am1	rsa-145-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	16141	
145	am1	rsa-145-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	16127	
145	am1	rsa-145-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H112	
145	am1	rsa-145-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H113	
145	am1	rsa-145-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20T	
145	am1	rsa-145-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20W	
145	ar2	rsa-145-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714Z	
145	ar2	rsa-145-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
145	ar2	rsa-145-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HLH	
145	ar2	rsa-145-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201689	
145	ar2	rsa-145-ar2-01	Power Cord-Italian	1	CAB-ACI		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
145	ar2	rsa-145-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
145	ar2	rsa-145-ar2-01	Device manager for routers	1	ROUTER-SDM		
145	ar2	rsa-145-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
145	ar2	rsa-145-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
145	ar2	rsa-145-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
146	am1	rsa-146-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N1H6	
146	am1	rsa-146-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
146	am1	rsa-146-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	016161	
146	am1	rsa-146-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016312	
146	am1	rsa-146-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11D	
146	am1	rsa-146-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11H	
146	am1	rsa-146-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H215	
146	am1	rsa-146-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11L	
146	ar2	rsa-146-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527152	
146	ar2	rsa-146-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
146	ar2	rsa-146-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FQ2	
146	ar2	rsa-146-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34202293	
146	ar2	rsa-146-ar2-01	Power Cord-Italian	1	CAB-ACI		
146	ar2	rsa-146-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
146	ar2	rsa-146-ar2-01	Device manager for routers	1	ROUTER-SDM		
146	ar2	rsa-146-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
146	ar2	rsa-146-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
146	ar2	rsa-146-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
147	am1	rsa-147-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4M8	
147	am1	rsa-147-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
147	am1	rsa-147-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	015665	
147	am1	rsa-147-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	016353	
147	am1	rsa-147-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11R	
147	am1	rsa-147-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H119	
147	am1	rsa-147-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2CZ	
147	am1	rsa-147-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H10Z	
147	ar2	rsa-147-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952715A	
147	ar2	rsa-147-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
147	ar2	rsa-147-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433JJF	
147	ar2	rsa-147-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203446	
147	ar2	rsa-147-ar2-01	Power Cord-Italian	1	CAB-ACI		
147	ar2	rsa-147-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
147	ar2	rsa-147-ar2-01	Device manager for routers	1	ROUTER-SDM		
147	ar2	rsa-147-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
147	ar2	rsa-147-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
147	ar2	rsa-147-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
148	am1	rsa-148-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4L4	
148	am1	rsa-148-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
148	am1	rsa-148-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	015710	
148	am1	rsa-148-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	014694	
148	am1	rsa-148-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20S	
148	am1	rsa-148-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11C	
148	am1	rsa-148-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11N	
148	am1	rsa-148-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1V9	
148	ar2	rsa-148-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716N	
148	ar2	rsa-148-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
148	ar2	rsa-148-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433JN9	
148	ar2	rsa-148-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156604	
148	ar2	rsa-148-ar2-01	Power Cord-Italian	1	CAB-ACI		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
148	ar2	rsa-148-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
148	ar2	rsa-148-ar2-01	Device manager for routers	1	ROUTER-SDM		
148	ar2	rsa-148-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
148	ar2	rsa-148-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
148	ar2	rsa-148-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
149	am1	rsa-149-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0950N4K0	
149	am1	rsa-149-am1-01	IP Services Feature License for Catalyst 3750 Metro	1	ME3750-IPSVC-LIC		
149	am1	rsa-149-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	16214	
149	am1	rsa-149-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	16682	
149	am1	rsa-149-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20J	
149	am1	rsa-149-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20N	
149	am1	rsa-149-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H10Y	
149	am1	rsa-149-am1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1UX	
149	ar2	rsa-149-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527155	
149	ar2	rsa-149-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
149	ar2	rsa-149-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FS1	
149	ar2	rsa-149-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34202297	
149	ar2	rsa-149-ar2-01	Power Cord-Italian	1	CAB-ACI		
149	ar2	rsa-149-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
149	ar2	rsa-149-ar2-01	Device manager for routers	1	ROUTER-SDM		
149	ar2	rsa-149-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
149	ar2	rsa-149-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
149	ar2	rsa-149-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
150	am3	rsa-150-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4Z1	
150	am3	rsa-150-am3-01	Power Cord-Italian	1	CAB-ACI		
150	am3	rsa-150-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0K0	
150	am3	rsa-150-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M2DC	
150	ar2	rsa-150-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C9	
150	ar2	rsa-150-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
150	ar2	rsa-150-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634WL	
150	ar2	rsa-150-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182146	
150	ar2	rsa-150-ar2-01	Power Cord-Italian	1	CAB-ACI		
150	ar2	rsa-150-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
150	ar2	rsa-150-ar2-01	Device manager for routers	1	ROUTER-SDM		
150	ar2	rsa-150-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
150	ar2	rsa-150-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
150	ar2	rsa-150-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
151	am2	rsa-151-am2-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0951N3XB	
151	am2	rsa-151-am2-01	Advanced IP Feature License for Catalyst 3750 Metro	1	ME3750-ADVIP-LIC		
151	am2	rsa-151-am2-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
151	am2	rsa-151-am2-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
151	am2	rsa-151-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11F	
151	am2	rsa-151-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1UV	
151	am2	rsa-151-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H116	
151	am2	rsa-151-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H10W	
151	ar2	rsa-151-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AK	
151	ar2	rsa-151-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
151	ar2	rsa-151-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634RB	
151	ar2	rsa-151-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182075	
151	ar2	rsa-151-ar2-01	Power Cord-Italian	1	CAB-ACI		
151	ar2	rsa-151-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
151	ar2	rsa-151-ar2-01	Device manager for routers	1	ROUTER-SDM		
151	ar2	rsa-151-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
151	ar2	rsa-151-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
151	ar2	rsa-151-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
153	ar2	rsa-153-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BS	
153	ar2	rsa-153-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
153	ar2	rsa-153-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635MF	
153	ar2	rsa-153-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182145	
153	ar2	rsa-153-ar2-01	Power Cord-Italian	1	CAB-ACI		
153	ar2	rsa-153-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
153	ar2	rsa-153-ar2-01	Device manager for routers	1	ROUTER-SDM		
153	ar2	rsa-153-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
153	ar2	rsa-153-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
153	ar2	rsa-153-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
154	ar2	rsa-154-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537143	
154	ar2	rsa-154-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
154	ar2	rsa-154-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GGF	
154	ar2	rsa-154-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156635	
154	ar2	rsa-154-ar2-01	Power Cord-Italian	1	CAB-ACI		
154	ar2	rsa-154-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
154	ar2	rsa-154-ar2-01	Device manager for routers	1	ROUTER-SDM		
154	ar2	rsa-154-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
154	ar2	rsa-154-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
154	ar2	rsa-154-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
155	ar2	rsa-155-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527153	
155	ar2	rsa-155-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
155	ar2	rsa-155-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FPP	
155	ar2	rsa-155-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34202388	
155	ar2	rsa-155-ar2-01	Power Cord-Italian	1	CAB-ACI		
155	ar2	rsa-155-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
155	ar2	rsa-155-ar2-01	Device manager for routers	1	ROUTER-SDM		
155	ar2	rsa-155-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
155	ar2	rsa-155-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
155	ar2	rsa-155-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
156	ar2	rsa-156-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BR	
156	ar2	rsa-156-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
156	ar2	rsa-156-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463591	
156	ar2	rsa-156-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157866	
156	ar2	rsa-156-ar2-01	Power Cord-Italian	1	CAB-ACI		
156	ar2	rsa-156-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
156	ar2	rsa-156-ar2-01	Device manager for routers	1	ROUTER-SDM		
156	ar2	rsa-156-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
156	ar2	rsa-156-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
156	ar2	rsa-156-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
157	ar2	rsa-157-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716L	
157	ar2	rsa-157-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
157	ar2	rsa-157-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HGF	
157	ar2	rsa-157-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181698	
157	ar2	rsa-157-ar2-01	Power Cord-Italian	1	CAB-ACI		
157	ar2	rsa-157-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
157	ar2	rsa-157-ar2-01	Device manager for routers	1	ROUTER-SDM		
157	ar2	rsa-157-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
157	ar2	rsa-157-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
157	ar2	rsa-157-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
158	ar2	rsa-158-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714R	
158	ar2	rsa-158-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
158	ar2	rsa-158-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HLE	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
158	ar2	rsa-158-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203448	
158	ar2	rsa-158-ar2-01	Power Cord-Italian	1	CAB-ACI		
158	ar2	rsa-158-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
158	ar2	rsa-158-ar2-01	Device manager for routers	1	ROUTER-SDM		
158	ar2	rsa-158-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
158	ar2	rsa-158-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
158	ar2	rsa-158-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
159	ar2	rsa-159-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716F	
159	ar2	rsa-159-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
159	ar2	rsa-159-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HDQ	
159	ar2	rsa-159-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157534	
159	ar2	rsa-159-ar2-01	Power Cord-Italian	1	CAB-ACI		
159	ar2	rsa-159-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
159	ar2	rsa-159-ar2-01	Device manager for routers	1	ROUTER-SDM		
159	ar2	rsa-159-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
159	ar2	rsa-159-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
159	ar2	rsa-159-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
160	ar2	rsa-160-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714T	
160	ar2	rsa-160-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
160	ar2	rsa-160-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HA1	
160	ar2	rsa-160-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34203512	
160	ar2	rsa-160-ar2-01	Power Cord-Italian	1	CAB-ACI		
160	ar2	rsa-160-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
160	ar2	rsa-160-ar2-01	Device manager for routers	1	ROUTER-SDM		
160	ar2	rsa-160-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
160	ar2	rsa-160-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
160	ar2	rsa-160-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
162	ar2	rsa-162-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C6	
162	ar2	rsa-162-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
162	ar2	rsa-162-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094352S	
162	ar2	rsa-162-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182147	
162	ar2	rsa-162-ar2-01	Power Cord-Italian	1	CAB-ACI		
162	ar2	rsa-162-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
162	ar2	rsa-162-ar2-01	Device manager for routers	1	ROUTER-SDM		
162	ar2	rsa-162-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
162	ar2	rsa-162-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
162	ar2	rsa-162-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
163	ar2	rsa-163-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CU	
163	ar2	rsa-163-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
163	ar2	rsa-163-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463442	
163	ar2	rsa-163-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182742	
163	ar2	rsa-163-ar2-01	Power Cord-Italian	1	CAB-ACI		
163	ar2	rsa-163-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
163	ar2	rsa-163-ar2-01	Device manager for routers	1	ROUTER-SDM		
163	ar2	rsa-163-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
163	ar2	rsa-163-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
163	ar2	rsa-163-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
164	ar2	rsa-164-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CQ	
164	ar2	rsa-164-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
164	ar2	rsa-164-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634V8	
164	ar2	rsa-164-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182868	
164	ar2	rsa-164-ar2-01	Power Cord-Italian	1	CAB-ACI		
164	ar2	rsa-164-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
164	ar2	rsa-164-ar2-01	Device manager for routers	1	ROUTER-SDM		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
164	ar2	rsa-164-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
164	ar2	rsa-164-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
164	ar2	rsa-164-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
165	ar2	rsa-165-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527157	
165	ar2	rsa-165-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
165	ar2	rsa-165-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FP5	
165	ar2	rsa-165-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201919	
165	ar2	rsa-165-ar2-01	Power Cord-Italian	1	CAB-ACI		
165	ar2	rsa-165-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
165	ar2	rsa-165-ar2-01	Device manager for routers	1	ROUTER-SDM		
165	ar2	rsa-165-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
165	ar2	rsa-165-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
165	ar2	rsa-165-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
166	ar2	rsa-166-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B9	
166	ar2	rsa-166-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
166	ar2	rsa-166-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946342C	
166	ar2	rsa-166-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157853	
166	ar2	rsa-166-ar2-01	Power Cord-Italian	1	CAB-ACI		
166	ar2	rsa-166-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
166	ar2	rsa-166-ar2-01	Device manager for routers	1	ROUTER-SDM		
166	ar2	rsa-166-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
166	ar2	rsa-166-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
166	ar2	rsa-166-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
166	mc11	rsa-166-mc11-01	Internet Router with dual AC Power Supply-Rev A	1	CISCO10720-AC-A	CAT0830T01F	
166	mc11	rsa-166-mc11-01	Power Cord-Italian	2	CAB-ACI		
166	mc11	rsa-166-mc11-01	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	1	10720-GE-FE-TX-B	CAT082900T1	
166	mc11	rsa-166-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0825A6A8	
166	mc11	rsa-166-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0926C37V	
166	mc11	rsa-166-mc11-01	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	1	10720-RPR-SFP	CAT09480Q4J	
166	mc11	rsa-166-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0933004E	
166	mc11	rsa-166-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0933004B	
166	mc11	rsa-166-mc11-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1JB	
166	mc11	rsa-166-mc11-01	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	1	S107K5Z-12.0.31S		
166	mc12	rsa-166-mc12-01	Catalyst 3750 12 SFP Standard Multilayer Image	1	WS-C3750G-12S-S	CAT0949Z3D5	
166	mc12	rsa-166-mc12-01	Power Cord-Italian	1	CAB-ACI		
166	mc12	rsa-166-mc12-01	Cisco StackWise 50CM Stacking Cable	1	CAB-STACK-50CM		
166	mc12	rsa-166-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SH	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SL	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SF	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SG	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946G17K	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0KY	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946B108	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M1R6	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0MV	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M1JD	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M1R5	
166	mc12	rsa-166-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946B102	
166	mc12	rsa-166-mc12-01	675W Redundant Power Supply with 1 connector cable	1	PWR675-AC-RPS-N1=	DTH09470844	
166	mc12	rsa-166-mc12-01	Power Cord-Italian	1	CAB-ACI		
167	ar2	rsa-167-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AE	
167	ar2	rsa-167-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
167	ar2	rsa-167-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946341S	
167	ar2	rsa-167-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182626	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
167	ar2	rsa-167-ar2-01	Power Cord-Italian	1	CAB-ACI		
167	ar2	rsa-167-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
167	ar2	rsa-167-ar2-01	Device manager for routers	1	ROUTER-SDM		
167	ar2	rsa-167-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
167	ar2	rsa-167-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
167	ar2	rsa-167-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
167	mc11	rsa-167-mc11-01	Internet Router with dual AC Power Supply-Rev A	1	CISCO10720-AC-A	CAT0830T01L	
167	mc11	rsa-167-mc11-01	Power Cord-Italian	2	CAB-ACI		
167	mc11	rsa-167-mc11-01	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	1	10720-GE-FE-TX-B	CAT08260RLW	
167	mc11	rsa-167-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0926D19B	
167	mc11	rsa-167-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0825A5QR	
167	mc11	rsa-167-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946M20Q	
167	mc11	rsa-167-mc11-01	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	1	10720-RPR-SFP	CAT092100GN	
167	mc11	rsa-167-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL09330045	
167	mc11	rsa-167-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0933004D	
167	mc11	rsa-167-mc11-01	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	1	S107K5Z-12.0.31S		
167	mc11	rsa-167-mc11-01	1000BASE-ZX SFP, single mode only, Dual LC connector)	1	GLC-ZX-SM	FNS0946M20Q	
167	mc11	rsa-167-mc11-01	1000BASE-ZX SFP, single mode only, Dual LC connector)	1	GLC-ZX-SM	FNS0946M20M	
167	mc12	rsa-167-mc12-01	Catalyst 3750 12 SFP Standard Multilayer Image	1	WS-C3750G-12S-S	CAT0949Z3CZ	
167	mc12	rsa-167-mc12-01	Power Cord-Italian	1	CAB-ACI		
167	mc12	rsa-167-mc12-01	Cisco StackWise 50CM Stacking Cable	1	CAB-STACK-50CM		
167	mc12	rsa-167-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q7D6	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E398	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946E02N	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946H037	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1UR	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0KP	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946B109	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946B0ZT	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946G17H	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946E1VN	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M1QM	
167	mc12	rsa-167-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946B10E	
167	mc12	rsa-167-mc12-01	675W Redundant Power Supply with 1 connector cable	1	PWR675-AC-RPS-N1=	DTH09470849	
167	mc12	rsa-167-mc12-01	Power Cord-Italian	1	CAB-ACI		
168	am3	rsa-168-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z50D	
168	am3	rsa-168-am3-01	Power Cord-Italian	1	CAB-ACI		
168	am3	rsa-168-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1J7	
168	am3	rsa-168-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1JF	
168	ar2	rsa-168-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716P	
168	ar2	rsa-168-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
168	ar2	rsa-168-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GKB	
168	ar2	rsa-168-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156634	
168	ar2	rsa-168-ar2-01	Power Cord-Italian	1	CAB-ACI		
168	ar2	rsa-168-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
168	ar2	rsa-168-ar2-01	Device manager for routers	1	ROUTER-SDM		
168	ar2	rsa-168-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
168	ar2	rsa-168-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
168	ar2	rsa-168-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
169	am3	rsa-169-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4ZK	
169	am3	rsa-169-am3-01	Power Cord-Italian	1	CAB-ACI		
169	am3	rsa-169-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1V1	
169	am3	rsa-169-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H115	
169	ar2	rsa-169-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A1	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
169	ar2	rsa-169-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
169	ar2	rsa-169-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34182747	
169	ar2	rsa-169-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC094635UU	
169	ar2	rsa-169-ar2-01	Power Cord-Italian	1	CAB-ACI		
169	ar2	rsa-169-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
169	ar2	rsa-169-ar2-01	Device manager for routers	1	ROUTER-SDM		
169	ar2	rsa-169-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
169	ar2	rsa-169-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
169	ar2	rsa-169-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
170	ar2	rsa-170-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953719Y	
170	ar2	rsa-170-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
170	ar2	rsa-170-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946360X	
170	ar2	rsa-170-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182371	
170	ar2	rsa-170-ar2-01	Power Cord-Italian	1	CAB-ACI		
170	ar2	rsa-170-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
170	ar2	rsa-170-ar2-01	Device manager for routers	1	ROUTER-SDM		
170	ar2	rsa-170-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
170	ar2	rsa-170-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
170	ar2	rsa-170-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
171	am3	rsa-171-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4Y3	
171	am3	rsa-171-am3-01	Power Cord-Italian	1	CAB-ACI		
171	am3	rsa-171-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1J9	
171	am3	rsa-171-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11J	
171	ar2	rsa-171-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A3	
171	ar2	rsa-171-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
171	ar2	rsa-171-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34181863	
171	ar2	rsa-171-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC0946352H	
171	ar2	rsa-171-ar2-01	Power Cord-Italian	1	CAB-ACI		
171	ar2	rsa-171-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
171	ar2	rsa-171-ar2-01	Device manager for routers	1	ROUTER-SDM		
171	ar2	rsa-171-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
171	ar2	rsa-171-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
171	ar2	rsa-171-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
172	ar2	rsa-172-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A2	
172	ar2	rsa-172-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
172	ar2	rsa-172-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635XG	
172	ar2	rsa-172-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182750	
172	ar2	rsa-172-ar2-01	Power Cord-Italian	1	CAB-ACI		
172	ar2	rsa-172-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
172	ar2	rsa-172-ar2-01	Device manager for routers	1	ROUTER-SDM		
172	ar2	rsa-172-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
172	ar2	rsa-172-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
172	ar2	rsa-172-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
173	am3	rsa-173-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z50P	
173	am3	rsa-173-am3-01	Power Cord-Italian	1	CAB-ACI		
173	am3	rsa-173-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1R7	
173	am3	rsa-173-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1QJ	
173	ar2	rsa-173-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BB	
173	ar2	rsa-173-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
173	ar2	rsa-173-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	34157847	
173	ar2	rsa-173-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	FOC094635AV	
173	ar2	rsa-173-ar2-01	Power Cord-Italian	1	CAB-ACI		
173	ar2	rsa-173-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
173	ar2	rsa-173-ar2-01	Device manager for routers	1	ROUTER-SDM		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
173	ar2	rsa-173-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
173	ar2	rsa-173-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
173	ar2	rsa-173-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
174	ar2	rsa-174-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713M	
174	ar2	rsa-174-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
174	ar2	rsa-174-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433J60	
174	ar2	rsa-174-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156746	
174	ar2	rsa-174-ar2-01	Power Cord-Italian	1	CAB-ACI		
174	ar2	rsa-174-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
174	ar2	rsa-174-ar2-01	Device manager for routers	1	ROUTER-SDM		
174	ar2	rsa-174-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
174	ar2	rsa-174-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
174	ar2	rsa-174-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
174	mc11	rsa-174-mc11-01	Internet Router with dual AC Power Supply-Rev A	1	CISCO10720-AC-A	CAT0828T00F	
174	mc11	rsa-174-mc11-01	Power Cord-Italian	2	CAB-ACI		
174	mc11	rsa-174-mc11-01	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	1	10720-GE-FE-TX-B	CAT8270JM8	
174	mc11	rsa-174-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS092C380	
174	mc11	rsa-174-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0825A6AP	
174	mc11	rsa-174-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946E1UU	
174	mc11	rsa-174-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946E1	
174	mc11	rsa-174-mc11-01	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	1	10720-RPR-SFP	CAT08270EBJ	
174	mc11	rsa-174-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL09330046	
174	mc11	rsa-174-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	FNS09127003	
174	mc11	rsa-174-mc11-01	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	1	S107K5Z-12.0.31S		
174	mc12	rsa-174-mc12-01	Catalyst 3750 12 SFP Standard Multilayer Image	1	WS-C3750G-12S-S	CAT0949Z3B3	
174	mc12	rsa-174-mc12-01	Power Cord-Italian	1	CAB-ACI		
174	mc12	rsa-174-mc12-01	Cisco StackWise 50CM Stacking Cable	1	CAB-STACK-50CM		
174	mc12	rsa-174-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E38P	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E39B	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0941C5C2	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0941C5BS	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C0FB	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0945G2GT	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CK	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0945G2H7	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C0FA	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C0FF	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CS	
174	mc12	rsa-174-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CL	
174	mc12	rsa-174-mc12-01	675W Redundant Power Supply with 1 connector cable	1	PWR675-AC-RPS-N1=	DTH09470899	
174	mc12	rsa-174-mc12-01	Power Cord-Italian	1	CAB-ACI		
175	ar2	rsa-175-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716D	
175	ar2	rsa-175-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
175	ar2	rsa-175-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HC7	
175	ar2	rsa-175-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157412	
175	ar2	rsa-175-ar2-01	Power Cord-Italian	1	CAB-ACI		
175	ar2	rsa-175-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
175	ar2	rsa-175-ar2-01	Device manager for routers	1	ROUTER-SDM		
175	ar2	rsa-175-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
175	ar2	rsa-175-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
175	ar2	rsa-175-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
175	mc11	rsa-175-mc11-01	Internet Router with dual AC Power Supply-Rev A	1	CISCO10720-AC-A	CAT0823T02C	
175	mc11	rsa-175-mc11-01	Power Cord-Italian	2	CAB-ACI		
175	mc11	rsa-175-mc11-01	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	1	10720-GE-FE-TX-B	CAT0830009F	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
175	mc11	rsa-175-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0825A6AW	
175	mc11	rsa-175-mc11-01	GE SFP - Short Reach 550M	1	10720-GE-SFP-SX	FNS0926C37A	
175	mc11	rsa-175-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946E1VQ	
175	mc11	rsa-175-mc11-01	GE SFP - Intermediate Reach 10KM	1	10720-GE-SFP-LH	FNS0946MM1J5	
175	mc11	rsa-175-mc11-01	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	1	10720-RPR-SFP	CAT10385M83	
175	mc11	rsa-175-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL0933004C	
175	mc11	rsa-175-mc11-01	OC-48c/STM-16c	1	SFP-OC48-IR1	ECL09330047	
175	mc11	rsa-175-mc11-01	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	1	S107K52-12.0.31S		
175	mc12	rsa-175-mc12-01	Catalyst 3750 12 SFP Standard Multilayer Image	1	WS-C3750G-12S-S	CAT0949Z39X	
175	mc12	rsa-175-mc12-01	Power Cord-Italian	1	CAB-ACI		
175	mc12	rsa-175-mc12-01	Cisco StackWise 50CM Stacking Cable	1	CAB-STACK-50CM		
175	mc12	rsa-175-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q6V3	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943G2SR	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946C0HJ	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0827A31L	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M020	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946H1N7	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946J0K2	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0D4	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C0FE	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CF	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0CM	
175	mc12	rsa-175-mc12-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946J0K7	
175	mc12	rsa-175-mc12-01	675W Redundant Power Supply with 1 connector cable	1	PWR675-AC-RPS-N1=	DTH09470889	
175	mc12	rsa-175-mc12-01	Power Cord-Italian	1	CAB-ACI		
176	am2	rsa-176-am2-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0832R14T	
176	am2	rsa-176-am2-01	Advanced IP Feature License for Catalyst 3750 Metro	1	ME3750-ADVIP-LIC		
176	am2	rsa-176-am2-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
176	am2	rsa-176-am2-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
176	am2	rsa-176-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H1N8	
176	am2	rsa-176-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M025	
176	am2	rsa-176-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1UW	
176	am2	rsa-176-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0EG	
176	ar2	rsa-176-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CL	
176	ar2	rsa-176-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
176	ar2	rsa-176-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946340V	
176	ar2	rsa-176-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182872	
176	ar2	rsa-176-ar2-01	Power Cord-Italian	1	CAB-ACI		
176	ar2	rsa-176-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
176	ar2	rsa-176-ar2-01	Device manager for routers	1	ROUTER-SDM		
176	ar2	rsa-176-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
176	ar2	rsa-176-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
176	ar2	rsa-176-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
177	am2	rsa-177-am2-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT0834R2DB	
177	am2	rsa-177-am2-01	Advanced IP Feature License for Catalyst 3750 Metro	1	ME3750-ADVIP-LIC		
177	am2	rsa-177-am2-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
177	am2	rsa-177-am2-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		
177	am2	rsa-177-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H117	
177	am2	rsa-177-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946H11T	
177	am2	rsa-177-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M20L	
177	am2	rsa-177-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946E1UT	
177	ar2	rsa-177-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C0	
177	ar2	rsa-177-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
177	ar2	rsa-177-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635F7	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
177	ar2	rsa-177-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158029	
177	ar2	rsa-177-ar2-01	Power Cord-Italian	1	CAB-ACI		
177	ar2	rsa-177-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
177	ar2	rsa-177-ar2-01	Device manager for routers	1	ROUTER-SDM		
177	ar2	rsa-177-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
177	ar2	rsa-177-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
177	ar2	rsa-177-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
178	ar2	rsa-178-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AV	
178	ar2	rsa-178-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371AV	
178	ar2	rsa-178-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946362T	
178	ar2	rsa-178-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182607	
178	ar2	rsa-178-ar2-01	Power Cord-Italian	1	CAB-ACI		
178	ar2	rsa-178-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
178	ar2	rsa-178-ar2-01	Device manager for routers	1	ROUTER-SDM		
178	ar2	rsa-178-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
178	ar2	rsa-178-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
178	ar2	rsa-178-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
179	ar2	rsa-179-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BC	
179	ar2	rsa-179-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371BC	
179	ar2	rsa-179-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946358F	
179	ar2	rsa-179-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181975	
179	ar2	rsa-179-ar2-01	Power Cord-Italian	1	CAB-ACI		
179	ar2	rsa-179-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
179	ar2	rsa-179-ar2-01	Device manager for routers	1	ROUTER-SDM		
179	ar2	rsa-179-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
179	ar2	rsa-179-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
179	ar2	rsa-179-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
180	ar2	rsa-180-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A4	
180	ar2	rsa-180-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371A4	
180	ar2	rsa-180-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635YH	
180	ar2	rsa-180-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182611	
180	ar2	rsa-180-ar2-01	Power Cord-Italian	1	CAB-ACI		
180	ar2	rsa-180-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
180	ar2	rsa-180-ar2-01	Device manager for routers	1	ROUTER-SDM		
180	ar2	rsa-180-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
180	ar2	rsa-180-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
180	ar2	rsa-180-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
183	ar2	rsa-183-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537141	
183	ar2	rsa-183-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ09537141	
183	ar2	rsa-183-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FXR	
183	ar2	rsa-183-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156934	
183	ar2	rsa-183-ar2-01	Power Cord-Italian	1	CAB-ACI		
183	ar2	rsa-183-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
183	ar2	rsa-183-ar2-01	Device manager for routers	1	ROUTER-SDM		
183	ar2	rsa-183-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
183	ar2	rsa-183-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
183	ar2	rsa-183-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
184	ar2	rsa-184-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371A8	
184	ar2	rsa-184-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371A8	
184	ar2	rsa-184-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635XH	
184	ar2	rsa-184-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182351	
184	ar2	rsa-184-ar2-01	Power Cord-Italian	1	CAB-ACI		
184	ar2	rsa-184-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
184	ar2	rsa-184-ar2-01	Device manager for routers	1	ROUTER-SDM		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
184	ar2	rsa-184-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
184	ar2	rsa-184-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
184	ar2	rsa-184-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
185	ar2	rsa-185-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AS	
185	ar2	rsa-185-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371AS	
185	ar2	rsa-185-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946363G	
185	ar2	rsa-185-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182267	
185	ar2	rsa-185-ar2-01	Power Cord-Italian	1	CAB-ACI		
185	ar2	rsa-185-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
185	ar2	rsa-185-ar2-01	Device manager for routers	1	ROUTER-SDM		
185	ar2	rsa-185-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
185	ar2	rsa-185-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
185	ar2	rsa-185-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
186	ar2	rsa-186-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527156	
186	ar2	rsa-186-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ09527156	
186	ar2	rsa-186-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433H9B	
186	ar2	rsa-186-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201553	
186	ar2	rsa-186-ar2-01	Power Cord-Italian	1	CAB-ACI		
186	ar2	rsa-186-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
186	ar2	rsa-186-ar2-01	Device manager for routers	1	ROUTER-SDM		
186	ar2	rsa-186-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
186	ar2	rsa-186-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
186	ar2	rsa-186-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
187	ar2	rsa-187-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B7	
187	ar2	rsa-187-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371B7	
187	ar2	rsa-187-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094634TL	
187	ar2	rsa-187-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158030	
187	ar2	rsa-187-ar2-01	Power Cord-Italian	1	CAB-ACI		
187	ar2	rsa-187-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
187	ar2	rsa-187-ar2-01	Device manager for routers	1	ROUTER-SDM		
187	ar2	rsa-187-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
187	ar2	rsa-187-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
187	ar2	rsa-187-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
188	ar2	rsa-188-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AU	
188	ar2	rsa-188-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371AU	
188	ar2	rsa-188-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946342Q	
188	ar2	rsa-188-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182816	
188	ar2	rsa-188-ar2-01	Power Cord-Italian	1	CAB-ACI		
188	ar2	rsa-188-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
188	ar2	rsa-188-ar2-01	Device manager for routers	1	ROUTER-SDM		
188	ar2	rsa-188-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
188	ar2	rsa-188-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
188	ar2	rsa-188-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
189	ar2	rsa-189-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537140	
189	ar2	rsa-189-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ09537140	
189	ar2	rsa-189-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433GZ6	
189	ar2	rsa-189-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156994	
189	ar2	rsa-189-ar2-01	Power Cord-Italian	1	CAB-ACI		
189	ar2	rsa-189-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
189	ar2	rsa-189-ar2-01	Device manager for routers	1	ROUTER-SDM		
189	ar2	rsa-189-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
189	ar2	rsa-189-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
189	ar2	rsa-189-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
190	ar2	rsa-190-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537142	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
190	ar2	rsa-190-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ09537142	
190	ar2	rsa-190-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433J40	
190	ar2	rsa-190-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156494	
190	ar2	rsa-190-ar2-01	Power Cord-Italian	1	CAB-ACI		
190	ar2	rsa-190-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
190	ar2	rsa-190-ar2-01	Device manager for routers	1	ROUTER-SDM		
190	ar2	rsa-190-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
190	ar2	rsa-190-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
190	ar2	rsa-190-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
191	ar2	rsa-191-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CY	
191	ar2	rsa-191-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ095371CY	
191	ar2	rsa-191-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635YZ	
191	ar2	rsa-191-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182115	
191	ar2	rsa-191-ar2-01	Power Cord-Italian	1	CAB-ACI		
191	ar2	rsa-191-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
191	ar2	rsa-191-ar2-01	Device manager for routers	1	ROUTER-SDM		
191	ar2	rsa-191-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
191	ar2	rsa-191-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
191	ar2	rsa-191-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
192	ar2	rsa-192-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953719V	
192	ar2	rsa-192-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ0953719V	
192	ar2	rsa-192-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946351D	
192	ar2	rsa-192-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182315	
192	ar2	rsa-192-ar2-01	Power Cord-Italian	1	CAB-ACI		
192	ar2	rsa-192-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
192	ar2	rsa-192-ar2-01	Device manager for routers	1	ROUTER-SDM		
192	ar2	rsa-192-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
192	ar2	rsa-192-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
192	ar2	rsa-192-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
193	ar2	rsa-193-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537145	
193	ar2	rsa-193-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ09537145	
193	ar2	rsa-193-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HC2	
193	ar2	rsa-193-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156798	
193	ar2	rsa-193-ar2-01	Power Cord-Italian	1	CAB-ACI		
193	ar2	rsa-193-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
193	ar2	rsa-193-ar2-01	Device manager for routers	1	ROUTER-SDM		
193	ar2	rsa-193-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
193	ar2	rsa-193-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
193	ar2	rsa-193-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
194	ar2	rsa-194-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0952714X	
194	ar2	rsa-194-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ0952714X	
194	ar2	rsa-194-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433FPS	
194	ar2	rsa-194-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34201922	
194	ar2	rsa-194-ar2-01	Power Cord-Italian	1	CAB-ACI		
194	ar2	rsa-194-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
194	ar2	rsa-194-ar2-01	Device manager for routers	1	ROUTER-SDM		
194	ar2	rsa-194-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
194	ar2	rsa-194-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
194	ar2	rsa-194-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
195	ar2	rsa-195-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725E	
195	ar2	rsa-195-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725E	
195	ar2	rsa-195-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZPH	
195	ar2	rsa-195-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479048	
195	ar2	rsa-195-ar2-01	Power Cord-Italian	1	CAB-ACI		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
195	ar2	rsa-195-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
195	ar2	rsa-195-ar2-01	Device manager for routers	1	ROUTER-SDM		
195	ar2	rsa-195-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
195	ar2	rsa-195-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
195	ar2	rsa-195-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
196	ar2	rsa-196-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ111070G6	
196	ar2	rsa-196-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ111070G6	
196	ar2	rsa-196-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413X4Z	
196	ar2	rsa-196-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014S3W	
196	ar2	rsa-196-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35521791	
196	ar2	rsa-196-ar2-01	Power Cord-Italian	1	CAB-ACI		
196	ar2	rsa-196-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
196	ar2	rsa-196-ar2-01	Device manager for routers	1	ROUTER-SDM		
196	ar2	rsa-196-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
196	ar2	rsa-196-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
196	ar2	rsa-196-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
197	ar2	rsa-197-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ111070G0	
197	ar2	rsa-197-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
197	ar2	rsa-197-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014RR5	
197	ar2	rsa-197-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014SPA	
197	ar2	rsa-197-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35520566	
197	ar2	rsa-197-ar2-01	Power Cord-Italian	1	CAB-ACI		
197	ar2	rsa-197-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
197	ar2	rsa-197-ar2-01	Device manager for routers	1	ROUTER-SDM		
197	ar2	rsa-197-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
197	ar2	rsa-197-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
197	ar2	rsa-197-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
198	ar2	rsa-198-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ111070G3	
198	ar2	rsa-198-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
198	ar2	rsa-198-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014RUT	
198	ar2	rsa-198-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014SJ6	
198	ar2	rsa-198-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35386805	
198	ar2	rsa-198-ar2-01	Power Cord-Italian	1	CAB-ACI		
198	ar2	rsa-198-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
198	ar2	rsa-198-ar2-01	Device manager for routers	1	ROUTER-SDM		
198	ar2	rsa-198-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
198	ar2	rsa-198-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
198	ar2	rsa-198-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
199	ar2	rsa-199-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C5	
199	ar2	rsa-199-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
199	ar2	rsa-199-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946341M	
199	ar2	rsa-199-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014SWM	
199	ar2	rsa-199-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181618	
199	ar2	rsa-199-ar2-01	Power Cord-Italian	1	CAB-ACI		
199	ar2	rsa-199-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
199	ar2	rsa-199-ar2-01	Device manager for routers	1	ROUTER-SDM		
199	ar2	rsa-199-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
199	ar2	rsa-199-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
199	ar2	rsa-199-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
200	ar2	rsa-200-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725Q	
200	ar2	rsa-200-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725Q	
200	ar2	rsa-200-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZCF	
200	ar2	rsa-200-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476439	
200	ar2	rsa-200-ar2-01	Power Cord-Italian	1	CAB-ACI		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
200	ar2	rsa-200-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
200	ar2	rsa-200-ar2-01	Device manager for routers	1	ROUTER-SDM		
200	ar2	rsa-200-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
200	ar2	rsa-200-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
200	ar2	rsa-200-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
201	ar2	rsa-201-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725Y	
201	ar2	rsa-201-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725Y	
201	ar2	rsa-201-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZA7	
201	ar2	rsa-201-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492767	
201	ar2	rsa-201-ar2-01	Power Cord-Italian	1	CAB-ACI		
201	ar2	rsa-201-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
201	ar2	rsa-201-ar2-01	Device manager for routers	1	ROUTER-SDM		
201	ar2	rsa-201-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
201	ar2	rsa-201-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
201	ar2	rsa-201-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
202	ar2	rsa-202-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725X	
202	ar2	rsa-202-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725X	
202	ar2	rsa-202-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XVU	
202	ar2	rsa-202-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493720	
202	ar2	rsa-202-ar2-01	Power Cord-Italian	1	CAB-ACI		
202	ar2	rsa-202-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
202	ar2	rsa-202-ar2-01	Device manager for routers	1	ROUTER-SDM		
202	ar2	rsa-202-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
202	ar2	rsa-202-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
202	ar2	rsa-202-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
203	ar2	rsa-203-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077267	
203	ar2	rsa-203-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
203	ar2	rsa-203-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Y5W	
203	ar2	rsa-203-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014RKT	
203	ar2	rsa-203-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35490956	
203	ar2	rsa-203-ar2-01	Power Cord-Italian	1	CAB-ACI		
203	ar2	rsa-203-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
203	ar2	rsa-203-ar2-01	Device manager for routers	1	ROUTER-SDM		
203	ar2	rsa-203-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
203	ar2	rsa-203-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
203	ar2	rsa-203-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
204	ar2	rsa-204-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953713L	
204	ar2	rsa-204-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ0953713L	
204	ar2	rsa-204-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HZT	
204	ar2	rsa-204-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34156852	
204	ar2	rsa-204-ar2-01	Power Cord-Italian	1	CAB-ACI		
204	ar2	rsa-204-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
204	ar2	rsa-204-ar2-01	Device manager for routers	1	ROUTER-SDM		
204	ar2	rsa-204-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
204	ar2	rsa-204-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
204	ar2	rsa-204-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
205	ar2	rsa-205-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725R	
205	ar2	rsa-205-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725R	
205	ar2	rsa-205-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XVT	
205	ar2	rsa-205-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492768	
205	ar2	rsa-205-ar2-01	Power Cord-Italian	1	CAB-ACI		
205	ar2	rsa-205-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
205	ar2	rsa-205-ar2-01	Device manager for routers	1	ROUTER-SDM		
205	ar2	rsa-205-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
205	ar2	rsa-205-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
205	ar2	rsa-205-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
206	ar2	rsa-206-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077258	
206	ar2	rsa-206-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ11077258	
206	ar2	rsa-206-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XTT	
206	ar2	rsa-206-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476396	
206	ar2	rsa-206-ar2-01	Power Cord-Italian	1	CAB-ACI		
206	ar2	rsa-206-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
206	ar2	rsa-206-ar2-01	Device manager for routers	1	ROUTER-SDM		
206	ar2	rsa-206-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
206	ar2	rsa-206-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
206	ar2	rsa-206-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
207	ar2	rsa-207-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077258	
207	ar2	rsa-207-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FOC10515XTT	
207	ar2	rsa-207-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	35476396	
207	ar2	rsa-207-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T		
207	ar2	rsa-207-ar2-01	Power Cord-Italian	1	CAB-ACI		
207	ar2	rsa-207-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
207	ar2	rsa-207-ar2-01	Device manager for routers	1	ROUTER-SDM		
207	ar2	rsa-207-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
207	ar2	rsa-207-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
207	ar2	rsa-207-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
208	ar2	rsa-208-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725C	
208	ar2	rsa-208-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725C	
208	ar2	rsa-208-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515YGJ	
208	ar2	rsa-208-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35490957	
208	ar2	rsa-208-ar2-01	Power Cord-Italian	1	CAB-ACI		
208	ar2	rsa-208-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
208	ar2	rsa-208-ar2-01	Device manager for routers	1	ROUTER-SDM		
208	ar2	rsa-208-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
208	ar2	rsa-208-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
208	ar2	rsa-208-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
209	ar2	rsa-209-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725M	
209	ar2	rsa-209-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725M	
209	ar2	rsa-209-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XRY	
209	ar2	rsa-209-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35478739	
209	ar2	rsa-209-ar2-01	Power Cord-Italian	1	CAB-ACI		
209	ar2	rsa-209-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
209	ar2	rsa-209-ar2-01	Device manager for routers	1	ROUTER-SDM		
209	ar2	rsa-209-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
209	ar2	rsa-209-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
209	ar2	rsa-209-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
210	ar2	rsa-210-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725Z	
210	ar2	rsa-210-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ1107725Z	
210	ar2	rsa-210-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515YCH	
210	ar2	rsa-210-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492766	
210	ar2	rsa-210-ar2-01	Power Cord-Italian	1	CAB-ACI		
210	ar2	rsa-210-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
210	ar2	rsa-210-ar2-01	Device manager for routers	1	ROUTER-SDM		
210	ar2	rsa-210-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
210	ar2	rsa-210-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
210	ar2	rsa-210-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
211	ar2	rsa-211-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077260	
211	ar2	rsa-211-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401	FCZ11077260	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
211	ar2	rsa-211-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Z5P	
211	ar2	rsa-211-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479142	
211	ar2	rsa-211-ar2-01	Power Cord-Italian	1	CAB-ACI		
211	ar2	rsa-211-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
211	ar2	rsa-211-ar2-01	Device manager for routers	1	ROUTER-SDM		
211	ar2	rsa-211-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
211	ar2	rsa-211-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
211	ar2	rsa-211-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
212	ar2	rsa-212-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BD	
212	ar2	rsa-212-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
212	ar2	rsa-212-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463434	
212	ar2	rsa-212-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10380694	
212	ar2	rsa-212-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158417	
212	ar2	rsa-212-ar2-01	Power Cord-Italian	1	CAB-ACI		
212	ar2	rsa-212-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
212	ar2	rsa-212-ar2-01	Device manager for routers	1	ROUTER-SDM		
212	ar2	rsa-212-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
212	ar2	rsa-212-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
212	ar2	rsa-212-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
213	ar2	rsa-213-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953716C	
213	ar2	rsa-213-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
213	ar2	rsa-213-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HGV	
213	ar2	rsa-213-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463584	
213	ar2	rsa-213-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157374	
213	ar2	rsa-213-ar2-01	Power Cord-Italian	1	CAB-ACI		
213	ar2	rsa-213-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
213	ar2	rsa-213-ar2-01	Device manager for routers	1	ROUTER-SDM		
213	ar2	rsa-213-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
213	ar2	rsa-213-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
213	ar2	rsa-213-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
214	ar2	rsa-214-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726M	
214	ar2	rsa-214-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
214	ar2	rsa-214-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XTU	
214	ar2	rsa-214-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493719	
214	ar2	rsa-214-ar2-01	Power Cord-Italian	1	CAB-ACI		
214	ar2	rsa-214-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
214	ar2	rsa-214-ar2-01	Device manager for routers	1	ROUTER-SDM		
214	ar2	rsa-214-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
214	ar2	rsa-214-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
214	ar2	rsa-214-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
215	ar2	rsa-215-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725D	
215	ar2	rsa-215-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
215	ar2	rsa-215-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515YY4	
215	ar2	rsa-215-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413X5D	
215	ar2	rsa-215-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492198	
215	ar2	rsa-215-ar2-01	Power Cord-Italian	1	CAB-ACI		
215	ar2	rsa-215-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
215	ar2	rsa-215-ar2-01	Device manager for routers	1	ROUTER-SDM		
215	ar2	rsa-215-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
215	ar2	rsa-215-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
215	ar2	rsa-215-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
216	ar2	rsa-216-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ111070G5	
216	ar2	rsa-216-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
216	ar2	rsa-216-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014RUX	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
216	ar2	rsa-216-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014SVD	
216	ar2	rsa-216-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35386833	
216	ar2	rsa-216-ar2-01	Power Cord-Italian	1	CAB-ACI		
216	ar2	rsa-216-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
216	ar2	rsa-216-ar2-01	Device manager for routers	1	ROUTER-SDM		
216	ar2	rsa-216-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
216	ar2	rsa-216-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
216	ar2	rsa-216-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
217	ar2	rsa-217-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725N	
217	ar2	rsa-217-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
217	ar2	rsa-217-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10501S4M	
217	ar2	rsa-217-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479501	
217	ar2	rsa-217-ar2-01	Power Cord-Italian	1	CAB-ACI		
217	ar2	rsa-217-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
217	ar2	rsa-217-ar2-01	Device manager for routers	1	ROUTER-SDM		
217	ar2	rsa-217-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
217	ar2	rsa-217-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
217	ar2	rsa-217-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
218	ar2	rsa-218-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371BG	
218	ar2	rsa-218-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
218	ar2	rsa-218-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635FF	
218	ar2	rsa-218-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182761	
218	ar2	rsa-218-ar2-01	Power Cord-Italian	1	CAB-ACI		
218	ar2	rsa-218-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
218	ar2	rsa-218-ar2-01	Device manager for routers	1	ROUTER-SDM		
218	ar2	rsa-218-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
218	ar2	rsa-218-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
218	ar2	rsa-218-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
219	ar2	rsa-219-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077268	
219	ar2	rsa-219-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
219	ar2	rsa-219-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZBX	
219	ar2	rsa-219-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493725	
219	ar2	rsa-219-ar2-01	Power Cord-Italian	1	CAB-ACI		
219	ar2	rsa-219-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
219	ar2	rsa-219-ar2-01	Device manager for routers	1	ROUTER-SDM		
219	ar2	rsa-219-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
219	ar2	rsa-219-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
219	ar2	rsa-219-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
220	ar2	rsa-220-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725H	
220	ar2	rsa-220-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
220	ar2	rsa-220-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XWD	
220	ar2	rsa-220-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493642	
220	ar2	rsa-220-ar2-01	Power Cord-Italian	1	CAB-ACI		
220	ar2	rsa-220-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
220	ar2	rsa-220-ar2-01	Device manager for routers	1	ROUTER-SDM		
220	ar2	rsa-220-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
220	ar2	rsa-220-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
220	ar2	rsa-220-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
221	ar2	rsa-221-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077250	
221	ar2	rsa-221-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
221	ar2	rsa-221-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Y55	
221	ar2	rsa-221-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35477671	
221	ar2	rsa-221-ar2-01	Power Cord-Italian	1	CAB-ACI		
221	ar2	rsa-221-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
221	ar2	rsa-221-ar2-01	Device manager for routers	1	ROUTER-SDM		
221	ar2	rsa-221-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
221	ar2	rsa-221-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
221	ar2	rsa-221-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
222	ar2	rsa-222-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725G	
222	ar2	rsa-222-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
222	ar2	rsa-222-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Y88	
222	ar2	rsa-222-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492576	
222	ar2	rsa-222-ar2-01	Power Cord-Italian	1	CAB-ACI		
222	ar2	rsa-222-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
222	ar2	rsa-222-ar2-01	Device manager for routers	1	ROUTER-SDM		
222	ar2	rsa-222-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
222	ar2	rsa-222-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
222	ar2	rsa-222-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
223	ar2	rsa-223-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371CD	
223	ar2	rsa-223-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
223	ar2	rsa-223-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635YY	
223	ar2	rsa-223-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181781	
223	ar2	rsa-223-ar2-01	Power Cord-Italian	1	CAB-ACI		
223	ar2	rsa-223-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
223	ar2	rsa-223-ar2-01	Device manager for routers	1	ROUTER-SDM		
223	ar2	rsa-223-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
223	ar2	rsa-223-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
223	ar2	rsa-223-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
224	ar2	rsa-224-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077264	
224	ar2	rsa-224-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
224	ar2	rsa-224-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515YGB	
224	ar2	rsa-224-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492623	
224	ar2	rsa-224-ar2-01	Power Cord-Italian	1	CAB-ACI		
224	ar2	rsa-224-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
224	ar2	rsa-224-ar2-01	Device manager for routers	1	ROUTER-SDM		
224	ar2	rsa-224-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
224	ar2	rsa-224-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
224	ar2	rsa-224-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
225	ar2	rsa-225-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725J	
225	ar2	rsa-225-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
225	ar2	rsa-225-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515Y5X	
225	ar2	rsa-225-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492581	
225	ar2	rsa-225-ar2-01	Power Cord-Italian	1	CAB-ACI		
225	ar2	rsa-225-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
225	ar2	rsa-225-ar2-01	Device manager for routers	1	ROUTER-SDM		
225	ar2	rsa-225-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
225	ar2	rsa-225-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
225	ar2	rsa-225-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
226	ar2	rsa-226-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077261	
226	ar2	rsa-226-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
226	ar2	rsa-226-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZA8	
226	ar2	rsa-226-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014QLK	
226	ar2	rsa-226-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493717	
226	ar2	rsa-226-ar2-01	Power Cord-Italian	1	CAB-ACI		
226	ar2	rsa-226-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
226	ar2	rsa-226-ar2-01	Device manager for routers	1	ROUTER-SDM		
226	ar2	rsa-226-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
226	ar2	rsa-226-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
226	ar2	rsa-226-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
227	ar2	rsa-227-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726G	
227	ar2	rsa-227-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
227	ar2	rsa-227-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZA2	
227	ar2	rsa-227-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492848	
227	ar2	rsa-227-ar2-01	Power Cord-Italian	1	CAB-ACI		
227	ar2	rsa-227-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
227	ar2	rsa-227-ar2-01	Device manager for routers	1	ROUTER-SDM		
227	ar2	rsa-227-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
227	ar2	rsa-227-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
227	ar2	rsa-227-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
228	ar2	rsa-228-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725V	
228	ar2	rsa-228-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
228	ar2	rsa-228-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515X3D	
228	ar2	rsa-228-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476491	
228	ar2	rsa-228-ar2-01	Power Cord-Italian	1	CAB-ACI		
228	ar2	rsa-228-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
228	ar2	rsa-228-ar2-01	Device manager for routers	1	ROUTER-SDM		
228	ar2	rsa-228-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
228	ar2	rsa-228-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
228	ar2	rsa-228-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
229	ar2	rsa-229-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725K	
229	ar2	rsa-229-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
229	ar2	rsa-229-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XDZ	
229	ar2	rsa-229-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413XUE	
229	ar2	rsa-229-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35478660	
229	ar2	rsa-229-ar2-01	Power Cord-Italian	1	CAB-ACI		
229	ar2	rsa-229-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
229	ar2	rsa-229-ar2-01	Device manager for routers	1	ROUTER-SDM		
229	ar2	rsa-229-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
229	ar2	rsa-229-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
229	ar2	rsa-229-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
230	ar2	rsa-230-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725F	
230	ar2	rsa-230-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
230	ar2	rsa-230-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XRX	
230	ar2	rsa-230-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35491236	
230	ar2	rsa-230-ar2-01	Power Cord-Italian	1	CAB-ACI		
230	ar2	rsa-230-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
230	ar2	rsa-230-ar2-01	Device manager for routers	1	ROUTER-SDM		
230	ar2	rsa-230-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
230	ar2	rsa-230-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
230	ar2	rsa-230-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
231	ar2	rsa-231-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ111070G2	
231	ar2	rsa-231-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
231	ar2	rsa-231-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014RN6	
231	ar2	rsa-231-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35387487	
231	ar2	rsa-231-ar2-01	Power Cord-Italian	1	CAB-ACI		
231	ar2	rsa-231-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
231	ar2	rsa-231-ar2-01	Device manager for routers	1	ROUTER-SDM		
231	ar2	rsa-231-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
231	ar2	rsa-231-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
231	ar2	rsa-231-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
232	ar2	rsa-232-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726A	
232	ar2	rsa-232-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
232	ar2	rsa-232-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XS3	
232	ar2	rsa-232-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493608	
232	ar2	rsa-232-ar2-01	Power Cord-Italian	1	CAB-ACI		
232	ar2	rsa-232-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
232	ar2	rsa-232-ar2-01	Device manager for routers	1	ROUTER-SDM		
232	ar2	rsa-232-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
232	ar2	rsa-232-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
232	ar2	rsa-232-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
233	ar2	rsa-233-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077263	
233	ar2	rsa-233-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
233	ar2	rsa-233-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XS4	
233	ar2	rsa-233-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492769	
233	ar2	rsa-233-ar2-01	Power Cord-Italian	1	CAB-ACI		
233	ar2	rsa-233-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
233	ar2	rsa-233-ar2-01	Device manager for routers	1	ROUTER-SDM		
233	ar2	rsa-233-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
233	ar2	rsa-233-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
233	ar2	rsa-233-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
234	ar2	rsa-234-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725B	
234	ar2	rsa-234-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
234	ar2	rsa-234-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZCG	
234	ar2	rsa-234-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476430	
234	ar2	rsa-234-ar2-01	Power Cord-Italian	1	CAB-ACI		
234	ar2	rsa-234-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
234	ar2	rsa-234-ar2-01	Device manager for routers	1	ROUTER-SDM		
234	ar2	rsa-234-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
234	ar2	rsa-234-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
234	ar2	rsa-234-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
235	ar2	rsa-235-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077259	
235	ar2	rsa-235-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
235	ar2	rsa-235-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZBB	
235	ar2	rsa-235-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476361	
235	ar2	rsa-235-ar2-01	Power Cord-Italian	1	CAB-ACI		
235	ar2	rsa-235-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
235	ar2	rsa-235-ar2-01	Device manager for routers	1	ROUTER-SDM		
235	ar2	rsa-235-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
235	ar2	rsa-235-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
235	ar2	rsa-235-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
236	ar2	rsa-236-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726E	
236	ar2	rsa-236-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
236	ar2	rsa-236-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515X2Y	
236	ar2	rsa-236-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35494449	
236	ar2	rsa-236-ar2-01	Power Cord-Italian	1	CAB-ACI		
236	ar2	rsa-236-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
236	ar2	rsa-236-ar2-01	Device manager for routers	1	ROUTER-SDM		
236	ar2	rsa-236-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
236	ar2	rsa-236-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
236	ar2	rsa-236-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
237	ar2	rsa-237-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726C	
237	ar2	rsa-237-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
237	ar2	rsa-237-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XD5	
237	ar2	rsa-237-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493683	
237	ar2	rsa-237-ar2-01	Power Cord-Italian	1	CAB-ACI		
237	ar2	rsa-237-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
237	ar2	rsa-237-ar2-01	Device manager for routers	1	ROUTER-SDM		
237	ar2	rsa-237-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
237	ar2	rsa-237-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
237	ar2	rsa-237-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
238	ar2	rsa-238-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107725P	
238	ar2	rsa-238-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
238	ar2	rsa-238-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515ZQQ	
238	ar2	rsa-238-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35476487	
238	ar2	rsa-238-ar2-01	Power Cord-Italian	1	CAB-ACI		
238	ar2	rsa-238-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
238	ar2	rsa-238-ar2-01	Device manager for routers	1	ROUTER-SDM		
238	ar2	rsa-238-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
238	ar2	rsa-238-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
238	ar2	rsa-238-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
239	ar2	rsa-239-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726F	
239	ar2	rsa-239-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
239	ar2	rsa-239-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515X3M	
239	ar2	rsa-239-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35491020	
239	ar2	rsa-239-ar2-01	Power Cord-Italian	1	CAB-ACI		
239	ar2	rsa-239-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
239	ar2	rsa-239-ar2-01	Device manager for routers	1	ROUTER-SDM		
239	ar2	rsa-239-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
239	ar2	rsa-239-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
239	ar2	rsa-239-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
240	ar2	rsa-240-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077254	
240	ar2	rsa-240-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
240	ar2	rsa-240-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XX0	
240	ar2	rsa-240-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35479141	
240	ar2	rsa-240-ar2-01	Power Cord-Italian	1	CAB-ACI		
240	ar2	rsa-240-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
240	ar2	rsa-240-ar2-01	Device manager for routers	1	ROUTER-SDM		
240	ar2	rsa-240-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
240	ar2	rsa-240-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
240	ar2	rsa-240-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
241	ar2	rsa-241-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726H	
241	ar2	rsa-241-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
241	ar2	rsa-241-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515YGC	
241	ar2	rsa-241-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35492770	
241	ar2	rsa-241-ar2-01	Power Cord-Italian	1	CAB-ACI		
241	ar2	rsa-241-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
241	ar2	rsa-241-ar2-01	Device manager for routers	1	ROUTER-SDM		
241	ar2	rsa-241-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
241	ar2	rsa-241-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
241	ar2	rsa-241-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
242	ar2	rsa-242-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726B	
242	ar2	rsa-242-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
242	ar2	rsa-242-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515YGS	
242	ar2	rsa-242-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493724	
242	ar2	rsa-242-ar2-01	Power Cord-Italian	1	CAB-ACI		
242	ar2	rsa-242-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
242	ar2	rsa-242-ar2-01	Device manager for routers	1	ROUTER-SDM		
242	ar2	rsa-242-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
242	ar2	rsa-242-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
242	ar2	rsa-242-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
243	ar2	rsa-243-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077269	
243	ar2	rsa-243-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
243	ar2	rsa-243-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10493UK1	
243	ar2	rsa-243-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35493688	
243	ar2	rsa-243-ar2-01	Power Cord-Italian	1	CAB-ACI		
243	ar2	rsa-243-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
243	ar2	rsa-243-ar2-01	Device manager for routers	1	ROUTER-SDM		
243	ar2	rsa-243-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
243	ar2	rsa-243-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
243	ar2	rsa-243-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
244	ar2	rsa-244-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1107726J	
244	ar2	rsa-244-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
244	ar2	rsa-244-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10515XVZ	
244	ar2	rsa-244-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35494458	
244	ar2	rsa-244-ar2-01	Power Cord-Italian	1	CAB-ACI		
244	ar2	rsa-244-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
244	ar2	rsa-244-ar2-01	Device manager for routers	1	ROUTER-SDM		
244	ar2	rsa-244-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
244	ar2	rsa-244-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
244	ar2	rsa-244-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
245	ar2	rsa-245-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ111070G8	
245	ar2	rsa-245-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
245	ar2	rsa-245-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11014REP	
245	ar2	rsa-245-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35523288	
245	ar2	rsa-245-ar2-01	Power Cord-Italian	1	CAB-ACI		
245	ar2	rsa-245-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
245	ar2	rsa-245-ar2-01	Device manager for routers	1	ROUTER-SDM		
245	ar2	rsa-245-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
245	ar2	rsa-245-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
245	ar2	rsa-245-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
246	ar2	rsa-246-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09537168	
246	ar2	rsa-246-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
246	ar2	rsa-246-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09433HB7	
246	ar2	rsa-246-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157406	
246	ar2	rsa-246-ar2-01	Power Cord-Italian	1	CAB-ACI		
246	ar2	rsa-246-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
246	ar2	rsa-246-ar2-01	Device manager for routers	1	ROUTER-SDM		
246	ar2	rsa-246-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
246	ar2	rsa-246-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
246	ar2	rsa-246-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
247	ar11	rsa-247-ar11-02	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270D5	
247	ar11	rsa-247-ar11-02	Power Cord-Italian	1	CAB-ACI		
247	ar11	rsa-247-ar11-02	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
247	ar11	rsa-247-ar11-02	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454B5U	
247	ar11	rsa-247-ar11-02	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC10413VTB	
247	ar11	rsa-247-ar11-02	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09462Z5E	
247	ar11	rsa-247-ar11-02	Device manager for routers	1	ROUTER-SDM		
247	ar11	rsa-247-ar11-02	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
247	ar11	rsa-247-ar11-02	High Performance ATM Advanced Integration Module	1	AIM-ATM		
247	ar11	rsa-247-ar11-02	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34209727	
247	ar11	rsa-247-ar11-02	2-Port RJ-48 Multiflex Trunk - E1	1	VWIC-2MFT-E1	34068570	
247	ar11	rsa-247-ar11-02	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
247	ar11	rsa-247-ar11-02	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
247	ar12	rsa-247-ar11-02	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470877	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
247	ar12	rsa-247-ar11-02	CAB-ACI	1	Power Cord-Italian		
248	ar11	rsa-248-ar11-02	2851 Security Bundle,Adv Security,64F/256D	1	CISCO2851-SEC/K9	FCZ095270D6	
248	ar11	rsa-248-ar11-02	Power Cord-Italian	1	CAB-ACI		
248	ar11	rsa-248-ar11-02	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
248	ar11	rsa-248-ar11-02	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC10413X52	
248	ar11	rsa-248-ar11-02	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09454AYB	
248	ar11	rsa-248-ar11-02	4 port ATM IMA bundle	1	AIM-ATM-4E1	FOC09480MCS	
248	ar11	rsa-248-ar11-02	Device manager for routers	1	ROUTER-SDM		
248	ar11	rsa-248-ar11-02	Cisco 2821/51 AC power supply	1	PWR-2821-51-AC		
248	ar11	rsa-248-ar11-02	High Performance ATM Advanced Integration Module	1	AIM-ATM		
248	ar11	rsa-248-ar11-02	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209526	
248	ar11	rsa-248-ar11-02	2-Port RJ-48 Multiflex Trunk - E1	1	VVIC-2MFT-E1	34209545	
248	ar11	rsa-248-ar11-02	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
248	ar11	rsa-248-ar11-02	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
248	ar12	rsa-248-ar11-02	PWR675-AC-RPS-N1=	1	675W Redundant Power Supply with 1 connector cable	DTH09470896	
248	ar12	rsa-248-ar11-02	CAB-ACI	1	Power Cord-Italian		
249	am3	rsa-249-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z4ZF	
249	am3	rsa-249-am3-01	Power Cord-Italian	1	CAB-ACI		
249	am3	rsa-249-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946B0ZS	
249	am3	rsa-249-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0K7	
249	ar2	rsa-249-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ09527158	
249	ar2	rsa-249-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
249	ar2	rsa-249-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	F0C09433J8H	
249	ar2	rsa-249-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182361	
249	ar2	rsa-249-ar2-01	Power Cord-Italian	1	CAB-ACI		
249	ar2	rsa-249-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
249	ar2	rsa-249-ar2-01	Device manager for routers	1	ROUTER-SDM		
249	ar2	rsa-249-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
249	ar2	rsa-249-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
249	ar2	rsa-249-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
250	am3	rsa-250-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z51A	
250	am3	rsa-250-am3-01	Power Cord-Italian	1	CAB-ACI		
250	am3	rsa-250-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1JG	
250	am3	rsa-250-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1QP	
250	ar2	rsa-250-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ0953719W	
250	ar2	rsa-250-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
250	ar2	rsa-250-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946363F	
250	ar2	rsa-250-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182361	
250	ar2	rsa-250-ar2-01	Power Cord-Italian	1	CAB-ACI		
250	ar2	rsa-250-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
250	ar2	rsa-250-ar2-01	Device manager for routers	1	ROUTER-SDM		
250	ar2	rsa-250-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
250	ar2	rsa-250-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
250	ar2	rsa-250-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
251	am2	rsa-251-am2-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	1	ME-C3750-24TE-M	CAT1050NLK6	
251	am2	rsa-251-am2-01	Advanced IP Feature License for Catalyst 3750 Metro	1	ME3750-ADVIP-LIC		
251	am2	rsa-251-am2-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC	LIT104309HK	
251	am2	rsa-251-am2-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R	LIT104309UG	
251	am2	rsa-251-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS104300JV	
251	am2	rsa-251-am2-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS104300AF	
252	am3	rsa-252-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT0949Z50T	
252	am3	rsa-252-am3-01	Power Cord-Italian	1	CAB-ACI		
252	am3	rsa-252-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M1J6	
252	am3	rsa-252-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946D0KD	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
252	ar2	rsa-252-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FC7104371TF	
252	ar2	rsa-252-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
252	ar2	rsa-252-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946363F	
252	ar2	rsa-252-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34182361	
252	ar2	rsa-252-ar2-01	Power Cord-Italian	1	CAB-ACI		
252	ar2	rsa-252-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
252	ar2	rsa-252-ar2-01	Device manager for routers	1	ROUTER-SDM		
252	ar2	rsa-252-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
252	ar2	rsa-252-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
252	ar2	rsa-252-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
254	ar2	rsa-254-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ11077262	
254	ar2	rsa-254-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
254	ar2	rsa-254-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC105152ZK	
254	ar2	rsa-254-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35491165	
254	ar2	rsa-254-ar2-01	Power Cord-Italian	1	CAB-ACI		
254	ar2	rsa-254-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
254	ar2	rsa-254-ar2-01	Device manager for routers	1	ROUTER-SDM		
254	ar2	rsa-254-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
254	ar2	rsa-254-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
254	ar2	rsa-254-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
255	ar2	rsa-255-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371C4	
255	ar2	rsa-255-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
255	ar2	rsa-255-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC0946342B	
255	ar2	rsa-255-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34181841	
255	ar2	rsa-255-ar2-01	Power Cord-Italian	1	CAB-ACI		
255	ar2	rsa-255-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
255	ar2	rsa-255-ar2-01	Device manager for routers	1	ROUTER-SDM		
255	ar2	rsa-255-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
255	ar2	rsa-255-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
255	ar2	rsa-255-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
256	ar2	rsa-256-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RW	
256	ar2	rsa-256-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
256	ar2	rsa-256-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276L6Z	
256	ar2	rsa-256-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35863287	
256	ar2	rsa-256-ar2-01	Power Cord-Italian	1	CAB-ACI		
256	ar2	rsa-256-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
256	ar2	rsa-256-ar2-01	Device manager for routers	1	ROUTER-SDM		
256	ar2	rsa-256-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
256	ar2	rsa-256-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
256	ar2	rsa-256-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
257	ar2	rsa-257-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RS	
257	ar2	rsa-257-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
257	ar2	rsa-257-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276LVZ	
257	ar2	rsa-257-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35861899	
257	ar2	rsa-257-ar2-01	Power Cord-Italian	1	CAB-ACI		
257	ar2	rsa-257-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
257	ar2	rsa-257-ar2-01	Device manager for routers	1	ROUTER-SDM		
257	ar2	rsa-257-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
257	ar2	rsa-257-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
257	ar2	rsa-257-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
258	ar2	rsa-258-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RJ	
258	ar2	rsa-258-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
258	ar2	rsa-258-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KV8	
258	ar2	rsa-258-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35863064	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
258	ar2	rsa-258-ar2-01	Power Cord-Italian	1	CAB-ACI		
258	ar2	rsa-258-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
258	ar2	rsa-258-ar2-01	Device manager for routers	1	ROUTER-SDM		
258	ar2	rsa-258-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
258	ar2	rsa-258-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
258	ar2	rsa-258-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
259	ar2	rsa-259-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RV	
259	ar2	rsa-259-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
259	ar2	rsa-259-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276L0H	
259	ar2	rsa-259-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35861925	
259	ar2	rsa-259-ar2-01	Power Cord-Italian	1	CAB-ACI		
259	ar2	rsa-259-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
259	ar2	rsa-259-ar2-01	Device manager for routers	1	ROUTER-SDM		
259	ar2	rsa-259-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
259	ar2	rsa-259-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
259	ar2	rsa-259-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
260	ar2	rsa-260-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RT	
260	ar2	rsa-260-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
260	ar2	rsa-260-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276L7E	
260	ar2	rsa-260-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35861891	
260	ar2	rsa-260-ar2-01	Power Cord-Italian	1	CAB-ACI		
260	ar2	rsa-260-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
260	ar2	rsa-260-ar2-01	Device manager for routers	1	ROUTER-SDM		
260	ar2	rsa-260-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
260	ar2	rsa-260-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
260	ar2	rsa-260-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
261	ar2	rsa-261-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RR	
261	ar2	rsa-261-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
261	ar2	rsa-261-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KYN	
261	ar2	rsa-261-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35861233	
261	ar2	rsa-261-ar2-01	Power Cord-Italian	1	CAB-ACI		
261	ar2	rsa-261-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
261	ar2	rsa-261-ar2-01	Device manager for routers	1	ROUTER-SDM		
261	ar2	rsa-261-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
261	ar2	rsa-261-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
261	ar2	rsa-261-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
262	ar2	rsa-262-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RQ	
262	ar2	rsa-262-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
262	ar2	rsa-262-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276277	
262	ar2	rsa-262-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35861900	
262	ar2	rsa-262-ar2-01	Power Cord-Italian	1	CAB-ACI		
262	ar2	rsa-262-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
262	ar2	rsa-262-ar2-01	Device manager for routers	1	ROUTER-SDM		
262	ar2	rsa-262-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
262	ar2	rsa-262-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
262	ar2	rsa-262-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
265	ar2	rsa-265-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RL	
265	ar2	rsa-265-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
265	ar2	rsa-265-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KSC	
265	ar2	rsa-265-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35863759	
265	ar2	rsa-265-ar2-01	Power Cord-Italian	1	CAB-ACI		
265	ar2	rsa-265-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
265	ar2	rsa-265-ar2-01	Device manager for routers	1	ROUTER-SDM		
265	ar2	rsa-265-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
265	ar2	rsa-265-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
265	ar2	rsa-265-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
266	ar2	rsa-266-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RP	
266	ar2	rsa-266-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
266	ar2	rsa-266-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KYL	
266	ar2	rsa-266-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35863292	
266	ar2	rsa-266-ar2-01	Power Cord-Italian	1	CAB-ACI		
266	ar2	rsa-266-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
266	ar2	rsa-266-ar2-01	Device manager for routers	1	ROUTER-SDM		
266	ar2	rsa-266-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
266	ar2	rsa-266-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
266	ar2	rsa-266-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
267	ar2	rsa-267-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RM	
267	ar2	rsa-267-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
267	ar2	rsa-267-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KVH	
267	ar2	rsa-267-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35864029	
267	ar2	rsa-267-ar2-01	Power Cord-Italian	1	CAB-ACI		
267	ar2	rsa-267-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
267	ar2	rsa-267-ar2-01	Device manager for routers	1	ROUTER-SDM		
267	ar2	rsa-267-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
267	ar2	rsa-267-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
267	ar2	rsa-267-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
268	ar2	rsa-268-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RN	
268	ar2	rsa-268-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
268	ar2	rsa-268-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276LEB	
268	ar2	rsa-268-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35863958	
268	ar2	rsa-268-ar2-01	Power Cord-Italian	1	CAB-ACI		
268	ar2	rsa-268-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
268	ar2	rsa-268-ar2-01	Device manager for routers	1	ROUTER-SDM		
268	ar2	rsa-268-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
268	ar2	rsa-268-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
268	ar2	rsa-268-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
269	am3	rsa-269-am3-01	Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	1	WS-C3560-48TS-E	CAT1123ZGTD	
269	am3	rsa-269-am3-01	Power Cord-Italian	1	CAB-ACI		
269	am3	rsa-269-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	OPC11240921	
269	am3	rsa-269-am3-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	OPA10454402	
269	ar2	rsa-269-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RY	
269	ar2	rsa-269-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
269	ar2	rsa-269-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276LEE	
269	ar2	rsa-269-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35900074	
269	ar2	rsa-269-ar2-01	Power Cord-Italian	1	CAB-ACI		
269	ar2	rsa-269-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
269	ar2	rsa-269-ar2-01	Device manager for routers	1	ROUTER-SDM		
269	ar2	rsa-269-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
269	ar2	rsa-269-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
269	ar2	rsa-269-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
270	ar2	rsa-270-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RX	
270	ar2	rsa-270-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
270	ar2	rsa-270-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KV9	
270	ar2	rsa-270-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35862985	
270	ar2	rsa-270-ar2-01	Power Cord-Italian	1	CAB-ACI		
270	ar2	rsa-270-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
270	ar2	rsa-270-ar2-01	Device manager for routers	1	ROUTER-SDM		
270	ar2	rsa-270-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
270	ar2	rsa-270-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
270	ar2	rsa-270-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
271	ar2	rsa-271-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371AM	
271	ar2	rsa-271-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
271	ar2	rsa-271-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC094635MR	
271	ar2	rsa-271-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34157995	
271	ar2	rsa-271-ar2-01	Power Cord-Italian	1	CAB-ACI		
271	ar2	rsa-271-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
271	ar2	rsa-271-ar2-01	Device manager for routers	1	ROUTER-SDM		
271	ar2	rsa-271-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
271	ar2	rsa-271-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
271	ar2	rsa-271-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
272	ar2	rsa-272-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ1132711J	
272	ar2	rsa-272-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
272	ar2	rsa-272-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276L9B	
272	ar2	rsa-272-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35900023	
272	ar2	rsa-272-ar2-01	Power Cord-Italian	1	CAB-ACI		
272	ar2	rsa-272-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
272	ar2	rsa-272-ar2-01	Device manager for routers	1	ROUTER-SDM		
272	ar2	rsa-272-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
272	ar2	rsa-272-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
272	ar2	rsa-272-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
273	ar2	rsa-273-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ095371B8	
273	ar2	rsa-273-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
273	ar2	rsa-273-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC09463585	
273	ar2	rsa-273-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	34158465	
273	ar2	rsa-273-ar2-01	Power Cord-Italian	1	CAB-ACI		
273	ar2	rsa-273-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
273	ar2	rsa-273-ar2-01	Device manager for routers	1	ROUTER-SDM		
273	ar2	rsa-273-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
273	ar2	rsa-273-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
273	ar2	rsa-273-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
274	ar2	rsa-274-ar2-01	2811 Security Bundle,Adv Security,64F/256D	1	CISCO2811-SEC/K9	FCZ113270RK	
274	ar2	rsa-274-ar2-01	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUASK9B-12401		
274	ar2	rsa-274-ar2-01	1-Port ISDN WAN Interface Card (dial and leased line)	1	WIC-1B-S/T-V3	FOC11276KYK	
274	ar2	rsa-274-ar2-01	2-Port Serial WAN Interface Card	1	WIC-2T	35861325	
274	ar2	rsa-274-ar2-01	Power Cord-Italian	1	CAB-ACI		
274	ar2	rsa-274-ar2-01	V.35 Cable, DTE Male to Smart Serial, 10 Feet	2	CAB-SS-V35MT		
274	ar2	rsa-274-ar2-01	Device manager for routers	1	ROUTER-SDM		
274	ar2	rsa-274-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
274	ar2	rsa-274-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
274	ar2	rsa-274-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
332	ar2	rsa-332-ar2-01	2811 Voice Bundle,PVDM2-16,SP Serv,64F/256D	1	CISCO2811-V/K9		
332	ar2	rsa-332-ar2-01	Power Cord-Italian	1	CAB-ACI		
332	ar2	rsa-332-ar2-01	Cisco 2800 SPSK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	1	S28NUAISK9-12415T		
332	ar2	rsa-332-ar2-01	CD for SDM software	1	ROUTER-SDM-CD		
332	ar2	rsa-332-ar2-01	Cisco 2811 AC power supply	1	PWR-2811-AC		
332	ar2	rsa-332-ar2-01	16-Channel Packet Voice/Fax DSP Module	1	PVDM2-16		
332	ar2	rsa-332-ar2-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
332	ar2	rsa-332-ar2-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
332	ar2	rsa-332-ar2-01	Cisco 2811 Standard Accessory Kit	1	ACS-2811-STAN		
333	am1	rsa-333-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): IPS ME SW	1	ME-C3750-24TE-M		
333	am1	rsa-333-am1-01	Configurable ME-C3750 AC Power Supply	1	PWR-ME3750-AC		
333	am1	rsa-333-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)	1	PWR-ME3750-AC-R		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
333 am1	rsa-333-am1-01	Power Cord-Italian		2	CAB-ACI		
333 am1	rsa-333-am1-01	19-inch brackets for mounting 1 RU Catalyst switches		1	19INCH-BRKT-1RU		
333 am1	rsa-333-am1-01	GE SFP, LC connector LX/LH transceiver		2	GLC-LH-SM		
333 am1	rsa-333-am1-01	GE SFP, LC connector SX transceiver		2	GLC-SX-MM		
336 am1	rsa-336-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): IPS ME SW		1	ME-C3750-24TE-M		
336 am1	rsa-336-am1-01	Configurable ME-C3750 AC Power Supply		1	PWR-ME3750-AC		
336 am1	rsa-336-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)		1	PWR-ME3750-AC-R		
336 am1	rsa-336-am1-01	Power Cord-Italian		2	CAB-ACI		
336 am1	rsa-336-am1-01	19-inch brackets for mounting 1 RU Catalyst switches		1	19INCH-BRKT-1RU		
336 am1	rsa-336-am1-01	GE SFP, LC connector LX/LH transceiver		2	GLC-LH-SM		
336 am1	rsa-336-am1-01	GE SFP, LC connector SX transceiver		2	GLC-SX-MM		
337 am1	rsa-337-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): IPS ME SW		1	ME-C3750-24TE-M		
337 am1	rsa-337-am1-01	Configurable ME-C3750 AC Power Supply		1	PWR-ME3750-AC		
337 am1	rsa-337-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)		1	PWR-ME3750-AC-R		
337 am1	rsa-337-am1-01	Power Cord-Italian		2	CAB-ACI		
337 am1	rsa-337-am1-01	19-inch brackets for mounting 1 RU Catalyst switches		1	19INCH-BRKT-1RU		
337 am1	rsa-337-am1-01	GE SFP, LC connector LX/LH transceiver		2	GLC-LH-SM		
337 am1	rsa-337-am1-01	GE SFP, LC connector SX transceiver		2	GLC-SX-MM		
338 am1	rsa-338-am1-01	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): IPS ME SW		1	ME-C3750-24TE-M		
338 am1	rsa-338-am1-01	Configurable ME-C3750 AC Power Supply		1	PWR-ME3750-AC		
338 am1	rsa-338-am1-01	Metro Catalyst 3750 redundant AC power supply (configurable)		1	PWR-ME3750-AC-R		
338 am1	rsa-338-am1-01	Power Cord-Italian		2	CAB-ACI		
338 am1	rsa-338-am1-01	19-inch brackets for mounting 1 RU Catalyst switches		1	19INCH-BRKT-1RU		
338 am1	rsa-338-am1-01	GE SFP, LC connector LX/LH transceiver		2	GLC-LH-SM		
338 am1	rsa-338-am1-01	GE SFP, LC connector SX transceiver		2	GLC-SX-MM		
CED	ced1	rsa-ced1-01	Cisco Catalyst 6509,2x3000WAC,SUP720,FanTray,6724-SFP,noSFPs	1	WS-C6509-S720-6724	SMC0942006J	
CED	ced1	rsa-ced1-01	Cisco CAT6000-SUP720 IOS ADVANCED IP SERVICES SSH	1	S733AISK9-12218SXE		
CED	ced1	rsa-ced1-01	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9H4	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9H1	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9GC	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9H6	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9D9	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0821P0EA	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A81J	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A78W	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9D8	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A81Z	
CED	ced1	rsa-ced1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A821	
CED	ced1	rsa-ced1-01	GE SFP,LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946M217	
CED	ced1	rsa-ced1-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
CED	ced1	rsa-ced1-01	Cat6500 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45	1	WS-X6748-GE-TX	SAD08300G0X	
CED	ced1	rsa-ced1-01	Power Cord, 250Vac 16A, Europe	2	CAB-AC-2500W-EU		
CED	ced1	rsa-ced1-01	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3A	1	WS-SUP720	SAD082908CH	
CED	ced1	rsa-ced1-01	Catalyst 6500 512MB DRAM on the Supervisor (SUP2 or SUP720)	1	MEM-S2-512MB		
CED	ced1	rsa-ced1-01	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3	1	MEM-MSFC2-512MB		
CED	ced1	rsa-ced1-01	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAD083007UV	
CED	ced1	rsa-ced1-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAD081903FN	
CED	ced1	rsa-ced1-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
CED	ced1	rsa-ced1-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL0827B89L	
CED	ced1	rsa-ced1-01	Catalyst 6509 High Speed Fan Tray	1	WS-C6K-9SLOT-FAN2		
CED	ced1	rsa-ced1-01	Catalyst 6500 3000W AC power supply	1	WS-CAC-3000W	AZS09420MS8	
CED	ced1	rsa-ced1-01	Catalyst 6500 3000W AC power supply	1	WS-CAC-3000W	AZS09420MRZ	
CED	ced1	rsa-ced1-02	Cisco Catalyst 6509,2x3000WAC,SUP720,FanTray,6724-SFP,noSFPs	1	WS-C6509-S720-6724	SMC0943003X	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
CED	ced1	rsa-ced1-02	Cisco CAT6000-SUP720 IOS ADVANCED IP SERVICES SSH	1	S733AISK9-12218SXE		
CED	ced1	rsa-ced1-02	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	AGS0944530Z	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0822A6E2	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	AGS094453CV	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9GS	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9GJ	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A9GG	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	AGS09445326	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	AGS094452ZZ	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826R2QE	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0829R727	
CED	ced1	rsa-ced1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0826A4LK	
CED	ced1	rsa-ced1-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM=	FNS0946G0S6	
CED	ced1	rsa-ced1-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
CED	ced1	rsa-ced1-02	Cat6500 48-port 10/100/1000 GE Mod: fabric enabled, RJ-45	1	WS-X6748-GE-TX	SAL08290PP8	
CED	ced1	rsa-ced1-02	Power Cord, 250Vac 16A, Europe	2	CAB-AC-2500W-EU		
CED	ced1	rsa-ced1-02	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3A	1	WS-SUP720	SAD08280HBF	
CED	ced1	rsa-ced1-02	Catalyst 6500 512MB DRAM on the Supervisor (SUP2 or SUP720)	1	MEM-S2-512MB		
CED	ced1	rsa-ced1-02	Catalyst 6500 512MB DRAM on the MSFC2 or SUP720 MSFC3	1	MEM-MSFC2-512MB		
CED	ced1	rsa-ced1-02	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL10360D6E	
CED	ced1	rsa-ced1-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAD08250KAP	
CED	ced1	rsa-ced1-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
CED	ced1	rsa-ced1-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL0827B88L	
CED	ced1	rsa-ced1-02	Catalyst 6509 High Speed Fan Tray	1	WS-C6K-9SLOT-FAN2		
CED	ced1	rsa-ced1-02	Catalyst 6500 3000W AC power supply	1	WS-CAC-3000W	AZS09420MUR	
CED	ced1	rsa-ced1-02	Catalyst 6500 3000W AC power supply	1	WS-CAC-3000W	AZS09420MTS	
CED	6503-M	vrouter6503-m	Cisco Systems Catalyst 6500 3-slot Chassis System	1	WS-C6503-E	FOX1021028M	
CED	6503-M	vrouter6503-m	OSR-7600 Clock FRU 1	1	CLK-7600 1	NWG102003V0	
CED	6503-M	vrouter6503-m	OSR-7600 Clock FRU 2	1	CLK-7600 2	NWG102003V0	
CED	6503-M	vrouter6503-m	WS-SUP32-GE-3B 9 ports Supervisor Engine 32 8GE Rev. 4.4	1	WS-SUP32-GE-3B	SAL1025SBC9	
CED	6503-M	vrouter6503-m	WS-F6K-MSFC2A Cat6k MSFC 2A daughterboard Rev. 3.1	1	WS-F6K-MSFC2A	SAL1024R5Z6	
CED	6503-M	vrouter6503-m	WS-F6K-PFC3B Policy Feature Card 3 Rev. 2.3	1	WS-F6K-PFC3B	SAL1024REUF	
CED	6503-M	vrouter6503-m	Enhanced 3-slot Fan Tray 1	1	WS-C6503-E-FAN	DCH10161508	
CED	6503-M	vrouter6503-m	AC power supply, 1400 watt 1	1	PWR-1400-AC	DTH1023J036	
CED	6503-M	vrouter6503-m	AC power supply, 1400 watt 2	1	PWR-1400-AC	DTH1023J035	
CED	6503-B	vrouter6503-b	Cisco Systems Catalyst 6500 3-slot Chassis System	1	WS-C6503-E	FOX1021028D	
CED	6503-B	vrouter6503-b	OSR-7600 Clock FRU 1	1	CLK-7600 1	NWG102003UM	
CED	6503-B	vrouter6503-b	OSR-7600 Clock FRU 2	1	CLK-7600 2	NWG102003UM	
CED	6503-B	vrouter6503-b	WS-SUP32-GE-3B 9 ports Supervisor Engine 32 8GE Rev. 4.4	1	WS-SUP32-GE-3B	SAL1025SB8T	
CED	6503-B	vrouter6503-b	WS-F6K-MSFC2A Cat6k MSFC 2A daughterboard Rev. 3.1	1	WS-F6K-MSFC2A	SAL1024R614	
CED	6503-B	vrouter6503-b	WS-F6K-PFC3B Policy Feature Card 3 Rev. 2.3	1	WS-F6K-PFC3B	SAL1025S7D1	
CED	6503-B	vrouter6503-b	Enhanced 3-slot Fan Tray 1	1	WS-C6503-E-FAN	DCH10161506	
CED	6503-B	vrouter6503-b	AC power supply, 1400 watt 1	1	PWR-1400-AC	DTH1023J020	
CED	6503-B	vrouter6503-b	AC power supply, 1400 watt 2	1	PWR-1400-AC	DTM1403021U	
CED	6509-1	sardit-core1	Cisco Systems Catalyst 6500 9-slot Chassis System	1	WS-C6509-E	SMG1048N5W9	
CED	6509-1	sardit-core1	VTT-E FRU 1	1	WS-C6K-VTT-E	SMT1040P647	
CED	6509-1	sardit-core1	VTT-E FRU 2	1	WS-C6K-VTT-E	SMT1040P828	
CED	6509-1	sardit-core1	VTT-E FRU 3	1	WS-C6K-VTT-E 3	SMT1040P836	
CED	6509-1	sardit-core1	OSR-7600 Clock FRU 1	1	CLK-7600 1	SMT1038F935	
CED	6509-1	sardit-core1	OSR-7600 Clock FRU 2	1	CLK-7600 2	SMT1038F935	
CED	6509-1	sardit-core1	ACE10-6500-K9 1 ports Application Control Engine Module Rev. 1.3	1	ACE10-6500-K9	SAD110207D1	
CED	6509-1	sardit-core1	WS-X6724-SFP CEF720 24 port 1000mb SFP Rev. 2.5	1	WS-X6724-SFP	SAL1052C02D	
CED	6509-1	sardit-core1	WS-F6700-CFC Centralized Forwarding Card Rev. 2.1	1	WS-F6700-CFC	SAL1052CF3G	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
CED	6509-1	sardit-core1	WS-X6748-GE-TX CEF720 48 port 10/100/1000mb Ethernet Rev. 2.5	1	WS-X6748-GE-TX	SAL10403QZS	
CED	6509-1	sardit-core1	WS-F6700-CFC Centralized Forwarding Card Rev. 2.1	1	WS-F6700-CFC	SAL10436DEX	
CED	6509-1	sardit-core1	WS-SUP720-3B 2 ports Supervisor Engine 720 Rev. 5.3	1	WS-SUP720-3B	SAL1052C0CA	
CED	6509-1	sardit-core1	WS-SUP720 MSFC3 Daughterboard Rev. 2.6	1	WS-SUP720	SAL1051BVZ0	
CED	6509-1	sardit-core1	WS-F6K-PFC3B Policy Feature Card 3 Rev. 2.3	1	WS-F6K-PFC3B	SAL1051B4PL	
CED	6509-1	sardit-core1	Enhanced 9-slot Fan Tray 1	1	WS-C6509-E-FAN	DCH10440722	
CED	6509-1	sardit-core1	AC power supply, 6000 watt 1	1	WS-CAC-6000W	DCH1047Y05S	
CED	6509-1	sardit-core1	AC power supply, 6000 watt 2	1	WS-CAC-6000W	AZS10470KET	
CED	6509-2	sardit-core2	Cisco Systems Catalyst 6500 9-slot Chassis System	1	WS-C6509-E	SMG1203N1RG	
CED	6509-2	sardit-core2	VTT-E FRU 1	1	WS-C6K-VTT-E	SMT1147F370	
CED	6509-2	sardit-core2	VTT-E FRU 2	1	WS-C6K-VTT-E	SMT1147F387	
CED	6509-2	sardit-core2	VTT-E FRU 3	1	WS-C6K-VTT-E 3	SMT1147F364	
CED	6509-2	sardit-core2	OSR-7600 Clock FRU 1	1	CLK-7600 1	SMT1147C425	
CED	6509-2	sardit-core2	OSR-7600 Clock FRU 2	1	CLK-7600 2	SMT1147C425	
CED	6509-2	sardit-core2	ACE10-6500-K9 1 ports Application Control Engine Module Rev. 1.7	1	ACE10-6500-K9	SAD120206P9	
CED	6509-2	sardit-core2	WS-X6724-SFP CEF720 24 port 1000mb SFP Rev. 3.1	1	WS-X6724-SFP	SAL1151ASJM	
CED	6509-2	sardit-core2	WS-F6700-CFC Centralized Forwarding Card Rev. 4.0	1	WS-F6700-CFC	SAL1150A7CK	
CED	6509-2	sardit-core2	WS-X6748-GE-TX CEF720 48 port 10/100/1000mb Ethernet Rev. 2.7	1	WS-X6748-GE-TX	SAL1204E9KH	
CED	6509-2	sardit-core2	WS-F6700-CFC Centralized Forwarding Card Rev. 4.0	1	WS-F6700-CFC	SAL1205EJDR	
CED	6509-2	sardit-core2	WS-SUP720-3B 2 ports Supervisor Engine 720 Rev. 5.6	1	WS-SUP720-3B	SAD114302G1	
CED	6509-2	sardit-core2	WS-SUP720 MSFC3 Daughterboard Rev. 3.1	1	WS-SUP720	SAD114409KR	
CED	6509-2	sardit-core2	WS-F6K-PFC3B Policy Feature Card 3 Rev. 2.3	1	WS-F6K-PFC3B	SAD114406BV	
CED	6509-2	sardit-core2	Enhanced 9-slot Fan Tray 1	1	WS-C6509-E-FAN	DCH11451770	
CED	6509-2	sardit-core2	AC power supply, 6000 watt 1	1	WS-CAC-6000W	AZS11430P53	
CED	6509-2	sardit-core2	AC power supply, 6000 watt 2	1	WS-CAC-6000W	AZS11430P5C	
PoP_CA	bras1	rsa-ca-bras1-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33963254	
PoP_CA	bras1	rsa-ca-bras1-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+		
PoP_CA	bras1	rsa-ca-bras1-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+		
PoP_CA	bras1	rsa-ca-bras1-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_CA	bras1	rsa-ca-bras1-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP_CA	bras1	rsa-ca-bras1-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		
PoP_CA	bras1	rsa-ca-bras1-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34278897	
PoP_CA	bras1	rsa-ca-bras1-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB		
PoP_CA	bras1	rsa-ca-bras1-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_CA	bras1	rsa-ca-bras1-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_CA	bras1	rsa-ca-bras1-01	1Port Enh ATM E3 Port Adapter (8k VCs)	1	PA-A6-E3	JAE0924EM4E	
PoP_CA	bras1	rsa-ca-bras1-01	1Port Enh ATM E3 Port Adapter (8k VCs)	1	PA-A6-E3	JAE0924EMJH	
PoP_CA	nas11	rsa-ca-nas11-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	34124113	
PoP_CA	nas11	rsa-ca-nas11-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+		
PoP_CA	nas11	rsa-ca-nas11-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+		
PoP_CA	nas11	rsa-ca-nas11-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_CA	nas11	rsa-ca-nas11-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34276634	
PoP_CA	nas11	rsa-ca-nas11-01	Two 128MB mem modules (256MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-256MB		
PoP_CA	nas11	rsa-ca-nas11-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_CA	nas11	rsa-ca-nas11-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_CA	nas11	rsa-ca-nas11-01	8 port multichannel T1/E1 8PRI port adapter	1	PA-MC-8TE1+	JAE0949R7WL	
PoP_CA	nas11	rsa-ca-nas11-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34130541	
PoP_CA	nas11	rsa-ca-nas11-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34050324	
PoP_CA	nas11	rsa-ca-nas11-01	8 Lead Octal Cable and 8 Male V35 DTE Connectors	2	CAB-OCT-V35-MT		
PoP_CA	nas12	rsa-ca-nas12-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	34123919	
PoP_CA	nas12	rsa-ca-nas12-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+		
PoP_CA	nas12	rsa-ca-nas12-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+		
PoP_CA	nas12	rsa-ca-nas12-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_CA	nas12	rsa-ca-nas12-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34249189	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_CA	nas12	rsa-ca-nas12-01	Two 128MB mem modules (256MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-256MB		
PoP_CA	nas12	rsa-ca-nas12-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_CA	nas12	rsa-ca-nas12-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_CA	nas12	rsa-ca-nas12-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34050302	
PoP_CA	nas12	rsa-ca-nas12-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34050287	
PoP_CA	nas12	rsa-ca-nas12-01	8 Lead Octal Cable and 8 Male V35 DTE Connectors	2	CAB-OCT-V35-MT		
PoP_CA	rc1	rsa-ca-rc1-01	Cisco 7606 Chassis Bundle	1	CISCO7606	FOX094101UL	
PoP_CA	rc1	rsa-ca-rc1-01	High Speed Fan Module for CISCO7606 Chassis	1	FAN-MOD-6HS		
PoP_CA	rc1	rsa-ca-rc1-01	Cisco 7606 6-slot, SUP720-3BXL and PS	1	7606-SUP720XL-PS		
PoP_CA	rc1	rsa-ca-rc1-01	Supervisor Engine 720-3BXL	1	SUP720-3BXL	SAL09464WBN	
PoP_CA	rc1	rsa-ca-rc1-01	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_CA	rc1	rsa-ca-rc1-01	1900 W DC Option for 7606 Bundle	1	1900W-DC		
PoP_CA	rc1	rsa-ca-rc1-01	Redun. DC Power Entry Module for Cisco7606	1	PEM-DC/2		
PoP_CA	rc1	rsa-ca-rc1-01	Redun.1900W DC Power Supply for Cisco7606	1	PWR-1900-DC/2	DCA091950DS	
PoP_CA	rc1	rsa-ca-rc1-01	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP_CA	rc1	rsa-ca-rc1-01	Catalyst 6000 Family InterDomain Routing Feature License	1	FR-IRC6		
PoP_CA	rc1	rsa-ca-rc1-01	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL09486F63	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946K247	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946K24Y	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946K245	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944C1LE	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946E2XQ	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0943P1L1	
PoP_CA	rc1	rsa-ca-rc1-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM		
PoP_CA	rc1	rsa-ca-rc1-01	1000BASE-T SFP	1	GLC-T	AGS0946L3RW	
PoP_CA	rc1	rsa-ca-rc1-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K6	
PoP_CA	rc1	rsa-ca-rc1-01	1000BASE-T SFP	1	GLC-T	AGS0946L3GX	
PoP_CA	rc1	rsa-ca-rc1-01	1000BASE-T SFP	1	GLC-T	00000MTC092105Y8	
PoP_CA	rc1	rsa-ca-rc1-01	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3BXL	1	WS-SUP720-3BXL	SAL094652PN	
PoP_CA	rc1	rsa-ca-rc1-01	DC Power Entry Module Cisco7606	1	PEM-DC		
PoP_CA	rc1	rsa-ca-rc1-01	1900W DC Power Supply for Cisco7606	1	PWR-1900-DC	DCA091950DU	
PoP_CA	rc1	rsa-ca-rc1-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_CA	rc1	rsa-ca-rc1-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09507GHU	
PoP_CA	rc1	rsa-ca-rc1-02	Cisco 7606 Chassis Bundle	1	CISCO7606	FOX094101SH	
PoP_CA	rc1	rsa-ca-rc1-02	High Speed Fan Module for CISCO7606 Chassis	1	FAN-MOD-6HS		
PoP_CA	rc1	rsa-ca-rc1-02	Cisco 7606 6-slot, SUP720-3BXL and PS	1	7606-SUP720XL-PS		
PoP_CA	rc1	rsa-ca-rc1-02	Supervisor Engine 720-3BXL	1	SUP720-3BXL	SAL09433USX	
PoP_CA	rc1	rsa-ca-rc1-02	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M	SAL094654LA	
PoP_CA	rc1	rsa-ca-rc1-02	1900 W DC Option for 7606 Bundle	1	1900W-DC		
PoP_CA	rc1	rsa-ca-rc1-02	Redun. DC Power Entry Module for Cisco7606	1	PEM-DC/2		
PoP_CA	rc1	rsa-ca-rc1-02	Redun.1900W DC Power Supply for Cisco7606	1	PWR-1900-DC/2	DCA091950DG	
PoP_CA	rc1	rsa-ca-rc1-02	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP_CA	rc1	rsa-ca-rc1-02	Catalyst 6000 Family InterDomain Routing Feature License	1	FR-IRC6		
PoP_CA	rc1	rsa-ca-rc1-02	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP		
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946D02R	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E33L	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E38L	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0943E38K	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946C0H9	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0827T046	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946G13T	
PoP_CA	rc1	rsa-ca-rc1-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3EL	
PoP_CA	rc1	rsa-ca-rc1-02	1000BASE-T SFP	1	GLC-T	AGS0950L1J3	
PoP_CA	rc1	rsa-ca-rc1-02	1000BASE-T SFP	1	GLC-T	AGS0950L15L	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_CA	rc1	rsa-ca-rc1-02	1000BASE-T SFP	1	GLC-T	AGS0950L153	
PoP_CA	rc1	rsa-ca-rc1-02	1000BASE-T SFP	1	GLC-T	AGS0950L1J6	
PoP_CA	rc1	rsa-ca-rc1-02	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3BXL	1	WS-SUP720-3BXL		
PoP_CA	rc1	rsa-ca-rc1-02	DC Power Entry Module Cisco7606	1	PEM-DC		
PoP_CA	rc1	rsa-ca-rc1-02	1900W DC Power Supply for Cisco7606	1	PWR-1900-DC	DCA091950DD	
PoP_CA	rc1	rsa-ca-rc1-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_CA	rc1	rsa-ca-rc1-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC		
PoP_CA	roadm	rsa-ca-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949025B	
PoP_CA	roadm	rsa-ca-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT09490243	
PoP_CA	roadm	rsa-ca-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT09440WJ6	
PoP_CA	roadm	rsa-ca-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT09440WLL	
PoP_CA	roadm	rsa-ca-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10221JV5	
PoP_CA	roadm	rsa-ca-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT094510CR	
PoP_CA	roadm	rsa-ca-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09191AXD	
PoP_CA	roadm	rsa-ca-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT0947029B	
PoP_CA	roadm	rsa-ca-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT0947029X	
PoP_CA	roadm	rsa-ca-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D5K0	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946E1EL	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0943E3V4	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0944P1CC	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J0SN	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0948E04Q	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0948E03G	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0948J2GA	
PoP_CA	roadm	rsa-ca-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J15H	
PoP_CA	roadm	rsa-ca-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09392603	
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371517	
PoP_CA	roadm	rsa-ca-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_CA	roadm	rsa-ca-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204VQ	
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204W1	
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X7W	
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X7G	
PoP_CA	roadm	rsa-ca-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZSQ	
PoP_CA	roadm	rsa-ca-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZVK	
PoP_CA	roadm	rsa-ca-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZTF	
PoP_CA	roadm	rsa-ca-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EJB	
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514846	
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09504512	
PoP_CA	roadm	rsa-ca-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP_CA	roadm	rsa-ca-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09450W8R	DISMESSO
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09500NF7	
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0939P326	
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0933P241	
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 Optical Booster Amplifier Module	2	15454-OPT-BST	JDS0944B337	
PoP_CA	roadm	rsa-ca-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CES	
PoP_CA	roadm	rsa-ca-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CDZ	
PoP_CA	roadm	rsa-ca-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09480DQQ	
PoP_CA	roadm	rsa-ca-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CFK	
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT09390ACU	
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020579	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004009M	
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004007G	
PoP_CA	roadm	rsa-ca-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BT	
PoP_CA	roadm	rsa-ca-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CW	
PoP_CA	roadm	rsa-ca-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1		
PoP_CA	roadm	rsa-ca-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1		
PoP_CA	roadm	rsa-ca-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_CA	roadm	rsa-ca-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_CA	roadm	rsa-ca-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP_CA	roadm	rsa-ca-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA10440013	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT11045MR2	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT11045QFL	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1248A13W	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1248A179	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	DCF of -350 ps/nm and 4dB loss	1	15216-DCU-350	SOFS10490007	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	DCF of -350 ps/nm and 4dB loss	1	15216-DCU-350	SOFS1042002Z	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123102JP	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL1228019X	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122801A0	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702LW	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702LV	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122800E0	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL124304YR	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122800DZ	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS15454 OPTICAL BOOSTER AMPLIFIER MODULE	1	15454-OPT-BST	BKS12460147	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM12490056	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004R	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	XFP-OC192/STM64/10GE 1550 IR/SH2 - SM LC Transceiver	1	ONS-XC-10G-I2	SFLJ1216H013	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	XFP-OC192/STM64/10GE 1550 IR/SH2 - SM LC Transceiver	1	ONS-XC-10G-I2	SFLJ1216H012	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS11380A64	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813K6	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813J2	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	15454 10Gbps EFEC Multirate Transponder Card	1	15454-10E-L1-C	SCAT1247B02Y	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	15454 10Gbps EFEC Multirate Transponder Card	1	15454-10E-L1-C	SCAT1247B03W	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ML2 10-pt Multi-rate L2/RPR Card	1	15454E-ML-MR-10	SCAT1247B0LB	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	SCAT1246A240	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	STM1/4/16 12 ports IOF - ANSI/ETSI Support	1	15454E-MRC-I-12	SCAT1247B28R	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	STM1/4/16 12 ports IOF - ANSI/ETSI Support	1	15454E-MRC-I-12	SCAT1247B2YK	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4Ch 1558.17-1560.61	1	15454-MR-L1-58.1	SCAT1244B23A	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4Ch 1558.17-1560.61	1	15454-MR-L1-58.1	SCAT1244B22Z	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4Ch 1558.17-1560.61	1	15454-MR-L1-58.1	SCAT1244B22F	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4Ch 1558.17-1560.61	1	15454-MR-L1-58.1	SCAT1244B23J	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1235G3L9	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM1239005T	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	SCAT1243B044	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX1240G4ET	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	GBIC-1000 BASE-SX	1	WS-G5484	A53888265	Integrazione 2009
PoP_CA	roadm	rsa-ca-roadm-01	GBIC-1000 BASE-SX	1	WS-G5484	A53888432	Integrazione 2009
PoP_IG	bras2	rsa-ig-bras2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33992678	
PoP_IG	bras2	rsa-ig-bras2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+		
PoP_IG	bras2	rsa-ig-bras2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+		
PoP_IG	bras2	rsa-ig-bras2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_IG	bras2	rsa-ig-bras2-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP_IG	bras2	rsa-ig-bras2-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_IG	bras2	rsa-ig-bras2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1		
PoP_IG	bras2	rsa-ig-bras2-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB	34252578	
PoP_IG	bras2	rsa-ig-bras2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_IG	bras2	rsa-ig-bras2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_IG	bras2	rsa-ig-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1IMA	34131266	
PoP_IG	nas31	rsa-ig-nas31-01	3845 w/DC PWR, 2GE,1 SFP, 4 NME, 4HWIC, IP Base, 64F/256D	1	CISCO3845-DC	FOC095051XS	
PoP_IG	nas31	rsa-ig-nas31-01	Cisco 3845 ADVANCED IP SERVICES	1	S384AISK9-12402T		
PoP_IG	nas31	rsa-ig-nas31-01	4-Port Serial Network Module	1	NM-4T	34111018	
PoP_IG	nas31	rsa-ig-nas31-01	4-Port Serial Network Module	1	NM-4T	34110974	
PoP_IG	nas31	rsa-ig-nas31-01	4-Port Serial Network Module	1	NM-4T	34110941	
PoP_IG	nas31	rsa-ig-nas31-01	Cisco3845 redundant DC power supply	1	PWR-3845-DC/2		
PoP_IG	nas31	rsa-ig-nas31-01	V.35 Cable, DTE, Male, 10 Feet	12	CAB-V35MT		
PoP_IG	nas31	rsa-ig-nas31-01	Device manager for routers	1	ROUTER-SDM		
PoP_IG	nas31	rsa-ig-nas31-01	CISCO3845 DC factory upgrade upgrade option power supply	1	PWR-3845-DC		
PoP_IG	nas31	rsa-ig-nas31-01	256BM SDRAM default memory for 3800	1	MEM3800-256D-INCL		
PoP_IG	nas31	rsa-ig-nas31-01	64MB Cisco 3800 Compact Flash Memory Default	1	MEM3800-64CF-INCL		
PoP_IG	nas32	rsa-ig-nas32-01	2821 w/ DC PWR, 2GE, 4HWIC, 3PVDM, 1NME-X, 2AIM, IP BASE, 64F/256D	1	CISCO2821-DC	FCZ095270AD	
PoP_IG	nas32	rsa-ig-nas32-01	Cisco 2800 ADVANCED IP SERVICES	1	S28NAISK9-12402T		
PoP_IG	nas32	rsa-ig-nas32-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AZ0	
PoP_IG	nas32	rsa-ig-nas32-01	Device manager for routers	1	ROUTER-SDM		
PoP_IG	nas32	rsa-ig-nas32-01	Cisco 2821/51 DC power supply	1	PWR-2821-51-DC	FOC09452893	
PoP_IG	nas32	rsa-ig-nas32-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
PoP_IG	nas32	rsa-ig-nas32-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
PoP_IG	rc31	rsa-ig-rc31-01	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0831003X	
PoP_IG	rc31	rsa-ig-rc31-01	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP_IG	rc31	rsa-ig-rc31-01	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA0917208G	
PoP_IG	rc31	rsa-ig-rc31-01	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT08300J0E	
PoP_IG	rc31	rsa-ig-rc31-01	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP_IG	rc31	rsa-ig-rc31-01	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP_IG	rc31	rsa-ig-rc31-02	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0831003F	
PoP_IG	rc31	rsa-ig-rc31-02	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP_IG	rc31	rsa-ig-rc31-02	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA0917207C	
PoP_IG	rc31	rsa-ig-rc31-02	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT08300J07	
PoP_IG	rc31	rsa-ig-rc31-02	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP_IG	rc31	rsa-ig-rc31-02	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP_IG	rc32	rsa-ig-rc32-01	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2PC	
PoP_IG	rc32	rsa-ig-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944C1LC	
PoP_IG	rc32	rsa-ig-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0828E0AD	
PoP_IG	rc32	rsa-ig-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0828E0A0	
PoP_IG	rc32	rsa-ig-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0945E23C	
PoP_IG	rc32	rsa-ig-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0945E233	
PoP_IG	rc32	rsa-ig-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1J7	
PoP_IG	rc32	rsa-ig-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K8	
PoP_IG	rc32	rsa-ig-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K7	
PoP_IG	rc32	rsa-ig-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K0	
PoP_IG	rc32	rsa-ig-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K5	
PoP_IG	rc32	rsa-ig-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L15M	
PoP_IG	rc32	rsa-ig-rc32-02	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2Q7	
PoP_IG	rc32	rsa-ig-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944C1L4	
PoP_IG	rc32	rsa-ig-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q7L5	
PoP_IG	rc32	rsa-ig-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q76C	
PoP_IG	rc32	rsa-ig-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0945E22L	
PoP_IG	rc32	rsa-ig-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0945E22P	
PoP_IG	rc32	rsa-ig-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0948L0TH	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_IG	rc32	rsa-ig-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0946L2ZQ	
PoP_IG	rc32	rsa-ig-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1JB	
PoP_IG	rc32	rsa-ig-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0946L2QR	
PoP_IG	rc32	rsa-ig-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1K9	
PoP_IG	rc32	rsa-ig-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0948L0KL	
PoP_IG	roadm	rsa-ig-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT09520488	
PoP_IG	roadm	rsa-ig-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT095204B8	
PoP_IG	roadm	rsa-ig-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P7E	
PoP_IG	roadm	rsa-ig-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PA4	
PoP_IG	roadm	rsa-ig-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P8G	
PoP_IG	roadm	rsa-ig-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P9L	
PoP_IG	roadm	rsa-ig-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09151U6H	
PoP_IG	roadm	rsa-ig-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT094702BW	
PoP_IG	roadm	rsa-ig-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D6SZ	
PoP_IG	roadm	rsa-ig-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0943E3V0	
PoP_IG	roadm	rsa-ig-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371538	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09392651	
PoP_IG	roadm	rsa-ig-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_IG	roadm	rsa-ig-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP_IG	roadm	rsa-ig-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204SQ	
PoP_IG	roadm	rsa-ig-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204S9	
PoP_IG	roadm	rsa-ig-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X8B	
PoP_IG	roadm	rsa-ig-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09500165	
PoP_IG	roadm	rsa-ig-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EMG	
PoP_IG	roadm	rsa-ig-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EM4	
PoP_IG	roadm	rsa-ig-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EE7	
PoP_IG	roadm	rsa-ig-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZYD	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514854	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09515248	
PoP_IG	roadm	rsa-ig-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP_IG	roadm	rsa-ig-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L9C	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L9K	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0930P177	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0946P424	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0940B244	
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0943B328	
PoP_IG	roadm	rsa-ig-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BTR	
PoP_IG	roadm	rsa-ig-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BUN	
PoP_IG	roadm	rsa-ig-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BXG	
PoP_IG	roadm	rsa-ig-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CFE	
PoP_IG	roadm	rsa-ig-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020584	
PoP_IG	roadm	rsa-ig-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1002058W	
PoP_IG	roadm	rsa-ig-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020588	
PoP_IG	roadm	rsa-ig-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1002058R	
PoP_IG	roadm	rsa-ig-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BJ	
PoP_IG	roadm	rsa-ig-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900LS	
PoP_IG	roadm	rsa-ig-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CS	
PoP_IG	roadm	rsa-ig-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BH	
PoP_IG	roadm	rsa-ig-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_IG	roadm	rsa-ig-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_IG	roadm	rsa-ig-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_IG	roadm	rsa-ig-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907MM	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT11045MTV	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT11045MQ9	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT103059NM	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0DU	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCAT1249A1CM	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL12370043	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702M0	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702LZ	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702M1	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2SK	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2R6	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b26l	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b22s	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004X	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM12490052	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS11380A76	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS11380A7X	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1235G3KZ	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM1239009F	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS12460059	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1247006T	Integrazione 2009
PoP_IG	roadm	rsa-ig-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX1240G4EN	Integrazione 2009
PoP_LA	bras2	rsa-la-bras2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33992589	
PoP_LA	bras2	rsa-la-bras2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380BJ	
PoP_LA	bras2	rsa-la-bras2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380FP	
PoP_LA	bras2	rsa-la-bras2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_LA	bras2	rsa-la-bras2-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP_LA	bras2	rsa-la-bras2-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		
PoP_LA	bras2	rsa-la-bras2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34252501	
PoP_LA	bras2	rsa-la-bras2-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB		
PoP_LA	bras2	rsa-la-bras2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_LA	bras2	rsa-la-bras2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_LA	bras2	rsa-la-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1IMA	34131265	
PoP_LA	nas31	rsa-la-nas31-01	3845 w/DC PWR, 2GE,1 SFP, 4 NME, 4HWIC, IP Base, 64F/256D	1	CISCO3845-DC	FOC095051YA	
PoP_LA	nas31	rsa-la-nas31-01	Cisco 3845 ADVANCED IP SERVICES	1	S384AISK9-12402T		
PoP_LA	nas31	rsa-la-nas31-01	4-Port Serial Network Module	1	NM-4T	34111038	
PoP_LA	nas31	rsa-la-nas31-01	4-Port Serial Network Module	1	NM-4T	34110853	
PoP_LA	nas31	rsa-la-nas31-01	4-Port Serial Network Module	1	NM-4T	34110856	
PoP_LA	nas31	rsa-la-nas31-01	Cisco3845 redundant DC power supply	1	PWR-3845-DC/2		
PoP_LA	nas31	rsa-la-nas31-01	V.35 Cable, DTE, Male, 10 Feet	12	CAB-V35MT		
PoP_LA	nas31	rsa-la-nas31-01	Device manager for routers	1	ROUTER-SDM		
PoP_LA	nas31	rsa-la-nas31-01	CISCO3845 DC factory upgrade upgrade option power supply	1	PWR-3845-DC		
PoP_LA	nas31	rsa-la-nas31-01	256MB SDRAM default memory for 3800	1	MEM3800-256D-INCL		
PoP_LA	nas31	rsa-la-nas31-01	64MB Cisco 3800 Compact Flash Memory Default	1	MEM3800-64CF-INCL		
PoP_LA	nas32	rsa-la-nas32-01	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D	1	CISCO2821-DC	FCZ095270AF	
PoP_LA	nas32	rsa-la-nas32-01	Cisco 2800 ADVANCED IP SERVICES	1	S28NAISK9-12402T		
PoP_LA	nas32	rsa-la-nas32-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454BHR	
PoP_LA	nas32	rsa-la-nas32-01	Device manager for routers	1	ROUTER-SDM		
PoP_LA	nas32	rsa-la-nas32-01	Cisco 2821/51 DC power supply	1	PWR-2821-51-DC		
PoP_LA	nas32	rsa-la-nas32-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
PoP_LA	nas32	rsa-la-nas32-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
PoP_LA	rc31	rsa-la-rc31-01	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA08330084	
PoP_LA	rc31	rsa-la-rc31-01	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_LA	rc31	rsa-la-rc31-01	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA09172072	
PoP_LA	rc31	rsa-la-rc31-01	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT082801MG	
PoP_LA	rc31	rsa-la-rc31-01	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP_LA	rc31	rsa-la-rc31-01	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP_LA	rc31	rsa-la-rc31-02	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0833007A	
PoP_LA	rc31	rsa-la-rc31-02	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP_LA	rc31	rsa-la-rc31-02	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA0917207N	
PoP_LA	rc31	rsa-la-rc31-02	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT08290784	
PoP_LA	rc31	rsa-la-rc31-02	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP_LA	rc31	rsa-la-rc31-02	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP_LA	rc32	rsa-la-rc32-01	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2Q2	
PoP_LA	rc32	rsa-la-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0827A31V	
PoP_LA	rc32	rsa-la-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944C1L5	
PoP_LA	rc32	rsa-la-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM		
PoP_LA	rc32	rsa-la-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946D0DG	
PoP_LA	rc32	rsa-la-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946C01W	
PoP_LA	rc32	rsa-la-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L537	
PoP_LA	rc32	rsa-la-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L2ZG	
PoP_LA	rc32	rsa-la-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L2PP	
PoP_LA	rc32	rsa-la-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L3W1	
PoP_LA	rc32	rsa-la-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L52H	
PoP_LA	rc32	rsa-la-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L2N0	
PoP_LA	rc32	rsa-la-rc32-02	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2P9	
PoP_LA	rc32	rsa-la-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0830A3CY	
PoP_LA	rc32	rsa-la-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0830A3CU	
PoP_LA	rc32	rsa-la-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0827A31T	
PoP_LA	rc32	rsa-la-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946J132	
PoP_LA	rc32	rsa-la-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946J11Z	
PoP_LA	rc32	rsa-la-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1CH	
PoP_LA	rc32	rsa-la-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L3UU	
PoP_LA	rc32	rsa-la-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L3VV	
PoP_LA	rc32	rsa-la-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L2QA	
PoP_LA	rc32	rsa-la-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L3VU	
PoP_LA	rc32	rsa-la-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1AN	
PoP_LA	roadm	rsa-la-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0952047J	
PoP_LA	roadm	rsa-la-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949023R	
PoP_LA	roadm	rsa-la-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P92	
PoP_LA	roadm	rsa-la-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P6V	
PoP_LA	roadm	rsa-la-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P7D	
PoP_LA	roadm	rsa-la-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P6S	
PoP_LA	roadm	rsa-la-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09191ATE	
PoP_LA	roadm	rsa-la-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT0947028Y	
PoP_LA	roadm	rsa-la-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0943E38J	
PoP_LA	roadm	rsa-la-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0944Q78K	
PoP_LA	roadm	rsa-la-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J0SW	
PoP_LA	roadm	rsa-la-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09392606	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371475	
PoP_LA	roadm	rsa-la-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_LA	roadm	rsa-la-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP_LA	roadm	rsa-la-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204VP	
PoP_LA	roadm	rsa-la-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204U6	
PoP_LA	roadm	rsa-la-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09500160	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_LA	roadm	rsa-la-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X8V	
PoP_LA	roadm	rsa-la-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EGM	
PoP_LA	roadm	rsa-la-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZPH	
PoP_LA	roadm	rsa-la-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZMR	
PoP_LA	roadm	rsa-la-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZVM	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514782	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514832	
PoP_LA	roadm	rsa-la-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP_LA	roadm	rsa-la-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520LAF	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L7J	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0932P226	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0930P195	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0946B373	
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0942B319	
PoP_LA	roadm	rsa-la-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BUR	
PoP_LA	roadm	rsa-la-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BTP	
PoP_LA	roadm	rsa-la-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BVY	
PoP_LA	roadm	rsa-la-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT094818XV	
PoP_LA	roadm	rsa-la-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020582	
PoP_LA	roadm	rsa-la-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1002057L	
PoP_LA	roadm	rsa-la-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004008R	
PoP_LA	roadm	rsa-la-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004007L	
PoP_LA	roadm	rsa-la-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CU	
PoP_LA	roadm	rsa-la-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CV	
PoP_LA	roadm	rsa-la-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BK	
PoP_LA	roadm	rsa-la-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BU	
PoP_LA	roadm	rsa-la-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_LA	roadm	rsa-la-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_LA	roadm	rsa-la-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP_LA	roadm	rsa-la-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907LR	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT103059PJ	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT103059KW	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCAT1249A1C7	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM1048002V	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2SR	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2SU	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b27f	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b264	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004N	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM12490055	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K5	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JZ	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JT	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K6	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS11380A6M	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813K5	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1222G37C	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT1239B0TP	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT1245B15M	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1248003B	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1246005A	Integrazione 2009
PoP_LA	roadm	rsa-la-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX1238GWB4	Integrazione 2009
PoP_NU	bras2	rsa-nu-bras2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33998081	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_NU	bras2	rsa-nu-bras2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380A7	
PoP_NU	bras2	rsa-nu-bras2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380AC	
PoP_NU	bras2	rsa-nu-bras2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_NU	bras2	rsa-nu-bras2-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP_NU	bras2	rsa-nu-bras2-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		
PoP_NU	bras2	rsa-nu-bras2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34252516	
PoP_NU	bras2	rsa-nu-bras2-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB		
PoP_NU	bras2	rsa-nu-bras2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_NU	bras2	rsa-nu-bras2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_NU	bras2	rsa-nu-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1IMA	34260724	
PoP_NU	bras2	rsa-nu-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1IMA	34260736	
PoP_NU	bras2	rsa-nu-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1IMA	34131264	
PoP_NU	nas2	rsa-nu-nas2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33997920	
PoP_NU	nas2	rsa-nu-nas2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380AR	
PoP_NU	nas2	rsa-nu-nas2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380AM	
PoP_NU	nas2	rsa-nu-nas2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_NU	nas2	rsa-nu-nas2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34042988	
PoP_NU	nas2	rsa-nu-nas2-01	Two 128MB mem modules (256MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-256MB		
PoP_NU	nas2	rsa-nu-nas2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_NU	nas2	rsa-nu-nas2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_NU	nas2	rsa-nu-nas2-01	8 port multichannel T1/E1 8PRI port adapter	1	PA-MC-8TE1+	JAE0947QLK9	
PoP_NU	nas2	rsa-nu-nas2-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131086	
PoP_NU	nas2	rsa-nu-nas2-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34047849	
PoP_NU	nas2	rsa-nu-nas2-01	8 Lead Octal Cable and 8 Male V35 DTE Connectors	2	CAB-OCT-V35-MT		
PoP_NU	rc2	rsa-nu-rc2-01	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX093103JN	
PoP_NU	rc2	rsa-nu-rc2-01	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09351148	
PoP_NU	rc2	rsa-nu-rc2-01	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS		
PoP_NU	rc2	rsa-nu-rc2-01	Supervisor Engine 720-3B	1	SUP720-3B	SAL09486HJ1	
PoP_NU	rc2	rsa-nu-rc2-01	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_NU	rc2	rsa-nu-rc2-01	2700 W DC Power Supply for 7604	1	2700W-DC	APQ0947007Q	
PoP_NU	rc2	rsa-nu-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946E2XS	
PoP_NU	rc2	rsa-nu-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946K376	
PoP_NU	rc2	rsa-nu-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3EP	
PoP_NU	rc2	rsa-nu-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3EM	
PoP_NU	rc2	rsa-nu-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0946L3JV	
PoP_NU	rc2	rsa-nu-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0950L0Q9	
PoP_NU	rc2	rsa-nu-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0948L0LB	
PoP_NU	rc2	rsa-nu-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0948L0KK	
PoP_NU	rc2	rsa-nu-rc2-01	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP_NU	rc2	rsa-nu-rc2-01	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL0942341W	
PoP_NU	rc2	rsa-nu-rc2-01	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B	SAL09486UFQ	
PoP_NU	rc2	rsa-nu-rc2-01	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4	APQ0947007Q	
PoP_NU	rc2	rsa-nu-rc2-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_NU	rc2	rsa-nu-rc2-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09507Q1R	
PoP_NU	rc2	rsa-nu-rc2-02	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX093103KB	
PoP_NU	rc2	rsa-nu-rc2-02	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09353021	
PoP_NU	rc2	rsa-nu-rc2-02	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	SAL09497AD3	
PoP_NU	rc2	rsa-nu-rc2-02	Supervisor Engine 720-3B	1	SUP720-3B	SAL094974UT	
PoP_NU	rc2	rsa-nu-rc2-02	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_NU	rc2	rsa-nu-rc2-02	2700 W DC Power Supply for 7604	1	2700W-DC	APQ0945003Y	
PoP_NU	rc2	rsa-nu-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0951J1KV	
PoP_NU	rc2	rsa-nu-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0951Q1YT	
PoP_NU	rc2	rsa-nu-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0951Q1YR	
PoP_NU	rc2	rsa-nu-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0952C1MD	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_NU	rc2	rsa-nu-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0952G1XU	
PoP_NU	rc2	rsa-nu-rc2-02	1000BASE-T SFP	4	GLC-T	AGS0951L091	
PoP_NU	rc2	rsa-nu-rc2-02	1000BASE-T SFP	4	GLC-T	AGS0951L08V	
PoP_NU	rc2	rsa-nu-rc2-02	1000BASE-T SFP	4	GLC-T	AGS0951L08Y	
PoP_NU	rc2	rsa-nu-rc2-02	1000BASE-T SFP	4	GLC-T	AGS0951L0HB	
PoP_NU	rc2	rsa-nu-rc2-02	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP_NU	rc2	rsa-nu-rc2-02	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAD0951012V	
PoP_NU	rc2	rsa-nu-rc2-02	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B		
PoP_NU	rc2	rsa-nu-rc2-02	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4		
PoP_NU	rc2	rsa-nu-rc2-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_NU	rc2	rsa-nu-rc2-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09528P81	
PoP_NU	roadm	rsa-nu-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949024A	
PoP_NU	roadm	rsa-nu-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT094510BF	
PoP_NU	roadm	rsa-nu-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PAA	
PoP_NU	roadm	rsa-nu-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P6L	
PoP_NU	roadm	rsa-nu-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P6F	
PoP_NU	roadm	rsa-nu-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P8T	
PoP_NU	roadm	rsa-nu-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09191ASL	
PoP_NU	roadm	rsa-nu-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT09490214	
PoP_NU	roadm	rsa-nu-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D6T1	
PoP_NU	roadm	rsa-nu-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0946E2XR	
PoP_NU	roadm	rsa-nu-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J15F	
PoP_NU	roadm	rsa-nu-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09392653	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371466	
PoP_NU	roadm	rsa-nu-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_NU	roadm	rsa-nu-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP_NU	roadm	rsa-nu-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204RC	
PoP_NU	roadm	rsa-nu-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CNH091000RY	
PoP_NU	roadm	rsa-nu-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09500140	
PoP_NU	roadm	rsa-nu-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X9M	
PoP_NU	roadm	rsa-nu-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZN1	
PoP_NU	roadm	rsa-nu-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09460RNH	
PoP_NU	roadm	rsa-nu-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZPC	
PoP_NU	roadm	rsa-nu-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EF3	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514838	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09526262	
PoP_NU	roadm	rsa-nu-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP_NU	roadm	rsa-nu-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT094901VD	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L7H	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0929P159	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0932P231	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B259	
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B280	
PoP_NU	roadm	rsa-nu-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CEQ	
PoP_NU	roadm	rsa-nu-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BUZ	
PoP_NU	roadm	rsa-nu-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CGK	
PoP_NU	roadm	rsa-nu-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BVW	
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400AJ	
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400AA	
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400AG	
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020594	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_NU	roadm	rsa-nu-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900M1	
PoP_NU	roadm	rsa-nu-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BE	
PoP_NU	roadm	rsa-nu-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900LW	
PoP_NU	roadm	rsa-nu-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BB	
PoP_NU	roadm	rsa-nu-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_NU	roadm	rsa-nu-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_NU	roadm	rsa-nu-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP_NU	roadm	rsa-nu-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907MI	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT103059NV	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT103059J8	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCAT1249A1CA	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX105106BD	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123102JN	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL124303Q8	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b22r	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b27e	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b28w	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b26s	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004P	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004Z	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K1	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K2	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102KC	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JU	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K0	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K7	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813K2	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813JZ	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	STM1/4/16 12 ports IOF - ANSI/ETSI Support	1	15454E-MRC-I-12	SCAT1247B28T	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	STM1/4/16 12 ports IOF - ANSI/ETSI Support	1	15454E-MRC-I-12	SCAT1246B1WB	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1235G3MQ	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM1239008L	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT1239B0U2	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT1245B163	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFs1248003D	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	DCF of -1550 ps/nm	1	15216-DCU-1550	SOFs1247009Q	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	GBIC-1000 BASE-SX	1	WS-G5484	A53882308	Integrazione 2009
PoP_NU	roadm	rsa-nu-roadm-01	GBIC-1000 BASE-SX	1	WS-G5484	A53888359	Integrazione 2009
PoP_OL	bras2	rsa-ol-bras2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33992593	
PoP_OL	bras2	rsa-ol-bras2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380FM	
PoP_OL	bras2	rsa-ol-bras2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380AB	
PoP_OL	bras2	rsa-ol-bras2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_OL	bras2	rsa-ol-bras2-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP_OL	bras2	rsa-ol-bras2-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		
PoP_OL	bras2	rsa-ol-bras2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34252281	
PoP_OL	bras2	rsa-ol-bras2-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB		
PoP_OL	bras2	rsa-ol-bras2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_OL	bras2	rsa-ol-bras2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_OL	bras2	rsa-ol-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1IMA	34048070	
PoP_OL	nas31	rsa-ol-nas31-01	3845 w/DC PWR, 2GE, 1 SFP, 4 NME, 4HWIC, IP Base, 64F/256D	1	CISCO3845-DC	FOC09512F3A	
PoP_OL	nas31	rsa-ol-nas31-01	Cisco 3845 ADVANCED IP SERVICES	1	S384AISK9-12402T		
PoP_OL	nas31	rsa-ol-nas31-01	4-Port Serial Network Module	1	NM-4T	34111041	
PoP_OL	nas31	rsa-ol-nas31-01	4-Port Serial Network Module	1	NM-4T	34126532	
PoP_OL	nas31	rsa-ol-nas31-01	4-Port Serial Network Module	1	NM-4T	34110998	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_OL	nas31	rsa-ol-nas31-01	Cisco3845 redundant DC power supply	1	PWR-3845-DC/2		
PoP_OL	nas31	rsa-ol-nas31-01	V.35 Cable, DTE, Male, 10 Feet	12	CAB-V35MT		
PoP_OL	nas31	rsa-ol-nas31-01	Device manager for routers	1	ROUTER-SDM		
PoP_OL	nas31	rsa-ol-nas31-01	CISCO3845 DC factory upgrade option power supply	1	PWR-3845-DC		
PoP_OL	nas31	rsa-ol-nas31-01	256BM SDRAM default memory for 3800	1	MEM3800-256D-INCL		
PoP_OL	nas31	rsa-ol-nas31-01	64MB Cisco 3800 Compact Flash Memory Default	1	MEM3800-64CF-INCL		
PoP_OL	nas32	rsa-ol-nas32-01	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D	1	CISCO2821-DC	FCZ095270AG	
PoP_OL	nas32	rsa-ol-nas32-01	Cisco 2800 ADVANCED IP SERVICES	1	S28NAISK9-12402T		
PoP_OL	nas32	rsa-ol-nas32-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AZM	
PoP_OL	nas32	rsa-ol-nas32-01	Device manager for routers	1	ROUTER-SDM		
PoP_OL	nas32	rsa-ol-nas32-01	Cisco 2821/51 DC power supply	1	PWR-2821-51-DC		
PoP_OL	nas32	rsa-ol-nas32-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
PoP_OL	nas32	rsa-ol-nas32-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
PoP_OL	rc2	rsa-ol-rc2-01	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX093103MY	
PoP_OL	rc2	rsa-ol-rc2-01	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09351420	
PoP_OL	rc2	rsa-ol-rc2-01	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	SAL09423983	
PoP_OL	rc2	rsa-ol-rc2-01	Supervisor Engine 720-3B	1	SUP720-3B	SAL094449UU	
PoP_OL	rc2	rsa-ol-rc2-01	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_OL	rc2	rsa-ol-rc2-01	2700 W DC Power Supply for 7604	1	2700W-DC	APQ09420010	
PoP_OL	rc2	rsa-ol-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946J3G1	
PoP_OL	rc2	rsa-ol-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946C0HG	
PoP_OL	rc2	rsa-ol-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946E2XT	
PoP_OL	rc2	rsa-ol-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3EE	
PoP_OL	rc2	rsa-ol-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3EH	
PoP_OL	rc2	rsa-ol-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0946L3J8	
PoP_OL	rc2	rsa-ol-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0946L3HX	
PoP_OL	rc2	rsa-ol-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0946L2YM	
PoP_OL	rc2	rsa-ol-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0946L3JK	
PoP_OL	rc2	rsa-ol-rc2-01	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP_OL	rc2	rsa-ol-rc2-01	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL09433U7K	
PoP_OL	rc2	rsa-ol-rc2-01	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B		
PoP_OL	rc2	rsa-ol-rc2-01	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4		
PoP_OL	rc2	rsa-ol-rc2-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_OL	rc2	rsa-ol-rc2-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09465GVZ	
PoP_OL	rc2	rsa-ol-rc2-02	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX0931037G	
PoP_OL	rc2	rsa-ol-rc2-02	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09332153	
PoP_OL	rc2	rsa-ol-rc2-02	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	SAL09518603	
PoP_OL	rc2	rsa-ol-rc2-02	Supervisor Engine 720-3B	1	SUP720-3B	SAL09518BQ1	
PoP_OL	rc2	rsa-ol-rc2-02	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_OL	rc2	rsa-ol-rc2-02	2700 W DC Power Supply for 7604	1	2700W-DC	APQ09470080	
PoP_OL	rc2	rsa-ol-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0945G1D5	
PoP_OL	rc2	rsa-ol-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0950G555	
PoP_OL	rc2	rsa-ol-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0950Q6KB	
PoP_OL	rc2	rsa-ol-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0948J0QL	
PoP_OL	rc2	rsa-ol-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0948J0QC	
PoP_OL	rc2	rsa-ol-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0950L1J9	
PoP_OL	rc2	rsa-ol-rc2-02	1000BASE-T SFP	1	GLC-T	00000MTC092202BG	
PoP_OL	rc2	rsa-ol-rc2-02	1000BASE-T SFP	1	GLC-T	00000MTC0922028S	
PoP_OL	rc2	rsa-ol-rc2-02	1000BASE-T SFP	1	GLC-T	00000MTC092201R3	
PoP_OL	rc2	rsa-ol-rc2-02	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP_OL	rc2	rsa-ol-rc2-02	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL09465ATX	
PoP_OL	rc2	rsa-ol-rc2-02	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B		
PoP_OL	rc2	rsa-ol-rc2-02	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4	APQ09470080	
PoP_OL	rc2	rsa-ol-rc2-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_OL	rc2	rsa-ol-rc2-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09507YKS	
PoP_OL	roadm	rsa-ol-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT102764MY	
PoP_OL	roadm	rsa-ol-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949024F	
PoP_OL	roadm	rsa-ol-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PAB	
PoP_OL	roadm	rsa-ol-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P9N	
PoP_OL	roadm	rsa-ol-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P74	
PoP_OL	roadm	rsa-ol-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P9S	
PoP_OL	roadm	rsa-ol-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09191AQY	
PoP_OL	roadm	rsa-ol-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT0949020Y	
PoP_OL	roadm	rsa-ol-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D5J5	
PoP_OL	roadm	rsa-ol-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J0T7	
PoP_OL	roadm	rsa-ol-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09180544	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09123885	
PoP_OL	roadm	rsa-ol-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_OL	roadm	rsa-ol-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204UB	
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204VR	
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X84	
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X8J	
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X92	
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT0950013F	
PoP_OL	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZX3	
PoP_OL	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EFZ	
PoP_OL	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09491ET0	
PoP_OL	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZK9	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09515275	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09526206	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514709	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514744	
PoP_OL	roadm	rsa-ol-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.SWK9		
PoP_OL	roadm	rsa-ol-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09450W8W	DISMESSO
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L9M	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0924P103	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0932P208	
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B267	
PoP_OL	roadm	rsa-ol-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CF3	
PoP_OL	roadm	rsa-ol-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BUG	
PoP_OL	roadm	rsa-ol-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CG5	
PoP_OL	roadm	rsa-ol-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BW2	
PoP_OL	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004007Z	
PoP_OL	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10040095	
PoP_OL	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400A8	
PoP_OL	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004008B	
PoP_OL	roadm	rsa-ol-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BL	
PoP_OL	roadm	rsa-ol-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BM	
PoP_OL	roadm	rsa-ol-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BC	
PoP_OL	roadm	rsa-ol-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BF	
PoP_OL	roadm	rsa-ol-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_OL	roadm	rsa-ol-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_OL	roadm	rsa-ol-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP_OL	roadm	rsa-ol-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA10440018	Integrazione 2009



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_OL	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0DF	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0FD	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCAT1249A1CB	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	DCF of -350 ps/nm and 4dB loss	1	15216-DCU-350	SOF51042002Y	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1248B009	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1248B00D	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454 OPTICAL BOOSTER AMPLIFIER MODULE	1	15454-OPT-BST	BKS12470210	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b239	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b22v	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004U	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004M	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	XFP-OC192/STM64/10GE 1550 IR/SH2 - SM LC Transceiver	1	ONS-XC-10G-I2	SFLJ1216H007	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	XFP-OC192/STM64/10GE 1550 IR/SH2 - SM LC Transceiver	1	ONS-XC-10G-I2	SFLJ1236H008	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102K8	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JL	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL122901WG	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102KQ	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	15454 10Gbps EFEC Multirate Transponder Card	1	15454-10E-L1-C	SCAT1247B02U	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	15454 10Gbps EFEC Multirate Transponder Card	1	15454-10E-L1-C	SCAT1247B033	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813K7	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813JG	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1235G3M0	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM12390061	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT1239B0SE	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT1245B16A	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	DCF of - 950 ps/nm	1	15216-DCU-950	SOF512450028	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	SCAT1243B059	Integrazione 2009
PoP_OL	roadm	rsa-ol-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX1240G4FB	Integrazione 2009
PoP_OR	bras2	rsa-or-bras2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33998004	
PoP_OR	bras2	rsa-or-bras2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380AS	
PoP_OR	bras2	rsa-or-bras2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380FS	
PoP_OR	bras2	rsa-or-bras2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_OR	bras2	rsa-or-bras2-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP_OR	bras2	rsa-or-bras2-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		
PoP_OR	bras2	rsa-or-bras2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34249343	
PoP_OR	bras2	rsa-or-bras2-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB		
PoP_OR	bras2	rsa-or-bras2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_OR	bras2	rsa-or-bras2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_OR	bras2	rsa-or-bras2-01	8-port ATM Inverse Mux E1 (120 Ohm) Port Adapter	1	PA-A3-8E1MA	34048064	
PoP_OR	nas2	rsa-or-nas2-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33997937	
PoP_OR	nas2	rsa-or-nas2-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380BP	
PoP_OR	nas2	rsa-or-nas2-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380BL	
PoP_OR	nas2	rsa-or-nas2-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP_OR	nas2	rsa-or-nas2-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34249833	
PoP_OR	nas2	rsa-or-nas2-01	Two 128MB mem modules (256MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-256MB		
PoP_OR	nas2	rsa-or-nas2-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP_OR	nas2	rsa-or-nas2-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP_OR	nas2	rsa-or-nas2-01	8 port multichannel T1/E1 8PRI port adapter	1	PA-MC-8TE1+	JAE0947QADR	
PoP_OR	nas2	rsa-or-nas2-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131056	
PoP_OR	nas2	rsa-or-nas2-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131088	
PoP_OR	nas2	rsa-or-nas2-01	8 Lead Octal Cable and 8 Male V35 DTE Connectors	2	CAB-OCT-V35-MT		
PoP_OR	rc2	rsa-or-rc2-01	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX093103M6	
PoP_OR	rc2	rsa-or-rc2-01	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DHC09330390	
PoP_OR	rc2	rsa-or-rc2-01	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	SAL095181F3	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_OR	rc2	rsa-or-rc2-01	Supervisor Engine 720-3B	1	SUP720-3B	SAL095181KQ	
PoP_OR	rc2	rsa-or-rc2-01	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_OR	rc2	rsa-or-rc2-01	2700 W DC Power Supply for 7604	1	2700W-DC	APQ0947008C	
PoP_OR	rc2	rsa-or-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0948K0ME	
PoP_OR	rc2	rsa-or-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946G0W0	
PoP_OR	rc2	rsa-or-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946K1L9	
PoP_OR	rc2	rsa-or-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946K1L8	
PoP_OR	rc2	rsa-or-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0948L0LJ	
PoP_OR	rc2	rsa-or-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0948L0LK	
PoP_OR	rc2	rsa-or-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0948L0KM	
PoP_OR	rc2	rsa-or-rc2-01	1000BASE-T SFP	1	GLC-T	AGS0946L3HQ	
PoP_OR	rc2	rsa-or-rc2-01	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SX		
PoP_OR	rc2	rsa-or-rc2-01	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL09358931	
PoP_OR	rc2	rsa-or-rc2-01	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B		
PoP_OR	rc2	rsa-or-rc2-01	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4	APQ0947008C	
PoP_OR	rc2	rsa-or-rc2-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_OR	rc2	rsa-or-rc2-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09475J2K	
PoP_OR	rc2	rsa-or-rc2-02	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX09330389	
PoP_OR	rc2	rsa-or-rc2-02	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09353022	
PoP_OR	rc2	rsa-or-rc2-02	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	SAD095201TR	
PoP_OR	rc2	rsa-or-rc2-02	Supervisor Engine 720-3B	1	SUP720-3B	SAD09510448	
PoP_OR	rc2	rsa-or-rc2-02	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP_OR	rc2	rsa-or-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0951Q1WR	
PoP_OR	rc2	rsa-or-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0951Q1TC	
PoP_OR	rc2	rsa-or-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0951Q1TF	
PoP_OR	rc2	rsa-or-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0952C1M4	
PoP_OR	rc2	rsa-or-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0952C1MB	
PoP_OR	rc2	rsa-or-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0951L0FQ	
PoP_OR	rc2	rsa-or-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0951L0HF	
PoP_OR	rc2	rsa-or-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0951L08W	
PoP_OR	rc2	rsa-or-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0951L092	
PoP_OR	rc2	rsa-or-rc2-02	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SX		
PoP_OR	rc2	rsa-or-rc2-02	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAD094906ST	
PoP_OR	rc2	rsa-or-rc2-02	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B		
PoP_OR	rc2	rsa-or-rc2-02	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4	APQ0945003L	
PoP_OR	rc2	rsa-or-rc2-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP_OR	rc2	rsa-or-rc2-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09475Z69	
PoP_OR	roadm	rsa-or-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0945108P	
PoP_OR	roadm	rsa-or-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT09390ABR	
PoP_OR	roadm	rsa-or-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P9P	
PoP_OR	roadm	rsa-or-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P98	
PoP_OR	roadm	rsa-or-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P80	
PoP_OR	roadm	rsa-or-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P86	
PoP_OR	roadm	rsa-or-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09151UD9	
PoP_OR	roadm	rsa-or-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT094901ZQ	
PoP_OR	roadm	rsa-or-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D5K4	
PoP_OR	roadm	rsa-or-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0830A3CQ	
PoP_OR	roadm	rsa-or-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0948E037	
PoP_OR	roadm	rsa-or-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371515	
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371568	
PoP_OR	roadm	rsa-or-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_OR	roadm	rsa-or-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_OR	roadm	rsa-or-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204V8	
PoP_OR	roadm	rsa-or-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204RB	
PoP_OR	roadm	rsa-or-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EG7	
PoP_OR	roadm	rsa-or-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZNY	
PoP_OR	roadm	rsa-or-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EGN	
PoP_OR	roadm	rsa-or-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZZA	
PoP_OR	roadm	rsa-or-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP_OR	roadm	rsa-or-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09450W8E	DISMESSO
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09451B7Y	
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	CNH083401D2	
PoP_OR	roadm	rsa-or-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0944B338	
PoP_OR	roadm	rsa-or-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CEH	
PoP_OR	roadm	rsa-or-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BUX	
PoP_OR	roadm	rsa-or-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CFW	
PoP_OR	roadm	rsa-or-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09520WBC	
PoP_OR	roadm	rsa-or-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10040083	
PoP_OR	roadm	rsa-or-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1002057J	
PoP_OR	roadm	rsa-or-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004009W	
PoP_OR	roadm	rsa-or-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10040094	
PoP_OR	roadm	rsa-or-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BQ	
PoP_OR	roadm	rsa-or-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BD	
PoP_OR	roadm	rsa-or-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BR	
PoP_OR	roadm	rsa-or-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900LT	
PoP_OR	roadm	rsa-or-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_OR	roadm	rsa-or-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_OR	roadm	rsa-or-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP_OR	roadm	rsa-ol-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907MH	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0GU	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0L8	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCA1249A1CN	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX105105WP	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122800DY	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122800E3	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122800E4	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL1228019Z	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2T3	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2SS	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS15454 OPTICAL BOOSTER AMPLIFIER MODULE	1	15454-OPT-BST	BKS12440198	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b26k	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b23m	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004Y	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004V	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113813J1	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS1138072U	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1222G37E	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM1239005J	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT1239B0RE	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT1245B166	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	DCF of -750 ps/nm and 6dB loss	1	15216-DCU-750	SDFS1247007K	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	SCAT1243B04U	Integrazione 2009
PoP_OR	roadm	rsa-ol-roadm-01	DCF of -1350 ps/nm	1	15216-DCU-1350	SDFS12460057	Integrazione 2009
PoP_SL	nas31	rsa-sl-nas31-01	3845 w/DC PWR, 2GE, 1 SFP, 4 NME, 4HWIC, IP Base, 64F/256D	1	CISCO3845-DC	FOC095051Z3	
PoP_SL	nas31	rsa-sl-nas31-01	Cisco 3845 ADVANCED IP SERVICES	1	S384AISK9-12402T		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_SL	nas31	rsa-sl-nas31-01	4-Port Serial Network Module	1	NM-4T	34110913	
PoP_SL	nas31	rsa-sl-nas31-01	4-Port Serial Network Module	1	NM-4T	34110948	
PoP_SL	nas31	rsa-sl-nas31-01	4-Port Serial Network Module	1	NM-4T	34110838	
PoP_SL	nas31	rsa-sl-nas31-01	Cisco3845 redundant DC power supply	1	PWR-3845-DC/2		
PoP_SL	nas31	rsa-sl-nas31-01	V.35 Cable, DTE, Male, 10 Feet	12	CAB-V35MT		
PoP_SL	nas31	rsa-sl-nas31-01	Device manager for routers	1	ROUTER-SDM		
PoP_SL	nas31	rsa-sl-nas31-01	CISCO3845 DC factory upgrade upgrade option power supply	1	PWR-3845-DC		
PoP_SL	nas31	rsa-sl-nas31-01	256BM SDRAM default memory for 3800	1	MEM3800-256D-INCL		
PoP_SL	nas31	rsa-sl-nas31-01	64MB Cisco 3800 Compact Flash Memory Default	1	MEM3800-64CF-INCL		
PoP_SL	nas32	rsa-sl-nas32-01	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D	1	CISCO2821-DC	FCZ095270AC	
PoP_SL	nas32	rsa-sl-nas32-01	Cisco 2800 ADVANCED IP SERVICES	1	S28NAISK9-12402T		
PoP_SL	nas32	rsa-sl-nas32-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AW8	
PoP_SL	nas32	rsa-sl-nas32-01	Device manager for routers	1	ROUTER-SDM		
PoP_SL	nas32	rsa-sl-nas32-01	Cisco 2821/51 DC power supply	1	PWR-2821-51-DC		
PoP_SL	nas32	rsa-sl-nas32-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
PoP_SL	nas32	rsa-sl-nas32-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
PoP_SL	rc31	rsa-sl-rc31-01	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0833003Y	
PoP_SL	rc31	rsa-sl-rc31-01	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP_SL	rc31	rsa-sl-rc31-01	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA09172076	
PoP_SL	rc31	rsa-sl-rc31-01	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT0829077L	
PoP_SL	rc31	rsa-sl-rc31-01	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP_SL	rc31	rsa-sl-rc31-01	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP_SL	rc31	rsa-sl-rc31-02	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0833007X	
PoP_SL	rc31	rsa-sl-rc31-02	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP_SL	rc31	rsa-sl-rc31-02	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA09172078	
PoP_SL	rc31	rsa-sl-rc31-02	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT082801NV	
PoP_SL	rc31	rsa-sl-rc31-02	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP_SL	rc31	rsa-sl-rc31-02	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP_SL	rc32	rsa-sl-rc32-01	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2QE	
PoP_SL	rc32	rsa-sl-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0830K0PC	
PoP_SL	rc32	rsa-sl-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q78W	
PoP_SL	rc32	rsa-sl-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0949B0SE	
PoP_SL	rc32	rsa-sl-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0949E0W7	
PoP_SL	rc32	rsa-sl-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1HQ	
PoP_SL	rc32	rsa-sl-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1HM	
PoP_SL	rc32	rsa-sl-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L15Q	
PoP_SL	rc32	rsa-sl-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K1	
PoP_SL	rc32	rsa-sl-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K4	
PoP_SL	rc32	rsa-sl-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1K2	
PoP_SL	rc32	rsa-sl-rc32-02	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2Q4	
PoP_SL	rc32	rsa-sl-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0828E09K	
PoP_SL	rc32	rsa-sl-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q769	
PoP_SL	rc32	rsa-sl-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0828E09H	
PoP_SL	rc32	rsa-sl-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0949H1DB	
PoP_SL	rc32	rsa-sl-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0949B0SW	
PoP_SL	rc32	rsa-sl-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L15P	
PoP_SL	rc32	rsa-sl-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1JP	
PoP_SL	rc32	rsa-sl-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1HK	
PoP_SL	rc32	rsa-sl-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1HL	
PoP_SL	rc32	rsa-sl-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L15X	
PoP_SL	rc32	rsa-sl-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L1HP	
PoP_SL	roadm	rsa-sl-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT09451087	
PoP_SL	roadm	rsa-sl-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949025T	
PoP_SL	roadm	rsa-sl-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PA0	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP_SL	roadm	rsa-sl-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P83	
PoP_SL	roadm	rsa-sl-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PAD	
PoP_SL	roadm	rsa-sl-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P7B	
PoP_SL	roadm	rsa-sl-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT102850BY	
PoP_SL	roadm	rsa-sl-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT09470294	
PoP_SL	roadm	rsa-sl-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D5K3	
PoP_SL	roadm	rsa-sl-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0948H0AA	
PoP_SL	roadm	rsa-sl-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J9UL	
PoP_SL	roadm	rsa-sl-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09355020	
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09134920	
PoP_SL	roadm	rsa-sl-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP_SL	roadm	rsa-sl-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP_SL	roadm	rsa-sl-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204RM	
PoP_SL	roadm	rsa-sl-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204QY	
PoP_SL	roadm	rsa-sl-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X7Z	
PoP_SL	roadm	rsa-sl-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X7R	
PoP_SL	roadm	rsa-sl-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09470X8T	
PoP_SL	roadm	rsa-sl-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZQP	
PoP_SL	roadm	rsa-sl-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZXV	
PoP_SL	roadm	rsa-sl-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZT8	
PoP_SL	roadm	rsa-sl-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09491EQ4	
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514737	
PoP_SL	roadm	rsa-sl-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.SWK9		
PoP_SL	roadm	rsa-sl-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520LAQ	
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520LAG	
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0935P258	
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B268	
PoP_SL	roadm	rsa-sl-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0944B344	
PoP_SL	roadm	rsa-sl-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BVH	
PoP_SL	roadm	rsa-sl-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CD7	
PoP_SL	roadm	rsa-sl-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09520WBE	
PoP_SL	roadm	rsa-sl-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BWN	
PoP_SL	roadm	rsa-sl-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400AX	
PoP_SL	roadm	rsa-sl-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020593	
PoP_SL	roadm	rsa-sl-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004007N	
PoP_SL	roadm	rsa-sl-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004009V	
PoP_SL	roadm	rsa-sl-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CR	
PoP_SL	roadm	rsa-sl-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900LU	
PoP_SL	roadm	rsa-sl-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CT	
PoP_SL	roadm	rsa-sl-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BG	
PoP_SL	roadm	rsa-sl-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP_SL	roadm	rsa-sl-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP_SL	roadm	rsa-sl-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP-SS	bras1	rsa-ss-bras1-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33998064	
PoP-SS	bras1	rsa-ss-bras1-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380FB	
PoP-SS	bras1	rsa-ss-bras1-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380FA	
PoP-SS	bras1	rsa-ss-bras1-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP-SS	bras1	rsa-ss-bras1-01	Device manager for routers (w/o hardcopy doc)	1	ROUTER-SDM-NODOC		
PoP-SS	bras1	rsa-ss-bras1-01	Cisco IOS 7200/7300/7400 Series Broadband 8000 User License	1	FR-BUS72		
PoP-SS	bras1	rsa-ss-bras1-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34252416	
PoP-SS	bras1	rsa-ss-bras1-01	Two 256MB mem modules (512MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-512MB		



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP-SS	bras1	rsa-ss-bras1-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP-SS	bras1	rsa-ss-bras1-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP-SS	bras1	rsa-ss-bras1-01	1Port Enh ATM E3 Port Adapter (8k VCs)	1	PA-A6-E3	JAE0924EM4Q	
PoP-SS	bras1	rsa-ss-bras1-01	1Port Enh ATM E3 Port Adapter (8k VCs)	1	PA-A6-E3	JAE0924EMJD	
PoP-SS	nas11	rsa-ss-nas11-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33997933	
PoP-SS	nas11	rsa-ss-nas11-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380AN	
PoP-SS	nas11	rsa-ss-nas11-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380FT	
PoP-SS	nas11	rsa-ss-nas11-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP-SS	nas11	rsa-ss-nas11-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34252556	
PoP-SS	nas11	rsa-ss-nas11-01	Two 128MB mem modules (256MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-256MB		
PoP-SS	nas11	rsa-ss-nas11-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP-SS	nas11	rsa-ss-nas11-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP-SS	nas11	rsa-ss-nas11-01	8 port multichannel T1/E1 8PRI port adapter	1	PA-MC-8TE1+	JAE0947QLM6	
PoP-SS	nas11	rsa-ss-nas11-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131063	
PoP-SS	nas11	rsa-ss-nas11-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131084	
PoP-SS	nas11	rsa-ss-nas11-01	8 Lead Octal Cable and 8 Male V35 DTE Connectors	2	CAB-OCT-V35-MT		
PoP-SS	nas12	rsa-ss-nas12-01	Cisco 7204VXR, 4-slot chassis, 1 AC Supply w/IP Software	1	CISCO7204VXR	33998000	
PoP-SS	nas12	rsa-ss-nas12-01	Cisco 7200 DC (24V-60V) Power Supply Option	1	PWR-7200-DC+	QCS093380AP	
PoP-SS	nas12	rsa-ss-nas12-01	Cisco 7200 Redundant DC (24V-60V) Power Supply Option	1	PWR-7200/2-DC+	QCS093380AL	
PoP-SS	nas12	rsa-ss-nas12-01	Cisco 7200 Series IOS ADVANCED IP SERVICES	1	S72AISK9-12402T		
PoP-SS	nas12	rsa-ss-nas12-01	7200 Network Processing Engine with 3 GE/FE/E ports	1	NPE-G1	34136865	
PoP-SS	nas12	rsa-ss-nas12-01	Two 128MB mem modules (256MB total) for NPE-G1 in 7200	1	MEM-NPE-G1-256MB		
PoP-SS	nas12	rsa-ss-nas12-01	Cisco 7200 Compact Flash Disk for NPE-G1, 64 MB Option	1	MEM-NPE-G1-FLD64		
PoP-SS	nas12	rsa-ss-nas12-01	Cisco NPE-G1 Cable Management Bracket	1	MAS-7200-CBLMGMT		
PoP-SS	nas12	rsa-ss-nas12-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131082	
PoP-SS	nas12	rsa-ss-nas12-01	8-Port Serial, V.35 Port Adapter	1	PA-8T-V35	34131057	
PoP-SS	nas12	rsa-ss-nas12-01	8 Lead Octal Cable and 8 Male V35 DTE Connectors	2	CAB-OCT-V35-MT		
PoP-SS	rc2	rsa-ss-rc2-01	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX0906070U	
PoP-SS	rc2	rsa-ss-rc2-01	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09330376	
PoP-SS	rc2	rsa-ss-rc2-01	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	SAL0951830J	
PoP-SS	rc2	rsa-ss-rc2-01	Supervisor Engine 720-3B	1	SUP720-3B	SAL095182D1	
PoP-SS	rc2	rsa-ss-rc2-01	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M		
PoP-SS	rc2	rsa-ss-rc2-01	2700 W DC Power Supply for 7604	1	2700W-DC	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	1000BASE-T SFP	1	GLC-T	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	1000BASE-T SFP	1	GLC-T	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	1000BASE-T SFP	1	GLC-T	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	1000BASE-T SFP	1	GLC-T	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SX	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-01	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-01	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-02	Cisco 7604 Chassis Bundle	1	CISCO7604	FOX093103MQ	
PoP-SS	rc2	rsa-ss-rc2-02	High-Speed Fan Module for 7604/6504-E	1	FAN-MOD-4HS	DCH09351406	
PoP-SS	rc2	rsa-ss-rc2-02	Cisco 7604 Chassis, 4-slot, SUP720-3B, PS	1	7604-SUP7203B-PS	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-02	Supervisor Engine 720-3B	1	SUP720-3B	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-02	Cat6500 Sup720/Sup32 Compact Flash Mem 128MB	1	MEM-C6K-CPTFL128M	APQ0947008U	
PoP-SS	rc2	rsa-ss-rc2-02	2700 W DC Power Supply for 7604	1	2700W-DC	APQ0947008E	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP-SS	rc2	rsa-ss-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946C0GZ	
PoP-SS	rc2	rsa-ss-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0946E2XN	
PoP-SS	rc2	rsa-ss-rc2-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0947Q33J	
PoP-SS	rc2	rsa-ss-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3EU	
PoP-SS	rc2	rsa-ss-rc2-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0947J3ET	
PoP-SS	rc2	rsa-ss-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0948L0LD	
PoP-SS	rc2	rsa-ss-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0948L0U1	
PoP-SS	rc2	rsa-ss-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0946L2QP	
PoP-SS	rc2	rsa-ss-rc2-02	1000BASE-T SFP	1	GLC-T	AGS0948L0UM	
PoP-SS	rc2	rsa-ss-rc2-02	Cisco 7600-SUP720 IOS ADVANCED IP SERVICES SSH	1	S763AISK9-12218SXE		
PoP-SS	rc2	rsa-ss-rc2-02	Catalyst 6500 24-port GigE Mod: fabric-enabled (Req. SFPs)	1	WS-X6724-SFP	SAL09433PHH	
PoP-SS	rc2	rsa-ss-rc2-02	Catalyst 6500/Cisco 7600 Supervisor 720 Fabric MSFC3 PFC3B	1	WS-SUP720-3B		
PoP-SS	rc2	rsa-ss-rc2-02	2700W DC Power Supply for Cisco 7604/6504-E	1	PWR-2700-DC/4	APQ0947008E	
PoP-SS	rc2	rsa-ss-rc2-02	Catalyst 6500 256MB DDR, xCEF720 (67xx interface, DFC3A)	1	MEM-XCEF720-256M		
PoP-SS	rc2	rsa-ss-rc2-02	Catalyst 6500 Central Fwd Card for WS-X67xx modules	1	WS-F6700-CFC	SAL09496WG8	
PoP-SS	roadm	rsa-ss-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949025H	
PoP-SS	roadm	rsa-ss-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT09520476	
PoP-SS	roadm	rsa-ss-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P77	
PoP-SS	roadm	rsa-ss-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P8X	
PoP-SS	roadm	rsa-ss-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P6Y	
PoP-SS	roadm	rsa-ss-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PAC	
PoP-SS	roadm	rsa-ss-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09170EMP	
PoP-SS	roadm	rsa-ss-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT094702BX	
PoP-SS	roadm	rsa-ss-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D6MC	
PoP-SS	roadm	rsa-ss-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0946C0H0	
PoP-SS	roadm	rsa-ss-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0946J0SP	
PoP-SS	roadm	rsa-ss-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09134891	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09113713	
PoP-SS	roadm	rsa-ss-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP-SS	roadm	rsa-ss-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP-SS	roadm	rsa-ss-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204TP	
PoP-SS	roadm	rsa-ss-roadm-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204W0	
PoP-SS	roadm	rsa-ss-roadm-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09460U1L	
PoP-SS	roadm	rsa-ss-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZY6	
PoP-SS	roadm	rsa-ss-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZKE	
PoP-SS	roadm	rsa-ss-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZY0	
PoP-SS	roadm	rsa-ss-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZUB	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514735	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09515247	
PoP-SS	roadm	rsa-ss-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP-SS	roadm	rsa-ss-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520LAN	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT094901VL	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0927P126	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0930P193	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B271	
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B254	
PoP-SS	roadm	rsa-ss-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT094818Z7	
PoP-SS	roadm	rsa-ss-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BV0	
PoP-SS	roadm	rsa-ss-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CG6	
PoP-SS	roadm	rsa-ss-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BWZ	
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10020586	

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT103257BV	
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100218CT	
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT10040093	
PoP-SS	roadm	rsa-ss-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900D0	
PoP-SS	roadm	rsa-ss-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CZ	
PoP-SS	roadm	rsa-ss-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900LV	
PoP-SS	roadm	rsa-ss-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BA	
PoP-SS	roadm	rsa-ss-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP-SS	roadm	rsa-ss-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP-SS	roadm	rsa-ss-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP-SS	roadm	rsa-ss-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907LU	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0CS	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SACT1249A0H0	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCAT1249A1C9	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL124303Q7	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702LU	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702LT	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL123702LX	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b23r	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b22u	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004T	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM12490051	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	XFP-OC192/STM64/10GE 1550 IR/SH2 - SM LC Transceiver	1	ONS-XC-10G-I2	SFLJ1220H006	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	XFP-OC192/STM64/10GE 1550 IR/SH2 - SM LC Transceiver	1	ONS-XC-10G-I2	SFLJ1220H009	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JQ	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JM	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JS	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	SECL123102JV	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	15454 10Gbps EFEC Multirate Transponder Card	1	15454-10E-L1-C	SCAT1247B006	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	15454 10Gbps EFEC Multirate Transponder Card	1	15454-10E-L1-C	SCAT1247B037	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113807JG	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113807GL	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS1138072N	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ML2 10-pt Multi-rate L2/RPR Card	1	15454E-ML-MR-10	SCAT1246B25B	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	STM1/4/16 12 ports IOF - ANSI/ETSI Support	1	15454E-MRC-I-12	SCAT1247B28A	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	STM1/4/16 12 ports IOF - ANSI/ETSI Support	1	15454E-MRC-I-12	SCAT1247B2ZC	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4Ch 1558.17-1560.61	1	15454-MR-L1-58.1	SCAT1244B23S	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4Ch 1558.17-1560.61	1	15454-MR-L1-58.1	SCAT1245B28Q	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1222G37F	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM1239008W	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT1239B0TU	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT1245B15K	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS12350046	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	DCF of -950 ps/nm	1	15216-DCU-950	SOFS12450023	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX1240G4F0	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	GBIC-1000 BASE-SX	1	WS-G5484	A53888636	Integrazione 2009
PoP-SS	roadm	rsa-ss-roadm-01	GBIC-1000 BASE-SX	1	WS-G5484	A53887163	Integrazione 2009
PoP-TE	rc31	rsa-te-nas31-01	3845 w/DC PWR, 2GE, 1 SFP, 4 NME, 4HWIC, IP Base, 64F/256D	1	CISCO3845-DC	FOC09512EY1	
PoP-TE	rc31	rsa-te-nas31-01	Cisco 3845 ADVANCED IP SERVICES	1	S384AISK9-12402T		
PoP-TE	rc31	rsa-te-nas31-01	4-Port Serial Network Module	1	NM-4T	34110934	
PoP-TE	rc31	rsa-te-nas31-01	4-Port Serial Network Module	1	NM-4T	34110972	
PoP-TE	rc31	rsa-te-nas31-01	4-Port Serial Network Module	1	NM-4T	34110896	
PoP-TE	rc31	rsa-te-nas31-01	Cisco3845 redundant DC power supply	1	PWR-3845-DC/2		
PoP-TE	rc31	rsa-te-nas31-01	V.35 Cable, DTE, Male, 10 Feet	12	CAB-V35MT		

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP-TE	rc31	rsa-te-nas31-01	Device manager for routers	1	ROUTER-SDM		
PoP-TE	rc31	rsa-te-nas31-01	CISCO3845 DC factory upgrade upgrade option power supply	1	PWR-3845-DC		
PoP-TE	rc31	rsa-te-nas31-01	256BM SDRAM default memory for 3800	1	MEM3800-256D-INCL		
PoP-TE	rc31	rsa-te-nas31-01	64MB Cisco 3800 Compact Flash Memory Default	1	MEM3800-64CF-INCL		
PoP-TE	nas32	rsa-te-nas32-01	2821 w/ DC PWR,2GE,4HWIC,3PVDM,1NME-X,2AIM,IP BASE,64F/256D	1	CISCO2821-DC	FCZ095270AE	
PoP-TE	nas32	rsa-te-nas32-01	Cisco 2800 ADVANCED IP SERVICES	1	S28NAISK9-12402T		
PoP-TE	nas32	rsa-te-nas32-01	1-Port Channelized E1/T1/ISDN-PRI Network Module	1	NM-1CE1T1-PRI	FOC09454AY8	
PoP-TE	nas32	rsa-te-nas32-01	Device manager for routers	1	ROUTER-SDM		
PoP-TE	nas32	rsa-te-nas32-01	Cisco 2821/51 DC power supply	1	PWR-2821-51-DC		
PoP-TE	nas32	rsa-te-nas32-01	256MB DDR DRAM Memory factory default for the Cisco 2800	1	MEM2800-256D-INC		
PoP-TE	nas32	rsa-te-nas32-01	64MB CF default for Cisco 2800 Series	1	MEM2800-64CF-INC		
PoP-TE	rc31	rsa-te-rc31-01	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0833007B	
PoP-TE	rc31	rsa-te-rc31-01	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP-TE	rc31	rsa-te-rc31-01	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA0917207S	
PoP-TE	rc31	rsa-te-rc31-01	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT08300HZN	
PoP-TE	rc31	rsa-te-rc31-01	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP-TE	rc31	rsa-te-rc31-01	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP-TE	rc31	rsa-te-rc31-02	4-slot chassis, NPE-G100, 1 Power Supply	1	CISCO7304-G100	SCA0833008B	
PoP-TE	rc31	rsa-te-rc31-02	Cisco 7300 Series IOS SERVICE PROVIDER/SECURED SHELL 3DES	1	S730ZK91-12225S		
PoP-TE	rc31	rsa-te-rc31-02	Cisco 7304 DC Power Supply	1	7300-PWR-DC	DCA09172074	
PoP-TE	rc31	rsa-te-rc31-02	Cisco 7304 NPE-G100 w/1GB SDRAM, 256MB Flash, (3)GE/FE/E	1	7304-NPE-G100	CAT0829077T	
PoP-TE	rc31	rsa-te-rc31-02	1GB default SDRAM for 7304 NPE-G100	1	7304-MEM-G100-1GB		
PoP-TE	rc31	rsa-te-rc31-02	Cisco 7304 Compact Flash Memory, 256MB	1	7304-I/O-CFM-256M		
PoP-TE	rc32	rsa-te-rc32-01	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2TC	
PoP-TE	rc32	rsa-te-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0827A39E	
PoP-TE	rc32	rsa-te-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0827A39L	
PoP-TE	rc32	rsa-te-rc32-01	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944Q7K8	
PoP-TE	rc32	rsa-te-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0949B0T0	
PoP-TE	rc32	rsa-te-rc32-01	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0949E1LU	
PoP-TE	rc32	rsa-te-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L0Q8	
PoP-TE	rc32	rsa-te-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L157	
PoP-TE	rc32	rsa-te-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L15H	
PoP-TE	rc32	rsa-te-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L16H	
PoP-TE	rc32	rsa-te-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L16N	
PoP-TE	rc32	rsa-te-rc32-01	1000BASE-T SFP	1	GLC-T	AGS0950L1J8	
PoP-TE	rc32	rsa-te-rc32-02	3750METRO DC native	1	WS-C3750G-12S-SD	CAT0948Z2Q8	
PoP-TE	rc32	rsa-te-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0944C1L2	
PoP-TE	rc32	rsa-te-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0830A3C2	
PoP-TE	rc32	rsa-te-rc32-02	GE SFP, LC connector SX transceiver	1	GLC-SX-MM	FNS0830A3C5	
PoP-TE	rc32	rsa-te-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M1HZ	
PoP-TE	rc32	rsa-te-rc32-02	GE SFP, LC connector LX/LH transceiver	1	GLC-LH-SM	FNS0946M1J4	
PoP-TE	rc32	rsa-te-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0946L3JD	
PoP-TE	rc32	rsa-te-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L0QE	
PoP-TE	rc32	rsa-te-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0948L0KJ	
PoP-TE	rc32	rsa-te-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0950L16D	
PoP-TE	rc32	rsa-te-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0948L0KP	
PoP-TE	rc32	rsa-te-rc32-02	1000BASE-T SFP	1	GLC-T	AGS0948L0TQ	
PoP-TE	roadm	rsa-te-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT09490269	
PoP-TE	roadm	rsa-te-roadm-01	SDH HO/LO Cross-Connect Module,10G shelf	1	15454E-XC-VXC10G	CAT0949025U	
PoP-TE	roadm	rsa-te-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P75	
PoP-TE	roadm	rsa-te-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P8U	
PoP-TE	roadm	rsa-te-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010PA6	
PoP-TE	roadm	rsa-te-roadm-01	1 port STM-16 SH (Any Slot) 1310nm	1	15454E-S16.1-1	CAT10010P6J	
PoP-TE	roadm	rsa-te-roadm-01	Gigabit Ethernet, 2 Ckt.	1	15454E-ML1000-2	CAT09191ARQ	



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP-TE	roadm	rsa-te-roadm-01	4 Port Gigabit Ethernet	1	15454E-G1K-4	CAT09430036	
PoP-TE	roadm	rsa-te-roadm-01	1000 Base SX LC, Ethernet SFP	1	15454E-SFP-LC-SX	FNS0929D5K1	
PoP-TE	roadm	rsa-te-roadm-01	1000-Base-SX GBIC	1	15454E-GBIC-SX	FNS0948E03D	
PoP-TE	roadm	rsa-te-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG		
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	3	15454E-AIR-RAMP		
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371545	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09370995	
PoP-TE	roadm	rsa-te-roadm-01	Empty slot Filler Panel	14	15454-BLANK		
PoP-TE	roadm	rsa-te-roadm-01	15454 ETSI Blank Module for FMEC (Slot Filler)	20	15454E-BLANK-FMEC		
PoP-TE	roadm	rsa-te-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204R8	
PoP-TE	roadm	rsa-te-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204RD	
PoP-TE	roadm	rsa-te-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CNH09160170	
PoP-TE	roadm	rsa-te-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09460U1V	
PoP-TE	roadm	rsa-te-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09460RJR	
PoP-TE	roadm	rsa-te-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZYF	
PoP-TE	roadm	rsa-te-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZNC	
PoP-TE	roadm	rsa-te-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZLB	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09504141	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09515269	
PoP-TE	roadm	rsa-te-roadm-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	2	15454E-R7.0.0SWK9		
PoP-TE	roadm	rsa-te-roadm-01	Rel. 7.0.0 SW, Pre-loaded on TCC	4	SF15454E-R7.0.0K9		
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L9D	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520LAR	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0942P352	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0930P176	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0941B252	
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0944B345	
PoP-TE	roadm	rsa-te-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500CE8	
PoP-TE	roadm	rsa-te-roadm-01	32 Ch DMUX 100 GHz (for use with 32.WSS)	1	15454-32-DMX	CAT09500BUP	
PoP-TE	roadm	rsa-te-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500CHG	
PoP-TE	roadm	rsa-te-roadm-01	32 Ch Wavelength Selective Switch	1	15454-32-WSS	CAT09500BXS	
PoP-TE	roadm	rsa-te-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004008K	
PoP-TE	roadm	rsa-te-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT1004008C	
PoP-TE	roadm	rsa-te-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400A6	
PoP-TE	roadm	rsa-te-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	CAT100400AK	
PoP-TE	roadm	rsa-te-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BS	
PoP-TE	roadm	rsa-te-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CX	
PoP-TE	roadm	rsa-te-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900BN	
PoP-TE	roadm	rsa-te-roadm-01	SFP - OC48/STM16, 1310 SR, I-16, SM LC, EXT-TEMP	1	ONS-SE-2G-S1	ECL094900CY	
PoP-TE	roadm	rsa-te-roadm-01	Fiber patchcord - LC to LC - 2m	4	15454-LC-LC-2		
PoP-TE	roadm	rsa-te-roadm-01	Fiber patchcord - LC to LC - 4m	4	15216-LC-LC-5		
PoP-TE	roadm	rsa-te-roadm-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	4	15454E-PWRCBL-010		
PoP-TE	roadm	rsa-te-roadm-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA10440011	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A0BX	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	SCAT1249A097	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Gigabit Ethernet, 2 Ckt	1	15454E-ML1000-2	SCAT1249A1D1	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL1228019Y	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL122800DX	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL124303Q9	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Cisco ONS-SE-2G-S1 ONS 2.5GM SFP Optics GBICS	1	ONS-SE-2G-S1	ECL124303QE	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2QR	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	OC3/12/48, 2.5G Max, 4 ports, IOF	1	15454-MRC2.5G4	SCAT1247B2NX	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1245b287	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Multi-Rate Txp 100M-2.5G 100G 4ch 1558.17-1560.61	1	15454-MR-L1-58.1	Scat1244b23u	Integrazione 2009



IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
PoP-TE	roadm	rsa-te-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004Q	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	2RU 80 Ports LC Patch Panel	1	15454-PP-80-LC	SADM1249004S	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS113807JP	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	ONS-SI-GE-SX GBIC / Transceiver / Module / Connector	1	ONS-SI-GE-SX	SFNS1138072K	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	48V Controlled Cooling Fan Tray with filter for ETSI Chassis	1	15454E-CC-FTA	SSMG1222G37B	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	Fiber Storage Shelf	1	15454-FBR-STRG	SADM12390093	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	SCAT1239B0RP	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	SCAT1245B16K	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1247006S	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1248003C	Integrazione 2009
PoP-TE	roadm	rsa-te-roadm-01	ONS 15454 SDH ETSI Chassis	1	15454E-SA-ETSI	SFOX1240G4EU	Integrazione 2009
Rip_CR	lineamp	rsa-cr-lineamp-01	Fiber Storage Shelf	1	15454-FBR-STRG		
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	1	15454E-AIR-RAMP		
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09370953	
Rip_CR	lineamp	rsa-cr-lineamp-01	Empty slot Filler Panel	10	15454-BLANK		
Rip_CR	lineamp	rsa-cr-lineamp-01	15454 ETSI Blank Module for FMEC (Slot Filler)	10	15454E-BLANK-FMEC		
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204SR	
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09500169	
Rip_CR	lineamp	rsa-cr-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZLU	
Rip_CR	lineamp	rsa-cr-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09460RQH	
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09515268	
Rip_CR	lineamp	rsa-cr-lineamp-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	1	15454E-R7.0.0SWK9		
Rip_CR	lineamp	rsa-cr-lineamp-01	Rel. 7.0.0 SW, Pre-loaded on TCC	2	SF15454E-R7.0.0K9		
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09520L9J	
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 Combiner and Separator with OSC Module	1	15454-OSC-CSM	CAT09450W8X	
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0928P147	
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0933P248	
Rip_CR	lineamp	rsa-cr-lineamp-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0942B322	
Rip_CR	lineamp	rsa-cr-lineamp-01	Bulk Attenuator - LC Connector - 10dB	1	15216-ATT-LC-10		
Rip_CR	lineamp	rsa-cr-lineamp-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	2	15454E-PWRCBL-010		
Rip_CR	lineamp	rsa-cr-lineamp-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907KC	Integrazione 2009
Rip_CR	lineamp	rsa-cr-lineamp-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1248003F	Integrazione 2009
Rip_CR	lineamp	rsa-cr-lineamp-01	DCF of -1550 ps/nm	1	15216-DCU-1550	SOFS1247009S	Integrazione 2009
Rip_IM	lineamp	rsa-im-lineamp-01	Fiber Storage Shelf	1	15454-FBR-STRG		
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	1	15454E-AIR-RAMP		
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371488	
Rip_IM	lineamp	rsa-im-lineamp-01	Empty slot Filler Panel	10	15454-BLANK		
Rip_IM	lineamp	rsa-im-lineamp-01	15454 ETSI Blank Module for FMEC (Slot Filler)	10	15454E-BLANK-FMEC		
Rip_IM	lineamp	rsa-im-lineamp-01	ONS15454SDH Craft, Timing, -48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204S1	
Rip_IM	lineamp	rsa-im-lineamp-01	ONS15454SDH Alarm, -48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT0950014V	
Rip_IM	lineamp	rsa-im-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EDY	
Rip_IM	lineamp	rsa-im-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EJX	
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09514678	
Rip_IM	lineamp	rsa-im-lineamp-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	1	15454E-R7.0.0SWK9		
Rip_IM	lineamp	rsa-im-lineamp-01	Rel. 7.0.0 SW, Pre-loaded on TCC	2	SF15454E-R7.0.0K9		
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09450W96	
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09500NEJ	
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0933P245	
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0930P192	
Rip_IM	lineamp	rsa-im-lineamp-01	ONS 15454 Optical Booster Amplifier Module	2	15454-OPT-BST	JDS0942B321	
Rip_IM	lineamp	rsa-im-lineamp-01	Bulk Attenuator - LC Connector - 10dB	1	15216-ATT-LC-10		
Rip_IM	lineamp	rsa-im-lineamp-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	2	15454E-PWRCBL-010		
Rip_IM	lineamp	rsa-im-lineamp-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907K9	Integrazione 2009
Rip_IM	lineamp	rsa-im-lineamp-01	DCF of -750 ps/nm and 6dB loss	1	15216-DCU-750	SOFS1247006J	Integrazione 2009

IdSede	Tipo	Apparato	Descrizione	Quantità	Codice Prodotto	Serial Number	Note
Rip_IM	lineamp	rsa-im-lineamp-01	DCF of - 950 ps/nm	1	15216-DCU-950	SOFS12450029	Integrazione 2009
Rip_MA	lineamp	rsa-ma-lineamp-01	Fiber Storage Shelf	1	15454-FBR-STRG		
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	1	15454E-AIR-RAMP		
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09113692	
Rip_MA	lineamp	rsa-ma-lineamp-01	Empty slot Filler Panel	11	15454-BLANK		
Rip_MA	lineamp	rsa-ma-lineamp-01	15454 ETSI Blank Module for FMEC (Slot Filler)	10	15454E-BLANK-FMEC		
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204VT	
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT0950013H	
Rip_MA	lineamp	rsa-ma-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZYG	
Rip_MA	lineamp	rsa-ma-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09480ZMY	
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09504485	
Rip_MA	lineamp	rsa-ma-lineamp-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	1	15454E-R7.0.0SWK9		
Rip_MA	lineamp	rsa-ma-lineamp-01	Rel. 7.0.0 SW, Pre-loaded on TCC	2	SF15454E-R7.0.0K9		
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 Combiner and Separator with OSC Module	1	15454-OSC-CSM	CAT09520L7G	
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 Combiner and Separator with OSC Module	1	15454-OSC-CSM	CAT09450W99	
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0932P222	
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0929P157	
Rip_MA	lineamp	rsa-ma-lineamp-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0944B336	
Rip_MA	lineamp	rsa-ma-lineamp-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	2	15454E-PWRCBL-010		
Rip_MA	lineamp	rsa-ma-lineamp-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907KM	Integrazione 2009
Rip_MA	lineamp	rsa-ma-lineamp-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1248003A	Integrazione 2009
Rip_SI	lineamp	rsa-si-lineamp-01	Fiber Storage Shelf	1	15454-FBR-STRG		
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 SDH Air Ramp comes with ETSI Rack Brackets	1	15454E-AIR-RAMP		
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 SDH ETSI Chassis and Ship-Kit	1	15454E-SA-ETSI	TBC09371534	
Rip_SI	lineamp	rsa-si-lineamp-01	Empty slot Filler Panel	10	15454-BLANK		
Rip_SI	lineamp	rsa-si-lineamp-01	15454 ETSI Blank Module for FMEC (Slot Filler)	10	15454E-BLANK-FMEC		
Rip_SI	lineamp	rsa-si-lineamp-01	ONS15454SDH Craft,Timing,-48V PwrMgmt IF Conn	1	15454E-CTP-MIC48V	CAT095204U8	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS15454SDH Alarm,-48V PwrMgmt IF Conn	1	15454E-AP-MIC48V	CAT09500152	
Rip_SI	lineamp	rsa-si-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09520EDT	
Rip_SI	lineamp	rsa-si-lineamp-01	Timing Communications Control Two Plus, I-Temp	1	15454E-TCC2P-K9	CAT09460RNK	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09526184	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 SDH 48V Fan Tray with filter for ETSI Chassis	1	15454E-FTA-48V	TBM09526286	
Rip_SI	lineamp	rsa-si-lineamp-01	Rel. 7.0.0 Feature Pkg., CD, Right To Use License	1	15454E-R7.0.0SWK9		
Rip_SI	lineamp	rsa-si-lineamp-01	Rel. 7.0.0 SW, Pre-loaded on TCC	2	SF15454E-R7.0.0K9		
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09450W8F	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 Optical Service Channel Module	1	15454-OSCM	CAT09500NCD	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0933P240	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 Optical Pre-Amplifier Module	1	15454-OPT-PRE	JDS0929P170	
Rip_SI	lineamp	rsa-si-lineamp-01	ONS 15454 Optical Booster Amplifier Module	1	15454-OPT-BST	JDS0942B297	
Rip_SI	lineamp	rsa-si-lineamp-01	Bulk Attenuator - LC Connector - 10dB	1	15216-ATT-LC-10		
Rip_SI	lineamp	rsa-si-lineamp-01	10Meter, 8 AWG, 3 conductor, Single Ended Power Cable	2	15454E-PWRCBL-010		
Rip_SI	lineamp	rsa-si-lineamp-01	Mechanical shelf (housing 2 DCM)	1	15216-DCU-SA	SSMA124907K6	Integrazione 2009
Rip_SI	lineamp	rsa-si-lineamp-01	DCF of -1950 ps/nm	1	15216-DCU-1950	SOFS1247009N	Integrazione 2009
Rip_SI	lineamp	rsa-si-lineamp-01	DCF of -1150 ps/nm and 8dB loss	1	15216-DCU-1150	SOFS124000A7	Integrazione 2009