

**UNIONE EUROPEA****REPUBBLICA ITALIANA****REGIONE AUTONOMA DELLA
SARDEGNA**Assessorato degli affari generali, personale e riforma della regione
Direzione generale degli affari generali e della società dell'informazione**[RTR-CON-EXT]****Allegato 3 Descrizione degli apparati per tipologia di sedi di accesso**

Sedi FO-RPR			
	Descrizione	Codice Prodotto	Quantità
Cisco 10720			
	Internet Router with dual AC Power Supply-Rev A	CISCO10720-AC-A	1
	Power Cord-Italian	CAB-ACI	2
	4 Port GE 8 Port 10/100 Ethernet RJ45 TX-Revision B	10720-GE-FE-TX-B	1
	GE SFP - Short Reach 550M	10720-GE-SFP-SX	2
	GE SFP - Intermediate Reach 10KM	10720-GE-SFP-LH	2
	OC48/STM16 Dual Mode RPR/SRP uplink module -SFP optics	10720-RPR-SFP	1
	OC-48c/STM-16c	SFP-OC48-IR1	2
	Cisco 10700 Series IOS SERVICE PROVIDER/SECURED SHELL	S107K5Z-12.0.31S	1
Cisco Catalyst 3750			
	Catalyst 3750 12 SFP Standard Multilayer Image	WS-C3750G-12S-S	1
	Power Cord-Italian	CAB-ACI	1
	Cisco StackWise 50CM Stacking Cable	CAB-STACK-50CM	1
	GE SFP, LC connector SX transceiver	GLC-SX-MM	4
	GE SFP, LC connector LX/LH transceiver	GLC-LH-SM	8
	675W Redundant Power Supply with 1 connector cable	PWR675-AC-RPS-N1=	1
	Power Cord-Italian	CAB-ACI	1
Cisco 2811			
	2811 Security Bundle,Adv Security,64F/256D	CISCO2811-SEC/K9	1
	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	S28NUASK9B-12401	1
	1-Port ISDN WAN Interface Card (dial and leased line)	WIC-1B-S/T-V3	1
	2-Port Serial WAN Interface Card	WIC-2T	1
	Power Cord-Italian	CAB-ACI	1
	V.35 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-V35MT	2
	Device manager for routers	ROUTER-SDM	1
	Cisco 2811 AC power supply	PWR-2811-AC	1
	256MB DDR DRAM Memory factory default for the Cisco 2800	MEM2800-256D-INC	1
	64MB CF default for Cisco 2800 Series	MEM2800-64CF-INC	1

Sedi FO-DC			
	Descrizione	Codice Prodotto	Quantità
Cisco Catalyst 3750 Metro			
	ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	ME-C3750-24TE-M	1



UNIONE EUROPEA



REPUBBLICA ITALIANA



**REGIONE AUTONOMA DELLA
SARDEGNA**

Assessorato degli affari generali, personale e riforma della regione
Direzione generale degli affari generali e della società dell'informazione

IP Services Feature License for Catalyst 3750 Metro	ME3750-IPSVC-LIC	1
Configurable ME-C3750 AC Power Supply	PWR-ME3750-AC	1
Metro Catalyst 3750 redundant AC power supply (configurable)	PWR-ME3750-AC-R	1
GE SFP,LC connector LX/LH transceiver	GLC-LH-SM=	4
Cisco 2811		
2811 Security Bundle,Adv Security,64F/256D	CISCO2811-SEC/K9	1
Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	S28NUASK9B-12401	1
1-Port ISDN WAN Interface Card (dial and leased line)	WIC-1B-S/T-V3	1
2-Port Serial WAN Interface Card	WIC-2T	1
Power Cord-Italian	CAB-ACI	1
V.35 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-V35MT	2
Device manager for routers	ROUTER-SDM	1
Cisco 2811 AC power supply	PWR-2811-AC	1
256MB DDR DRAM Memory factory default for the Cisco 2800	MEM2800-256D-INC	1
64MB CF default for Cisco 2800 Series	MEM2800-64CF-INC	1

Sedi FO-I		
Descrizione	Codice Prodotto	Quantità
Cisco Catalyst 3560		
Catalyst 3560 48 10/100 + 4 SFP Enhanced Image	WS-C3560-48TS-E	1
Power Cord-Italian	CAB-ACI	1
GE SFP,LC connector LX/LH transceiver	GLC-LH-SM=	2
Cisco 2811		
2811 Security Bundle,Adv Security,64F/256D	CISCO2811-SEC/K9	1
Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	S28NUASK9B-12401	1
1-Port ISDN WAN Interface Card (dial and leased line)	WIC-1B-S/T-V3	1
2-Port Serial WAN Interface Card	WIC-2T	1
Power Cord-Italian	CAB-ACI	1
V.35 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-V35MT	2
Device manager for routers	ROUTER-SDM	1
Cisco 2811 AC power supply	PWR-2811-AC	1
256MB DDR DRAM Memory factory default for the Cisco 2800	MEM2800-256D-INC	1
64MB CF default for Cisco 2800 Series	MEM2800-64CF-INC	1

Sedi FO-PE		
Descrizione	Codice Prodotto	Quantità
Cisco Catalyst 3750 METRO		
ME C3750 24 10/100+2SFP+2SFP ES Prt (no-pwr): Std ME SW Img	ME-C3750-24TE-M	1
Advanced IP Feature License for Catalyst 3750 Metro	ME3750-ADVIP-LIC	1
Configurable ME-C3750 AC Power Supply	PWR-ME3750-AC	1
Metro Catalyst 3750 redundant AC power supply (configurable)	PWR-ME3750-AC-R	1
GE SFP,LC connector LX/LH transceiver	GLC-LH-SM=	4

RTR-CON-EXT

17/05/2011

Allegato 3

**UNIONE EUROPEA****REPUBBLICA ITALIANA****REGIONE AUTONOMA DELLA
SARDEGNA**

Assessorato degli affari generali, personale e riforma della regione
Direzione generale degli affari generali e della società dell'informazione

Cisco 2811		
2811 Security Bundle,Adv Security,64F/256D	CISCO2811-SEC/K9	1
Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	S28NUASK9B-12401	1
1-Port ISDN WAN Interface Card (dial and leased line)	WIC-1B-S/T-V3	1
2-Port Serial WAN Interface Card	WIC-2T	1
Power Cord-Italian	CAB-ACI	1
V.35 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-V35MT	2
Device manager for routers	ROUTER-SDM	1
Cisco 2811 AC power supply	PWR-2811-AC	1
256MB DDR DRAM Memory factory default for the Cisco 2800	MEM2800-256D-INC	1
64MB CF default for Cisco 2800 Series	MEM2800-64CF-INC	1

Sedi RA-H			
	Descrizione	Codice Prodotto	Quantità
	2851 Security Bundle,Adv Security,64F/256D	CISCO2851-SEC/K9	1
	Power Cord-Italian	CAB-ACI	2
	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	S28NUASK9B-12401	1
	1-Port Channelized E1/T1/ISDN-PRI Network Module	NM-1CE1T1-PRI	1
	1-Port ISDN WAN Interface Card (dial and leased line)	WIC-1B-S/T-V3	1
	4 port ATM IMA bundle	AIM-ATM-4E1	1
	Device manager for routers	ROUTER-SDM	1
	Cisco 2821/51 AC power supply	PWR-2821-51-AC	1
	High Performance ATM Advanced Integration Module	AIM-ATM	1
	2-Port RJ-48 Multiflex Trunk - E1	VWIC-2MFT-E1	1
	2-Port RJ-48 Multiflex Trunk - E1	VWIC-2MFT-E1	1
	256MB DDR DRAM Memory factory default for the Cisco 2800	MEM2800-256D-INC	1
	64MB CF default for Cisco 2800 Series	MEM2800-64CF-INC	1
	675W Redundant Power Supply with 1 connector cable	PWR675-AC-RPS-N1=	1

Sedi RA-L e RA-M			
	Descrizione	Codice Prodotto	Quantità
	2811 Security Bundle,Adv Security,64F/256D	CISCO2811-SEC/K9	1
	Cisco 2800 IOS ASK9-AISK9 FEAT SET FACTORY UPG FOR BUNDLES	S28NUASK9B-12401	1
	1-Port ISDN WAN Interface Card (dial and leased line)	WIC-1B-S/T-V3	1
	2-Port Serial WAN Interface Card	WIC-2T	1
	Power Cord-Italian	CAB-ACI	1
	V.35 Cable, DTE Male to Smart Serial, 10 Feet	CAB-SS-V35MT	2
	Device manager for routers	ROUTER-SDM	1
	Cisco 2811 AC power supply	PWR-2811-AC	1
	256MB DDR DRAM Memory factory default for the Cisco 2800	MEM2800-256D-INC	1
	64MB CF default for Cisco 2800 Series	MEM2800-64CF-INC	1